

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B5_1.4MHz_ERP

Band: 5 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	22.65	-2.92	17.58	<=38.45	Pass
			2	22.71	-2.92	17.64	<=38.45	Pass
			5	22.71	-2.92	17.64	<=38.45	Pass
		3	0	22.62	-2.92	17.55	<=38.45	Pass
			2	22.58	-2.92	17.51	<=38.45	Pass
			3	22.65	-2.92	17.58	<=38.45	Pass
		6	0	21.58	-2.92	16.51	<=38.45	Pass
	836.5	1	0	22.49	-2.92	17.42	<=38.45	Pass
			2	22.53	-2.92	17.46	<=38.45	Pass
			5	22.57	-2.92	17.5	<=38.45	Pass
		3	0	22.62	-2.92	17.55	<=38.45	Pass
			2	22.68	-2.92	17.61	<=38.45	Pass
			3	22.67	-2.92	17.6	<=38.45	Pass
		6	0	21.61	-2.92	16.54	<=38.45	Pass
	848.3	1	0	22.5	-2.92	17.43	<=38.45	Pass
			2	22.67	-2.92	17.6	<=38.45	Pass
			5	22.63	-2.92	17.56	<=38.45	Pass
		3	0	22.43	-2.92	17.36	<=38.45	Pass
			2	22.69	-2.92	17.62	<=38.45	Pass
			3	22.6	-2.92	17.53	<=38.45	Pass
		6	0	21.49	-2.92	16.42	<=38.45	Pass
16QAM	824.7	1	0	21.19	-2.92	16.12	<=38.45	Pass
			2	21.13	-2.92	16.06	<=38.45	Pass
			5	21.11	-2.92	16.04	<=38.45	Pass
		3	0	21.36	-2.92	16.29	<=38.45	Pass
			2	21.38	-2.92	16.31	<=38.45	Pass
			3	21.42	-2.92	16.35	<=38.45	Pass
		6	0	20.74	-2.92	15.67	<=38.45	Pass
	836.5	1	0	21.72	-2.92	16.65	<=38.45	Pass
			2	21.76	-2.92	16.69	<=38.45	Pass
			5	21.77	-2.92	16.7	<=38.45	Pass
		3	0	21.54	-2.92	16.47	<=38.45	Pass
			2	21.53	-2.92	16.46	<=38.45	Pass
			3	21.53	-2.92	16.46	<=38.45	Pass
		6	0	20.72	-2.92	15.65	<=38.45	Pass
	848.3	1	0	22.11	-2.92	17.04	<=38.45	Pass
			2	21.98	-2.92	16.91	<=38.45	Pass
			5	22.15	-2.92	17.08	<=38.45	Pass
		3	0	21.34	-2.92	16.27	<=38.45	Pass
			2	21.43	-2.92	16.36	<=38.45	Pass
			3	21.37	-2.92	16.3	<=38.45	Pass
		6	0	20.9	-2.92	15.83	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B5_3MHz_ERP

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	22.59	-2.92	17.52	<=38.45	Pass
			7	22.57	-2.92	17.5	<=38.45	Pass
			14	22.51	-2.92	17.44	<=38.45	Pass
		8	0	21.72	-2.92	16.65	<=38.45	Pass
			4	21.66	-2.92	16.59	<=38.45	Pass
			7	21.72	-2.92	16.65	<=38.45	Pass
		15	0	21.7	-2.92	16.63	<=38.45	Pass
	836.5	1	0	22.54	-2.92	17.47	<=38.45	Pass
			7	22.49	-2.92	17.42	<=38.45	Pass
			14	22.59	-2.92	17.52	<=38.45	Pass
		8	0	21.63	-2.92	16.56	<=38.45	Pass
			4	21.67	-2.92	16.6	<=38.45	Pass
			7	21.67	-2.92	16.6	<=38.45	Pass
		15	0	21.75	-2.92	16.68	<=38.45	Pass
	847.5	1	0	22.58	-2.92	17.51	<=38.45	Pass
			7	22.54	-2.92	17.47	<=38.45	Pass
			14	22.71	-2.92	17.64	<=38.45	Pass
		8	0	21.5	-2.92	16.43	<=38.45	Pass
			4	21.54	-2.92	16.47	<=38.45	Pass
			7	21.54	-2.92	16.47	<=38.45	Pass
		15	0	21.53	-2.92	16.46	<=38.45	Pass
16QAM	825.5	1	0	21.7	-2.92	16.63	<=38.45	Pass
			7	21.73	-2.92	16.66	<=38.45	Pass
			14	21.66	-2.92	16.59	<=38.45	Pass
		8	0	20.91	-2.92	15.84	<=38.45	Pass
			4	20.91	-2.92	15.84	<=38.45	Pass
			7	20.91	-2.92	15.84	<=38.45	Pass
		15	0	20.78	-2.92	15.71	<=38.45	Pass
	836.5	1	0	22.41	-2.92	17.34	<=38.45	Pass
			7	22.41	-2.92	17.34	<=38.45	Pass
			14	22.45	-2.92	17.38	<=38.45	Pass
		8	0	20.75	-2.92	15.68	<=38.45	Pass
			4	20.76	-2.92	15.69	<=38.45	Pass
			7	20.79	-2.92	15.72	<=38.45	Pass
		15	0	20.72	-2.92	15.65	<=38.45	Pass
	847.5	1	0	21.32	-2.92	16.25	<=38.45	Pass
			7	21.26	-2.92	16.19	<=38.45	Pass
			14	21.29	-2.92	16.22	<=38.45	Pass
		8	0	20.88	-2.92	15.81	<=38.45	Pass
			4	20.8	-2.92	15.73	<=38.45	Pass
			7	20.92	-2.92	15.85	<=38.45	Pass
		15	0	20.69	-2.92	15.62	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B5_5MHz_ERP

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	22.55	-2.92	17.48	<=38.45	Pass
			13	22.43	-2.92	17.36	<=38.45	Pass

		12		24	22.5	-2.92	17.43	<=38.45	Pass	
			0	21.75	-2.92	16.68	<=38.45	Pass		
			6	21.72	-2.92	16.65	<=38.45	Pass		
			13	21.61	-2.92	16.54	<=38.45	Pass		
		25	0	21.6	-2.92	16.53	<=38.45	Pass		
	836.5	1		0	22.55	-2.92	17.48	<=38.45	Pass	
			13	22.61	-2.92	17.54	<=38.45	Pass		
			24	22.65	-2.92	17.58	<=38.45	Pass		
		12	0	21.66	-2.92	16.59	<=38.45	Pass		
			6	21.79	-2.92	16.72	<=38.45	Pass		
			13	21.77	-2.92	16.7	<=38.45	Pass		
		25	0	21.79	-2.92	16.72	<=38.45	Pass		
	846.5	1		0	22.59	-2.92	17.52	<=38.45	Pass	
			13	22.48	-2.92	17.41	<=38.45	Pass		
			24	22.59	-2.92	17.52	<=38.45	Pass		
		12	0	21.61	-2.92	16.54	<=38.45	Pass		
			6	21.49	-2.92	16.42	<=38.45	Pass		
			13	21.49	-2.92	16.42	<=38.45	Pass		
		25	0	21.58	-2.92	16.51	<=38.45	Pass		
		16QAM	826.5	1		0	20.83	-2.92	15.76	<=38.45
	13				20.79	-2.92	15.72	<=38.45	Pass	
	24				20.74	-2.92	15.67	<=38.45	Pass	
	12			0	20.72	-2.92	15.65	<=38.45	Pass	
				6	20.69	-2.92	15.62	<=38.45	Pass	
13				20.64	-2.92	15.57	<=38.45	Pass		
25	0			20.78	-2.92	15.71	<=38.45	Pass		
836.5	1				0	21.64	-2.92	16.57	<=38.45	Pass
				13	21.79	-2.92	16.72	<=38.45	Pass	
			24	21.69	-2.92	16.62	<=38.45	Pass		
	12		0	20.61	-2.92	15.54	<=38.45	Pass		
			6	20.71	-2.92	15.64	<=38.45	Pass		
			13	20.69	-2.92	15.62	<=38.45	Pass		
	25		0	20.73	-2.92	15.66	<=38.45	Pass		
846.5	1			0	21.7	-2.92	16.63	<=38.45	Pass	
			13	21.55	-2.92	16.48	<=38.45	Pass		
			24	21.63	-2.92	16.56	<=38.45	Pass		
	12		0	20.76	-2.92	15.69	<=38.45	Pass		
			6	20.69	-2.92	15.62	<=38.45	Pass		
			13	20.71	-2.92	15.64	<=38.45	Pass		
	25		0	20.78	-2.92	15.71	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15										

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B5_10MHz_ERP

Band: 5 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	22.64	-2.92	17.57	<=38.45	Pass
			25	22.54	-2.92	17.47	<=38.45	Pass
			49	22.57	-2.92	17.5	<=38.45	Pass
		25	0	21.67	-2.92	16.6	<=38.45	Pass
			13	21.7	-2.92	16.63	<=38.45	Pass
			25	21.67	-2.92	16.6	<=38.45	Pass
		50	0	21.68	-2.92	16.61	<=38.45	Pass
	836.5	1	0	22.76	-2.92	17.69	<=38.45	Pass

			25	22.63	-2.92	17.56	<=38.45	Pass
			49	22.77	-2.92	17.7	<=38.45	Pass
		25	0	21.73	-2.92	16.66	<=38.45	Pass
			13	21.79	-2.92	16.72	<=38.45	Pass
			25	21.75	-2.92	16.68	<=38.45	Pass
		50	0	21.73	-2.92	16.66	<=38.45	Pass
	844	1	0	22.6	-2.92	17.53	<=38.45	Pass
			25	22.59	-2.92	17.52	<=38.45	Pass
			49	22.68	-2.92	17.61	<=38.45	Pass
		25	0	21.59	-2.92	16.52	<=38.45	Pass
			13	21.65	-2.92	16.58	<=38.45	Pass
			25	21.59	-2.92	16.52	<=38.45	Pass
		50	0	21.64	-2.92	16.57	<=38.45	Pass
16QAM	829	1	0	22.12	-2.92	17.05	<=38.45	Pass
			25	21.94	-2.92	16.87	<=38.45	Pass
			49	22.06	-2.92	16.99	<=38.45	Pass
		25	0	20.72	-2.92	15.65	<=38.45	Pass
			13	20.75	-2.92	15.68	<=38.45	Pass
			25	20.63	-2.92	15.56	<=38.45	Pass
		50	0	20.66	-2.92	15.59	<=38.45	Pass
	836.5	1	0	21.85	-2.92	16.78	<=38.45	Pass
			25	21.97	-2.92	16.9	<=38.45	Pass
			49	21.77	-2.92	16.7	<=38.45	Pass
		25	0	20.79	-2.92	15.72	<=38.45	Pass
			13	20.88	-2.92	15.81	<=38.45	Pass
			25	20.85	-2.92	15.78	<=38.45	Pass
		50	0	20.76	-2.92	15.69	<=38.45	Pass
	844	1	0	21.11	-2.92	16.04	<=38.45	Pass
			25	21.05	-2.92	15.98	<=38.45	Pass
			49	21.14	-2.92	16.07	<=38.45	Pass
		25	0	20.81	-2.92	15.74	<=38.45	Pass
			13	20.86	-2.92	15.79	<=38.45	Pass
			25	20.79	-2.92	15.72	<=38.45	Pass
		50	0	20.72	-2.92	15.65	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B5_10MHz

Band: 5 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	836.5	50	0	20	LV	12.202	0.0146	-2.5 to 2.5	Pass
					NV	9.341	0.0112	-2.5 to 2.5	Pass
					HV	11.344	0.0136	-2.5 to 2.5	Pass
				-30	NV	13.762	0.0165	-2.5 to 2.5	Pass
				-20	NV	14.806	0.0177	-2.5 to 2.5	Pass
				-10	NV	16.651	0.0199	-2.5 to 2.5	Pass
				0	NV	16.265	0.0194	-2.5 to 2.5	Pass
				10	NV	17.910	0.0214	-2.5 to 2.5	Pass
				30	NV	17.967	0.0215	-2.5 to 2.5	Pass
				40	NV	17.624	0.0211	-2.5 to 2.5	Pass
				50	NV	17.166	0.0205	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band5_OBW


Band: 5 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.118	/	Pass
	16QAM	836.5	6	0	1.121	/	Pass
3	QPSK	836.5	15	0	2.752	/	Pass
	16QAM	836.5	15	0	2.783	/	Pass
5	QPSK	836.5	25	0	4.574	/	Pass
	16QAM	836.5	25	0	4.563	/	Pass
10	QPSK	836.5	50	0	9.050	/	Pass
	16QAM	836.5	50	0	9.022	/	Pass

3.1.2 Band5_XDB


Band: 5 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.311	/	Pass
	16QAM	836.5	6	0	1.278	/	Pass
3	QPSK	836.5	15	0	3.143	/	Pass
	16QAM	836.5	15	0	3.100	/	Pass
5	QPSK	836.5	25	0	5.485	/	Pass
	16QAM	836.5	25	0	5.601	/	Pass
10	QPSK	836.5	50	0	10.202	/	Pass
	16QAM	836.5	50	0	10.153	/	Pass

3.2 Test Graph


3.2.1 Band5_OBW




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




3.2.2 Band5_XDB




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV



Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV





4. Peak-Average Ratio


4.1 Test Result

4.1.1 B5_10MHz

Band: 5 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	5.49	<=13	Pass
16QAM	836.5	50	0	6.21	<=13	Pass

4.2 Test Graph

4.2.1 B5_10MHz



5. Spurious Emission

5.1 Test Result

5.1.1 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	824.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	848.3	1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass

5.1.2 B5_3MHz

Band: 5 / Bandwidth: 3MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	825.5	1	0	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	847.5	1	0	Refer To Test Graph	Pass
			14	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass

5.1.3 B5_5MHz

Band: 5 / Bandwidth: 5MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	826.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	846.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass




5.1.4 B5_10MHz


Band: 5 / Bandwidth: 10MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	829	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	844	1	49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

5.2 Test Graph


5.2.1 B5_1.4MHz




Band5_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Band5_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.010	-35.62	-13	Pass
850	852	0.1	CHP	2	850.617	-43.89	-13	Pass


Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.040	-39.22	-13	Pass
850	852	0.1	CHP	2	850.055	-38.69	-13	Pass


5.2.2 B5_3MHz

Band5 3MHz QPSK LCH 825.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.948	-44.72	-13	Pass
823	824	0.003	/	2	823.997	-25.08	-13	Pass
824	827	0.003	/	/	/	/	/	/


Band5 3MHz QPSK LCH 825.5MHz RB 1 0 NTNV




Band5_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band5_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-25.23	-13	Pass
850	852	0.1	CHP	2	850.052	-44.70	-13	Pass


Band5_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.031	CHP	/	/	/	/	/
849	850	0.031	CHP	1	849.006	-26.92	-13	Pass
850	852	0.1	CHP	2	850.068	-38.44	-13	Pass

5.2.3 B5_5MHz


Band5 5MHz QPSK LCH 826.5MHz RB 1 0 NTNV




Band5 5MHz QPSK LCH 826.5MHz RB 1 0 NTNV




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band5_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-31.81	-13	Pass
850	854	0.1	CHP	2	850.050	-38.45	-13	Pass

Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.055	CHP	/	/	/	/	/
849	850	0.055	CHP	1	849.010	-31.57	-13	Pass
850	854	0.1	CHP	2	850.060	-35.81	-13	Pass


5.2.4 B5_10MHz




Band5_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band5_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band5_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-37.01	-13	Pass
850	859	0.1	CHP	2	850.051	-40.03	-13	Pass

Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.102	CHP	/	/	/	/	/
849	850	0.102	CHP	1	849.020	-36.10	-13	Pass
850	859	0.1	/	2	850.200	-36.72	-13	Pass