1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 Band5_ERP

Band: 5								
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
	Network	Subset				Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	23.43	-2.92	18.36	<=38.45	Pass
			836.6	23.33	-2.92	18.26	<=38.45	Pass
			846.6	23.27	-2.92	18.20	<=38.45	Pass
	HSDPA	Subtest 1	826.4	22.82	-2.92	17.75	<=38.45	Pass
		Subtest 2	826.4	22.86	-2.92	17.79	<=38.45	Pass
		Subtest 3	826.4	22.88	-2.92	17.81	<=38.45	Pass
		Subtest 4	826.4	22.86	-2.92	17.79	<=38.45	Pass
		Subtest 1	836.6	22.96	-2.92	17.89	<=38.45	Pass
		Subtest 2	836.6	22.94	-2.92	17.87	<=38.45	Pass
		Subtest 3	836.6	22.95	-2.92	17.88	<=38.45	Pass
		Subtest 4	836.6	22.94	-2.92	17.87	<=38.45	Pass
		Subtest 1	846.6	23.02	-2.92	17.95	<=38.45	Pass
		Subtest 2	846.6	23.03	-2.92	17.96	<=38.45	Pass
		Subtest 3	846.6	23.04	-2.92	17.97	<=38.45	Pass
		Subtest 4	846.6	23.02	-2.92	17.95	<=38.45	Pass
	HSUPA	Subtest 1	826.4	20.45	-2.92	15.38	<=38.45	Pass
		Subtest 2	826.4	20.41	-2.92	15.34	<=38.45	Pass
		Subtest 3	826.4	20.23	-2.92	15.16	<=38.45	Pass
		Subtest 4	826.4	20.50	-2.92	15.43	<=38.45	Pass
		Subtest 5	826.4	20.22	-2.92	15.15	<=38.45	Pass
		Subtest 1	836.6	20.90	-2.92	15.83	<=38.45	Pass
		Subtest 2	836.6	21.01	-2.92	15.94	<=38.45	Pass
		Subtest 3	836.6	20.53	-2.92	15.46	<=38.45	Pass
		Subtest 4	836.6	20.35	-2.92	15.28	<=38.45	Pass
		Subtest 5	836.6	20.60	-2.92	15.53	<=38.45	Pass
		Subtest 1	846.6	20.91	-2.92	15.84	<=38.45	Pass
		Subtest 2	846.6	20.83	-2.92	15.76	<=38.45	Pass
		Subtest 3	846.6	20.35	-2.92	15.28	<=38.45	Pass
		Subtest 4	846.6	20.35	-2.92	15.28	<=38.45	Pass
		Subtest 5	846.6	20.66	-2.92	15.59	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 Test Result

2.1.1 Band5

Band: 5							
Network	Frequency (MHz)	Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
RMC	826.4	20	LV	-1.023	-0.0012	-2.5 to 2.5	Pass
			NV	-0.901	-0.0011	-2.5 to 2.5	Pass
			HV	-0.737	-0.0009	-2.5 to 2.5	Pass
		-30	NV	-1.173	-0.0014	-2.5 to 2.5	Pass
		-20	NV	-0.923	-0.0011	-2.5 to 2.5	Pass
		-10	NV	-0.908	-0.0011	-2.5 to 2.5	Pass
		0	NV	-1.152	-0.0014	-2.5 to 2.5	Pass
		10	NV	-0.050	-0.0001	-2.5 to 2.5	Pass
		30	NV	-0.622	-0.0008	-2.5 to 2.5	Pass
		40	NV	0.365	0.0004	-2.5 to 2.5	Pass
		50	NV	-0.207	-0.0003	-2.5 to 2.5	Pass
	836.6	20	LV	0.851	0.0010	-2.5 to 2.5	Pass
			NV	1.516	0.0018	-2.5 to 2.5	Pass
			HV	0.930	0.0011	-2.5 to 2.5	Pass
		-30	NV	0.572	0.0007	-2.5 to 2.5	Pass
		-20	NV	0.043	0.0001	-2.5 to 2.5	Pass
		-10	NV	-0.508	-0.0006	-2.5 to 2.5	Pass
		0	NV	0.200	0.0002	-2.5 to 2.5	Pass
		10	NV	1.531	0.0018	-2.5 to 2.5	Pass
		30	NV	2.789	0.0033	-2.5 to 2.5	Pass
		40	NV	1.352	0.0016	-2.5 to 2.5	Pass
		50	NV	-0.958	-0.0011	-2.5 to 2.5	Pass
	846.6	20	LV	-0.629	-0.0007	-2.5 to 2.5	Pass
			NV	-0.408	-0.0005	-2.5 to 2.5	Pass
			HV	-0.443	-0.0005	-2.5 to 2.5	Pass
		-30	NV	-1.059	-0.0013	-2.5 to 2.5	Pass
		-20	NV	1.144	0.0014	-2.5 to 2.5	Pass
		-10	NV	0.336	0.0004	-2.5 to 2.5	Pass
		0	NV	-0.086	-0.0001	-2.5 to 2.5	Pass
		10	NV	0.737	0.0009	-2.5 to 2.5	Pass
		30	NV	-0.644	-0.0008	-2.5 to 2.5	Pass
		40	NV	-2.239	-0.0026	-2.5 to 2.5	Pass
		50	NV	-2.139	-0.0025	-2.5 to 2.5	Pass
HSDPA	826.4	20	LV	3.691	0.0045	-2.5 to 2.5	Pass
			NV	2.868	0.0035	-2.5 to 2.5	Pass
			HV	3.505	0.0042	-2.5 to 2.5	Pass
		-30	NV	2.654	0.0032	-2.5 to 2.5	Pass
		-20	NV	3.698	0.0045	-2.5 to 2.5	Pass
		-10	NV	3.519	0.0043	-2.5 to 2.5	Pass
		0	NV	3.734	0.0045	-2.5 to 2.5	Pass
		10	NV	4.056	0.0049	-2.5 to 2.5	Pass
		30	NV	3.748	0.0045	-2.5 to 2.5	Pass
		40	NV	3.827	0.0046	-2.5 to 2.5	Pass
		50	NV	4.449	0.0054	-2.5 to 2.5	Pass
	836.6	20	LV	3.376	0.0040	-2.5 to 2.5	Pass
			NV	3.355	0.0040	-2.5 to 2.5	Pass

			HV	1.931	0.0023	-2.5 to 2.5	Pass
		-30	NV	3.197	0.0038	-2.5 to 2.5	Pass
		-20	NV	2.940	0.0035	-2.5 to 2.5	Pass
		-10	NV	1.559	0.0019	-2.5 to 2.5	Pass
		0	NV	1.788	0.0021	-2.5 to 2.5	Pass
		10	NV	2.003	0.0024	-2.5 to 2.5	Pass
		30	NV	1.831	0.0022	-2.5 to 2.5	Pass
		40	NV	3.812	0.0046	-2.5 to 2.5	Pass
		50	NV	4.113	0.0049	-2.5 to 2.5	Pass
	846.6	20	LV	3.226	0.0038	-2.5 to 2.5	Pass
			NV	3.655	0.0043	-2.5 to 2.5	Pass
			HV	2.968	0.0035	-2.5 to 2.5	Pass
		-30	NV	4.277	0.0051	-2.5 to 2.5	Pass
		-20	NV	4.306	0.0051	-2.5 to 2.5	Pass
		-10	NV	3.984	0.0047	-2.5 to 2.5	Pass
		0	NV	4.642	0.0055	-2.5 to 2.5	Pass
		10	NV	5.193	0.0061	-2.5 to 2.5	Pass
		30	NV	4.013	0.0047	-2.5 to 2.5	Pass
		40	NV	3.948	0.0047	-2.5 to 2.5	Pass
		50	NV	2.983	0.0035	-2.5 to 2.5	Pass
HSUPA	826.4	20	LV	-1.159	-0.0014	-2.5 to 2.5	Pass
			NV	-2.868	-0.0035	-2.5 to 2.5	Pass
			HV	-2.310	-0.0028	-2.5 to 2.5	Pass
		-30	NV	-1.802	-0.0022	-2.5 to 2.5	Pass
		-20	NV	-2.310	-0.0028	-2.5 to 2.5	Pass
		-10	NV	-1.488	-0.0018	-2.5 to 2.5	Pass
		0	NV	-1.645	-0.0020	-2.5 to 2.5	Pass
		10	NV	-2.460	-0.0030	-2.5 to 2.5	Pass
		30	NV	-3.769	-0.0046	-2.5 to 2.5	Pass
		40	NV	-5.293	-0.0064	-2.5 to 2.5	Pass
		50	NV	-0.436	-0.0005	-2.5 to 2.5	Pass
	836.6	20	LV	0.265	0.0003	-2.5 to 2.5	Pass
			NV	-1.423	-0.0017	-2.5 to 2.5	Pass
			HV	-1.631	-0.0019	-2.5 to 2.5	Pass
		-30	NV	-0.343	-0.0004	-2.5 to 2.5	Pass
		-20	NV	-1.845	-0.0022	-2.5 to 2.5	Pass
		-10	NV	-4.156	-0.0050	-2.5 to 2.5	Pass
		0	NV	-3.083	-0.0037	-2.5 to 2.5	Pass
		10	NV	-2.131	-0.0025	-2.5 to 2.5	Pass
		30	NV	-1.895	-0.0023	-2.5 to 2.5	Pass
		40	NV	-0.293	-0.0004	-2.5 to 2.5	Pass
		50	NV	-0.100	-0.0001	-2.5 to 2.5	Pass
	846.6	20	LV	-1.159	-0.0014	-2.5 to 2.5	Pass
			NV	-0.329	-0.0004	-2.5 to 2.5	Pass
			HV	-0.393	-0.0005	-2.5 to 2.5	Pass
		-30	NV	0.014	0.0000	-2.5 to 2.5	Pass
		-20	NV	-1.166	-0.0014	-2.5 to 2.5	Pass
		-10	NV	0.229	0.0003	-2.5 to 2.5	Pass
		0	NV	-1.330	-0.0016	-2.5 to 2.5	Pass
		10	NV	-1.166	-0.0014	-2.5 to 2.5	Pass
		30	NV	2.267	0.0027	-2.5 to 2.5	Pass
		40	NV	1.824	0.0022	-2.5 to 2.5	Pass
		50	NV	0.772	0.0009	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band5_OBW

Band: 5						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.161	/	Pass
			836.6	4.155	/	Pass
			846.6	4.166	/	Pass
	HSDPA	Subtest 1	826.4	4.171	/	Pass
			836.6	4.172	/	Pass
			846.6	4.163	/	Pass
	HSUPA	Subtest 1	826.4	4.157	/	Pass
			836.6	4.168	/	Pass
			846.6	4.169	/	Pass

3.1.2 Band5_XDB

Band: 5						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.699	/	Pass
			836.6	4.713	/	Pass
			846.6	4.698	/	Pass
	HSDPA	Subtest 1	826.4	4.724	/	Pass
			836.6	4.715	/	Pass
			846.6	4.716	/	Pass
	HSUPA	Subtest 1	826.4	4.684	/	Pass
			836.6	4.711	/	Pass
			846.6	4.727	/	Pass

3.2 Test Graph

3.2.1 Band5_OBW

Band5_RMC_LCH_826.4MHz_12.2kbps RMC_NTNV



Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV



Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV



Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



3.2.2 Band5_XDB

Band5_RMC_LCH_826.4MHz_12.2kbps RMC_NTNV



Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV



Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV



Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



4. Peak-Average Ratio

4.1 Test Result

4.1.1 Band5

Band: 5						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	3.14	<=13	Pass
			836.6	3.06	<=13	Pass
			846.6	3.16	<=13	Pass
	HSDPA	Subtest 1	826.4	5.96	<=13	Pass
			836.6	5.77	<=13	Pass
			846.6	5.81	<=13	Pass
	HSUPA	Subtest 1	826.4	7.03	<=13	Pass
			836.6	6.72	<=13	Pass
			846.6	6.96	<=13	Pass

4.2 Test Graph

4.2.1 Band5

Band5_RMC_LCH_826.4MHz_12.2kbps RMC_NTNV



Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV



Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV



Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 Band5

Band: 5						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 Band5

Band5_RMC_LCH_826.4MHz_12.2kbps RMC_NTNV



Band5_RMC_LCH_826.4MHz_12.2kbps RMC_NTNV



Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV



Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV



Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV



Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV