

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B5_1.4MHz_ERP

Band: 5 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.18	-4.43	16.60	<=38.45	Pass
			2	23.12	-4.43	16.54	<=38.45	Pass
			5	23.19	-4.43	16.61	<=38.45	Pass
		3	0	23.09	-4.43	16.51	<=38.45	Pass
			2	23.09	-4.43	16.51	<=38.45	Pass
			3	23.06	-4.43	16.48	<=38.45	Pass
		6	0	22.14	-4.43	15.56	<=38.45	Pass
	836.5	1	0	22.91	-4.43	16.33	<=38.45	Pass
			2	23.15	-4.43	16.57	<=38.45	Pass
			5	23.11	-4.43	16.53	<=38.45	Pass
		3	0	23.29	-4.43	16.71	<=38.45	Pass
			2	23.24	-4.43	16.66	<=38.45	Pass
			3	23.27	-4.43	16.69	<=38.45	Pass
		6	0	21.93	-4.43	15.35	<=38.45	Pass
	848.3	1	0	23.18	-4.43	16.60	<=38.45	Pass
			2	23.12	-4.43	16.54	<=38.45	Pass
			5	23.18	-4.43	16.60	<=38.45	Pass
		3	0	23.03	-4.43	16.45	<=38.45	Pass
			2	23.11	-4.43	16.53	<=38.45	Pass
			3	23.10	-4.43	16.52	<=38.45	Pass
		6	0	22.10	-4.43	15.52	<=38.45	Pass
16QAM	824.7	1	0	21.67	-4.43	15.09	<=38.45	Pass
			2	21.79	-4.43	15.21	<=38.45	Pass
			5	21.66	-4.43	15.08	<=38.45	Pass
		3	0	21.97	-4.43	15.39	<=38.45	Pass
			2	21.95	-4.43	15.37	<=38.45	Pass
			3	21.87	-4.43	15.29	<=38.45	Pass
		6	0	21.37	-4.43	14.79	<=38.45	Pass
	836.5	1	0	22.02	-4.43	15.44	<=38.45	Pass
			2	22.11	-4.43	15.53	<=38.45	Pass
			5	22.15	-4.43	15.57	<=38.45	Pass
		3	0	21.89	-4.43	15.31	<=38.45	Pass
			2	21.93	-4.43	15.35	<=38.45	Pass
			3	21.87	-4.43	15.29	<=38.45	Pass
		6	0	21.35	-4.43	14.77	<=38.45	Pass
	848.3	1	0	22.75	-4.43	16.17	<=38.45	Pass
			2	22.59	-4.43	16.01	<=38.45	Pass
			5	22.65	-4.43	16.07	<=38.45	Pass
		3	0	21.92	-4.43	15.34	<=38.45	Pass
			2	21.91	-4.43	15.33	<=38.45	Pass
			3	21.97	-4.43	15.39	<=38.45	Pass
		6	0	21.19	-4.43	14.61	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B5_3MHz_ERP

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	22.97	-4.43	16.39	<=38.45	Pass
			7	23.00	-4.43	16.42	<=38.45	Pass
			14	22.90	-4.43	16.32	<=38.45	Pass
		8	0	22.15	-4.43	15.57	<=38.45	Pass
			4	22.15	-4.43	15.57	<=38.45	Pass
			7	22.13	-4.43	15.55	<=38.45	Pass
		15	0	22.15	-4.43	15.57	<=38.45	Pass
	836.5	1	0	23.00	-4.43	16.42	<=38.45	Pass
			7	23.14	-4.43	16.56	<=38.45	Pass
			14	23.13	-4.43	16.55	<=38.45	Pass
		8	0	21.89	-4.43	15.31	<=38.45	Pass
			4	22.04	-4.43	15.46	<=38.45	Pass
			7	22.05	-4.43	15.47	<=38.45	Pass
		15	0	21.99	-4.43	15.41	<=38.45	Pass
	847.5	1	0	23.21	-4.43	16.63	<=38.45	Pass
			7	23.18	-4.43	16.60	<=38.45	Pass
			14	23.13	-4.43	16.55	<=38.45	Pass
		8	0	22.09	-4.43	15.51	<=38.45	Pass
			4	22.16	-4.43	15.58	<=38.45	Pass
			7	22.14	-4.43	15.56	<=38.45	Pass
		15	0	22.13	-4.43	15.55	<=38.45	Pass
16QAM	825.5	1	0	22.22	-4.43	15.64	<=38.45	Pass
			7	22.15	-4.43	15.57	<=38.45	Pass
			14	22.10	-4.43	15.52	<=38.45	Pass
		8	0	21.50	-4.43	14.92	<=38.45	Pass
			4	21.58	-4.43	15.00	<=38.45	Pass
			7	21.23	-4.43	14.65	<=38.45	Pass
		15	0	21.32	-4.43	14.74	<=38.45	Pass
	836.5	1	0	22.73	-4.43	16.15	<=38.45	Pass
			7	22.88	-4.43	16.30	<=38.45	Pass
			14	22.81	-4.43	16.23	<=38.45	Pass
		8	0	21.43	-4.43	14.85	<=38.45	Pass
			4	21.43	-4.43	14.85	<=38.45	Pass
			7	21.43	-4.43	14.85	<=38.45	Pass
		15	0	21.35	-4.43	14.77	<=38.45	Pass
	847.5	1	0	21.88	-4.43	15.30	<=38.45	Pass
			7	21.88	-4.43	15.30	<=38.45	Pass
			14	21.78	-4.43	15.20	<=38.45	Pass
		8	0	21.13	-4.43	14.55	<=38.45	Pass
			4	21.17	-4.43	14.59	<=38.45	Pass
			7	21.20	-4.43	14.62	<=38.45	Pass
		15	0	20.91	-4.43	14.33	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B5_5MHz_ERP

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	22.96	-4.43	16.38	<=38.45	Pass
			13	22.85	-4.43	16.27	<=38.45	Pass
			24	23.06	-4.43	16.48	<=38.45	Pass
		12	0	22.17	-4.43	15.59	<=38.45	Pass
			6	22.15	-4.43	15.57	<=38.45	Pass
			13	22.17	-4.43	15.59	<=38.45	Pass
		25	0	22.11	-4.43	15.53	<=38.45	Pass
	836.5	1	0	22.99	-4.43	16.41	<=38.45	Pass
			13	23.18	-4.43	16.60	<=38.45	Pass
			24	23.16	-4.43	16.58	<=38.45	Pass
		12	0	22.05	-4.43	15.47	<=38.45	Pass
			6	21.97	-4.43	15.39	<=38.45	Pass
			13	22.03	-4.43	15.45	<=38.45	Pass
		25	0	22.03	-4.43	15.45	<=38.45	Pass
	846.5	1	0	22.94	-4.43	16.36	<=38.45	Pass
			13	23.07	-4.43	16.49	<=38.45	Pass
			24	23.06	-4.43	16.48	<=38.45	Pass
		12	0	21.99	-4.43	15.41	<=38.45	Pass
			6	22.29	-4.43	15.71	<=38.45	Pass
			13	22.19	-4.43	15.61	<=38.45	Pass
		25	0	22.22	-4.43	15.64	<=38.45	Pass
16QAM	826.5	1	0	21.31	-4.43	14.73	<=38.45	Pass
			13	21.22	-4.43	14.64	<=38.45	Pass
			24	21.30	-4.43	14.72	<=38.45	Pass
		12	0	21.27	-4.43	14.69	<=38.45	Pass
			6	21.02	-4.43	14.44	<=38.45	Pass
			13	21.00	-4.43	14.42	<=38.45	Pass
		25	0	21.03	-4.43	14.45	<=38.45	Pass
	836.5	1	0	21.98	-4.43	15.40	<=38.45	Pass
			13	22.08	-4.43	15.50	<=38.45	Pass
			24	22.10	-4.43	15.52	<=38.45	Pass
		12	0	21.33	-4.43	14.75	<=38.45	Pass
			6	21.42	-4.43	14.84	<=38.45	Pass
			13	21.36	-4.43	14.78	<=38.45	Pass
		25	0	21.34	-4.43	14.76	<=38.45	Pass
	846.5	1	0	21.95	-4.43	15.37	<=38.45	Pass
			13	22.15	-4.43	15.57	<=38.45	Pass
			24	22.08	-4.43	15.50	<=38.45	Pass
		12	0	20.99	-4.43	14.41	<=38.45	Pass
			6	20.93	-4.43	14.35	<=38.45	Pass
			13	20.94	-4.43	14.36	<=38.45	Pass
		25	0	20.97	-4.43	14.39	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B5_10MHz_ERP

Band: 5 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.09	-4.43	16.51	<=38.45	Pass
			25	23.06	-4.43	16.48	<=38.45	Pass
			49	23.07	-4.43	16.49	<=38.45	Pass
		25	0	22.12	-4.43	15.54	<=38.45	Pass
			13	22.15	-4.43	15.57	<=38.45	Pass
			25	21.99	-4.43	15.41	<=38.45	Pass
		50	0	22.18	-4.43	15.60	<=38.45	Pass
	836.5	1	0	23.35	-4.43	16.77	<=38.45	Pass
			25	23.33	-4.43	16.75	<=38.45	Pass
			49	23.38	-4.43	16.80	<=38.45	Pass
		25	0	22.04	-4.43	15.46	<=38.45	Pass
			13	22.03	-4.43	15.45	<=38.45	Pass
			25	22.16	-4.43	15.58	<=38.45	Pass
		50	0	22.05	-4.43	15.47	<=38.45	Pass
	844	1	0	23.26	-4.43	16.68	<=38.45	Pass
			25	23.12	-4.43	16.54	<=38.45	Pass
			49	23.19	-4.43	16.61	<=38.45	Pass
		25	0	22.30	-4.43	15.72	<=38.45	Pass
			13	22.10	-4.43	15.52	<=38.45	Pass
			25	22.34	-4.43	15.76	<=38.45	Pass
		50	0	22.15	-4.43	15.57	<=38.45	Pass
16QAM	829	1	0	22.61	-4.43	16.03	<=38.45	Pass
			25	22.49	-4.43	15.91	<=38.45	Pass
			49	22.45	-4.43	15.87	<=38.45	Pass
		25	0	20.99	-4.43	14.41	<=38.45	Pass
			13	21.36	-4.43	14.78	<=38.45	Pass
			25	21.43	-4.43	14.85	<=38.45	Pass
		50	0	21.29	-4.43	14.71	<=38.45	Pass
	836.5	1	0	22.34	-4.43	15.76	<=38.45	Pass
			25	22.35	-4.43	15.77	<=38.45	Pass
			49	22.38	-4.43	15.80	<=38.45	Pass
		25	0	21.50	-4.43	14.92	<=38.45	Pass
			13	21.47	-4.43	14.89	<=38.45	Pass
			25	21.42	-4.43	14.84	<=38.45	Pass
		50	0	21.44	-4.43	14.86	<=38.45	Pass
	844	1	0	21.64	-4.43	15.06	<=38.45	Pass
			25	21.64	-4.43	15.06	<=38.45	Pass
			49	21.66	-4.43	15.08	<=38.45	Pass
		25	0	21.51	-4.43	14.93	<=38.45	Pass
			13	21.31	-4.43	14.73	<=38.45	Pass
			25	21.15	-4.43	14.57	<=38.45	Pass
		50	0	21.24	-4.43	14.66	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B5_10MHz

Band: 5 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	836.5	50	0	20	LV	3.605	0.0043	-2.5 to 2.5	Pass
					NV	4.392	0.0053	-2.5 to 2.5	Pass
					HV	5.450	0.0065	-2.5 to 2.5	Pass
				-30	NV	4.449	0.0053	-2.5 to 2.5	Pass
				-20	NV	4.163	0.0050	-2.5 to 2.5	Pass
				-10	NV	2.847	0.0034	-2.5 to 2.5	Pass
				0	NV	2.747	0.0033	-2.5 to 2.5	Pass
				10	NV	2.561	0.0031	-2.5 to 2.5	Pass
				30	NV	1.745	0.0021	-2.5 to 2.5	Pass
				40	NV	1.702	0.0020	-2.5 to 2.5	Pass
				50	NV	1.030	0.0012	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band5_OBW


Band: 5 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.115	/	Pass
	16QAM	836.5	6	0	1.108	/	Pass
3	QPSK	836.5	15	0	2.767	/	Pass
	16QAM	836.5	15	0	2.768	/	Pass
5	QPSK	836.5	25	0	4.575	/	Pass
	16QAM	836.5	25	0	4.563	/	Pass
10	QPSK	836.5	50	0	9.050	/	Pass
	16QAM	836.5	50	0	9.065	/	Pass

3.1.2 Band5_XDB


Band: 5 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.330	/	Pass
	16QAM	836.5	6	0	1.316	/	Pass
3	QPSK	836.5	15	0	3.134	/	Pass
	16QAM	836.5	15	0	3.096	/	Pass
5	QPSK	836.5	25	0	5.445	/	Pass
	16QAM	836.5	25	0	5.551	/	Pass
10	QPSK	836.5	50	0	10.340	/	Pass
	16QAM	836.5	50	0	10.242	/	Pass

3.2 Test Graph


3.2.1 Band5_OBW




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




3.2.2 Band5_XDB




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV



Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV





4. Peak-Average Ratio


4.1 Test Result

4.1.1 B5_10MHz

Band: 5 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	5.64	<=13	Pass
16QAM	836.5	50	0	6.31	<=13	Pass

4.2 Test Graph

4.2.1 B5_10MHz



5. Spurious Emission

5.1 Test Result

5.1.1 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B5_3MHz

Band: 5 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B5_5MHz


Band: 5 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B5_10MHz


Band: 5 / Bandwidth: 10MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	829	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	844	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

5.2 Test Graph


5.2.1 B5_1.4MHz




Band5_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Band5_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.008	-34.01	-13	Pass
850	852	0.1	CHP	2	850.560	-45.42	-13	Pass

Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.030	-37.11	-13	Pass
850	852	0.1	CHP	2	850.055	-39.74	-13	Pass


5.2.2 B5_3MHz




Band5_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band5_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-24.76	-13	Pass
850	852	0.1	CHP	2	850.052	-45.12	-13	Pass

Band5_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.031	CHP	/	/	/	/	/
849	850	0.031	CHP	1	849.006	-28.18	-13	Pass
850	852	0.1	CHP	2	850.056	-36.82	-13	Pass


5.2.3 B5_5MHz




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band5_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-32.81	-13	Pass
850	854	0.1	CHP	2	850.050	-39.64	-13	Pass

Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.054	CHP	/	/	/	/	/
849	850	0.054	CHP	1	849.010	-32.12	-13	Pass
850	854	0.1	CHP	2	850.270	-36.69	-13	Pass


5.2.4 B5_10MHz




Band5_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band5_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band5_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-38.97	-13	Pass
850	859	0.1	CHP	2	850.051	-41.03	-13	Pass

Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.103	CHP	/	/	/	/	/
849	850	0.103	CHP	1	849.020	-34.00	-13	Pass
850	859	0.1	/	2	851.480	-37.63	-13	Pass