


SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 357 of 397





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 358 of 397





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 359 of 397





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 360 of 397





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"

No.1 Workshop, Ib-10, Middle Section, Science & Technology Park, Narshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755)26012053 f (86-755)26710594 sgs.china@sgs.com

Frequency (MHz)


Member of the SGS Group (SGS SA)



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 361 of 397





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"


No.1 Workshop, Ib-10, Middle Section, Science & Technology Park, Narshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 362 of 397





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 363 of 397





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 364 of 397





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 365 of 397





-70

-80

-90 5270.0

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"

No.1 Workshop, Ib-10, Middle Section, Science & Technology Park, Narshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755)26012053 f (86-755)26710594 sgs.china@sgs.com

Frequency (MHz)


Trace



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 366 of 397





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"


中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755)26012053 f (86-755)26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 367 of 397





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"


No.1 Workshop, Ib-10, Middle Section, Science & Technology Park, Narshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 368 of 397





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"


中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755)26012053 f (86-755)26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 369 of 397





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 370 of 397

4.2 PSD-Band3

4.2.1 Test Result

Mode	TX	Frequency	Maximum PSD	(dBm/500kHz)	Verdict	
Mode	Type	(MHz)	ANT1	Limit	verdict	
		5745	-0.82	<=30	Pass	
802.11a	SISO	5785	0.85	<=30	Pass	
		5825	0.68	<=30	Pass	
802.11n (HT20)		5745	-0.61	<=30	Pass	
	SISO	5785	0.56	<=30	Pass	
(11120)		5825	0.42	<=30	Pass	
802.11n	SISO	5755	-6.77	<=30	Pass	
(HT40)	3130	5795	-3.51	<=30	Pass	
000 44 -		5745	-2.38	<=30	Pass	
802.11ac (VHT20)	SISO	5785	-0.55	<=30	Pass	
(٧١١١20)		5825	-1.22	<=30	Pass	
802.11ac	SISO	5755	-4.19	<=30	Pass	
(VHT40)	3130	5795	-4.22	<=30	Pass	
802.11ac (VHT80)	SISO	5775	-8.57	<=30	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 371 of 397

4.2.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"


No.1 Workshop, Ib-10, Middle Section, Science & Technology Park, Narshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 372 of 397





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"


No.1 Workshop, Ib-10, Middle Section, Science & Technology Park, Narshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 373 of 397





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"


No.1 Workshop, Ib-10, Middle Section, Science & Technology Park, Narshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 374 of 397





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"


No.1 Workshop, Ib-10, Middle Section, Science & Technology Park, Narshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 375 of 397





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 376 of 397





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 377 of 397





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 378 of 397

5. Frequency Stability

5.1 Ant1

5.1.1 Test Result

				Ant1			
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (Vdc)	Measured Frequency (MHz)	Limit (MHz)	Verdict
				6.46	5180.060	5150 to 5250	Pass
			20	7.6	5180.080	5150 to 5250	Pass
				8.74	5180.040	5150 to 5250	Pass
			-30	7.6	5180.080	5150 to 5250	Pass
			-20	7.6	5180.080	5150 to 5250	Pass
		5180	-10	7.6	5180.040	5150 to 5250	Pass
			0	7.6	5180.080	5150 to 5250	Pass
			10	7.6	5180.060	5150 to 5250	Pass
			30	7.6	5180.100	5150 to 5250	Pass
			40	7.6	5180.060	5150 to 5250	Pass
			50	7.6	5180.100	5150 to 5250	Pass
				6.46	5200.100	5150 to 5250	Pass
			20	7.6	5200.000	5150 to 5250	Pass
				8.74	5200.040	5150 to 5250	Pass
802.11a	SISO		-30	7.6	5200.040	5150 to 5250	Pass
002.11a	3130		-20	7.6	5200.080	5150 to 5250	Pass
		5200	-10	7.6	5199.960	5150 to 5250	Pass
			0	7.6	5200.100	5150 to 5250	Pass
			10	7.6	5200.040	5150 to 5250	Pass
			30	7.6	5200.020	5150 to 5250	Pass
			40	7.6	5200.040	5150 to 5250	Pass
			50	7.6	5200.060	5150 to 5250	Pass
				6.46	5239.960	5150 to 5250	Pass
			20	7.6	5240.020	5150 to 5250	Pass
				8.74	5240.000	5150 to 5250	Pass
		5240	-30	7.6	5240.060	5150 to 5250	Pass
		5240	-20	7.6	5240.000	5150 to 5250	Pass
			-10	7.6	5239.980	5150 to 5250	Pass
			0	7.6	5240.000	5150 to 5250	Pass
			10	7.6	5240.020	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 379 of 397

		30	7.6	5240.000	5150 to 5250	Pass
		40	7.6	5240.060	5150 to 5250	Pass
		50	7.6	5240.060	5150 to 5250	Pass
			6.46	5260.020	5250 to 5350	Pass
		20	7.6	5260.040	5250 to 5350	Pass
			8.74	5260.120	5250 to 5350	Pass
		-30	7.6	5260.020	5250 to 5350	Pass
		-20	7.6	5260.060	5250 to 5350	Pass
	5260	-10	7.6	5260.020	5250 to 5350	Pass
		0	7.6	5259.980	5250 to 5350	Pass
		10	7.6	5259.960	5250 to 5350	Pass
		30	7.6	5260.000	5250 to 5350	Pass
		40	7.6	5260.000	5250 to 5350	Pass
		50	7.6	5260.020	5250 to 5350	Pass
			6.46	5300.040	5250 to 5350	Pass
		20	7.6	5300.000	5250 to 5350	Pass
			8.74	5300.000	5250 to 5350	Pass
		-30	7.6	5300.020	5250 to 5350	Pass
		-20	7.6	5300.020	5250 to 5350	Pass
	5300	-10	7.6	5300.060	5250 to 5350	Pass
		0	7.6	5300.000	5250 to 5350	Pass
		10	7.6	5300.000	5250 to 5350	Pass
		30	7.6	5300.040	5250 to 5350	Pass
		40	7.6	5300.020	5250 to 5350	Pass
		50	7.6	5300.040	5250 to 5350	Pass
			6.46	5320.000	5250 to 5350	Pass
		20	7.6	5319.960	5250 to 5350	Pass
			8.74	5320.040	5250 to 5350	Pass
		-30	7.6	5320.020	5250 to 5350	Pass
		-20	7.6	5320.000	5250 to 5350	Pass
	5320	-10	7.6	5320.040	5250 to 5350	Pass
		0	7.6	5320.000	5250 to 5350	Pass
		10	7.6	5320.040	5250 to 5350	Pass
		30	7.6	5320.020	5250 to 5350	Pass
		40	7.6	5320.020	5250 to 5350	Pass
		50	7.6	5320.020	5250 to 5350	Pass
			6.46	5499.980	5470 to 5725	Pass
	5500	20	7.6	5499.960	5470 to 5725	Pass
1	5500					
	3300		8.74	5500.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 380 of 397

				•		
		-20	7.6	5500.060	5470 to 5725	Pass
		-10	7.6	5500.020	5470 to 5725	Pass
		0	7.6	5500.040	5470 to 5725	Pass
		10	7.6	5500.000	5470 to 5725	Pass
		30	7.6	5500.020	5470 to 5725	Pass
		40	7.6	5500.100	5470 to 5725	Pass
		50	7.6	5500.000	5470 to 5725	Pass
			6.46	5580.080	5470 to 5725	Pass
		20	7.6	5580.080	5470 to 5725	Pass
			8.74	5580.000	5470 to 5725	Pass
		-30	7.6	5580.060	5470 to 5725	Pass
		-20	7.6	5580.060	5470 to 5725	Pass
	5580	-10	7.6	5580.160	5470 to 5725	Pass
		0	7.6	5579.980	5470 to 5725	Pass
		10	7.6	5580.040	5470 to 5725	Pass
		30	7.6	5580.060	5470 to 5725	Pass
		40	7.6	5580.000	5470 to 5725	Pass
		50	7.6	5580.060	5470 to 5725	Pass
			6.46	5700.000	5470 to 5725	Pass
		20	7.6	5700.020	5470 to 5725	Pass
			8.74	5700.000	5470 to 5725	Pass
		-30	7.6	5700.080	5470 to 5725	Pass
		-20	7.6	5699.960	5470 to 5725	Pass
	5700	-10	7.6	5700.040	5470 to 5725	Pass
		0	7.6	5700.040	5470 to 5725	Pass
		10	7.6	5700.040	5470 to 5725	Pass
		30	7.6	5700.020	5470 to 5725	Pass
		40	7.6	5699.980	5470 to 5725	Pass
		50	7.6	5700.160	5470 to 5725	Pass
			6.46	5745.120	5725 to 5850	Pass
		20	7.6	5745.040	5725 to 5850	Pass
			8.74	5745.000	5725 to 5850	Pass
		-30	7.6	5744.940	5725 to 5850	Pass
		-20	7.6	5745.120	5725 to 5850	Pass
	5745	-10	7.6	5745.060	5725 to 5850	Pass
		0	7.6	5745.080	5725 to 5850	Pass
		10	7.6	5745.600	5725 to 5850	Pass
		30	7.6	5745.000	5725 to 5850	Pass
		40	7.6	5745.040	5725 to 5850	Pass
1		50	7.6	5745.120	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 381 of 397

					~		
				6.46	5785.060	5725 to 5850	Pass
			20	7.6	5784.940	5725 to 5850	Pass
				8.74	5785.040	5725 to 5850	Pass
			-30	7.6	5785.000	5725 to 5850	Pass
			-20	7.6	5784.960	5725 to 5850	Pass
		5785	-10	7.6	5785.000	5725 to 5850	Pass
			0	7.6	5785.060	5725 to 5850	Pass
			10	7.6	5785.040	5725 to 5850	Pass
			30	7.6	5785.060	5725 to 5850	Pass
			40	7.6	5785.040	5725 to 5850	Pass
			50	7.6	5785.080	5725 to 5850	Pass
				6.46	5825.040	5725 to 5850	Pass
			20	7.6	5825.020	5725 to 5850	Pass
				8.74	5825.020	5725 to 5850	Pass
			-30	7.6	5825.000	5725 to 5850	Pass
			-20	7.6	5825.040	5725 to 5850	Pass
		5825	-10	7.6	5825.080	5725 to 5850	Pass
			0	7.6	5825.040	5725 to 5850	Pass
			10	7.6	5825.000	5725 to 5850	Pass
			30	7.6	5825.020	5725 to 5850	Pass
			40	7.6	5825.120	5725 to 5850	Pass
			50	7.6	5824.980	5725 to 5850	Pass
				6.46	5180.040	5150 to 5250	Pass
			20	7.6	5180.020	5150 to 5250	Pass
				8.74	5180.040	5150 to 5250	Pass
			-30	7.6	5180.060	5150 to 5250	Pass
			-20	7.6	5180.060	5150 to 5250	Pass
		5180	-10	7.6	5180.060	5150 to 5250	Pass
			0	7.6	5180.000	5150 to 5250	Pass
			10	7.6	5180.040	5150 to 5250	Pass
802.11n	0100		30	7.6	5180.120	5150 to 5250	Pass
(HT20)	SISO		40	7.6	5180.000	5150 to 5250	Pass
			50	7.6	5180.040	5150 to 5250	Pass
				6.46	5200.020	5150 to 5250	Pass
			20	7.6	5199.980	5150 to 5250	Pass
				8.74	5199.960	5150 to 5250	Pass
		5200	-30	7.6	5200.060	5150 to 5250	Pass
			-20	7.6	5200.040	5150 to 5250	Pass
			-10	7.6	5200.000	5150 to 5250	Pass
			0	7.6	5199.940	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 382 of 397

		10	7.6	5200.040	5150 to 5250	Pass
		30	7.6	5199.980	5150 to 5250	Pass
		40	7.6	5200.040	5150 to 5250	Pass
		50	7.6	5199.980	5150 to 5250	Pass
			6.46	5240.020	5150 to 5250	Pass
		20	7.6	5240.060	5150 to 5250	Pass
			8.74	5239.940	5150 to 5250	Pass
		-30	7.6	5240.060	5150 to 5250	Pass
		-20	7.6	5239.960	5150 to 5250	Pass
	5240	-10	7.6	5240.000	5150 to 5250	Pass
		0	7.6	5240.060	5150 to 5250	Pass
		10	7.6	5240.020	5150 to 5250	Pass
		30	7.6	5239.960	5150 to 5250	Pass
		40	7.6	5240.040	5150 to 5250	Pass
		50	7.6	5240.040	5150 to 5250	Pass
			6.46	5260.040	5250 to 5350	Pass
		20	7.6	5260.020	5250 to 5350	Pass
			8.74	5260.060	5250 to 5350	Pass
		-30	7.6	5260.000	5250 to 5350	Pass
		-20	7.6	5259.940	5250 to 5350	Pass
	5260	-10	7.6	5260.060	5250 to 5350	Pass
		0	7.6	5259.980	5250 to 5350	Pass
		10	7.6	5260.040	5250 to 5350	Pass
		30	7.6	5260.040	5250 to 5350	Pass
		40	7.6	5259.960	5250 to 5350	Pass
		50	7.6	5260.020	5250 to 5350	Pass
			6.46	5300.040	5250 to 5350	Pass
		20	7.6	5300.020	5250 to 5350	Pass
			8.74	5300.020	5250 to 5350	Pass
		-30	7.6	5300.060	5250 to 5350	Pass
		-20	7.6	5300.000	5250 to 5350	Pass
	5300	-10	7.6	5300.060	5250 to 5350	Pass
		0	7.6	5299.980	5250 to 5350	Pass
		10	7.6	5300.000	5250 to 5350	Pass
		30	7.6	5299.960	5250 to 5350	Pass
		40	7.6	5300.040	5250 to 5350	Pass
		50	7.6	5299.960	5250 to 5350	Pass
			6.46	5320.080	5250 to 5350	Pass
	5320	20	7.6	5320.040	5250 to 5350	Pass
			8.74	5320.100	5250 to 5350	Pass
I			-1	1		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"

No.1 Workshop, Ni-10, Middle Section, Science & Technology Park, Narshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 383 of 397

-30	 					
-10 7.6 5320.020 5250 to 5350 Pass 0 7.6 5320.020 5250 to 5350 Pass 10 7.6 5320.000 5250 to 5350 Pass 30 7.6 5319.960 5250 to 5350 Pass 40 7.6 5320.000 5250 to 5350 Pass 40 7.6 5320.020 5250 to 5350 Pass 50 7.6 5320.000 5250 to 5350 Pass 50 7.6 5320.000 5250 to 5350 Pass 50 7.6 5320.000 5250 to 5350 Pass 20 7.6 5500.080 5470 to 5725 Pass 8.74 5500.040 5470 to 5725 Pass 8.74 5500.020 5470 to 5725 Pass 5500 1.0 7.6 5500.020 5470 to 5725 Pass 5500 1.0 7.6 5500.000 5470 to 5725 Pass 10 7.6 5500.060 5470 to 5725 Pass 10 7.6 5500.000 5470 to 5725 Pass 20 7.6 5500.000 5470 to 5725 Pass 20 7.6 5500.000 5470 to 5725 Pass 50 7.6 5500.000 5470 to 5725 Pass 10 7.6 5500.000 5470 to 5725 Pass 10 7.6 5500.000 5470 to 5725 Pass 20 7.6 5580.000 5470 to 5725 Pass 20 7.6 5700.000 5470 to 5725 Pas		-30	7.6	5319.980	5250 to 5350	Pass
0 7.6 5320.020 5250 to 5350 Pass 10 7.6 5320.000 5250 to 5350 Pass 30 7.6 5319.960 5250 to 5350 Pass 40 7.6 5320.060 5250 to 5350 Pass 50 7.6 5500.060 5470 to 5725 Pass 8.74 5500.080 5470 to 5725 Pass -30 7.6 5500.020 5470 to 5725 Pass -20 7.6 5500.020 5470 to 5725 Pass -20 7.6 5500.010 5470 to 5725 Pass -20 7.6 5500.010 5470 to 5725 Pass -20 7.6 5500.020 5470 to 5725 Pass -20 7.6 5500.040 5470 to 5725 Pass -20 7.6 5500.060 5470 to 5725 Pass -20 7.6 5500.000 5470 to 5725 Pass -20 7.6 5580.000 5470 to 5725 Pass -20 7.6 5700.000 5470 to 5725		-20	7.6	5320.020	5250 to 5350	Pass
10		-10	7.6	5320.020	5250 to 5350	Pass
30		0	7.6	5320.020	5250 to 5350	Pass
40		10	7.6	5320.000	5250 to 5350	Pass
50		30	7.6	5319.960	5250 to 5350	Pass
10		40	7.6	5320.020	5250 to 5350	Pass
20		50	7.6	5320.060	5250 to 5350	Pass
S.74 5500.040 5470 to 5725 Pass			6.46	5500.060	5470 to 5725	Pass
1-30		20	7.6	5500.080	5470 to 5725	Pass
10			8.74	5500.040	5470 to 5725	Pass
5500		-30	7.6	5500.020	5470 to 5725	Pass
0 7.6 5500.060 5470 to 5725 Pass 10 7.6 5500.060 5470 to 5725 Pass 30 7.6 5500.040 5470 to 5725 Pass 40 7.6 5500.000 5470 to 5725 Pass 50 7.6 5500.000 5470 to 5725 Pass 6.46 5580.040 5470 to 5725 Pass 20 7.6 5580.100 5470 to 5725 Pass -30 7.6 5580.060 5470 to 5725 Pass -30 7.6 5580.060 5470 to 5725 Pass -20 7.6 5580.060 5470 to 5725 Pass -20 7.6 5580.080 5470 to 5725 Pass 5580 -10 7.6 5580.080 5470 to 5725 Pass 5580 -10 7.6 5580.080 5470 to 5725 Pass 40 7.6 5580.000 5470 to 5725 Pass 40 7.6 5580.000		-20	7.6	5500.100	5470 to 5725	Pass
10 7.6 5500.060 5470 to 5725 Pass 30 7.6 5500.040 5470 to 5725 Pass 40 7.6 5500.000 5470 to 5725 Pass 50 7.6 5500.060 5470 to 5725 Pass 50 7.6 5580.040 5470 to 5725 Pass 20 7.6 5580.040 5470 to 5725 Pass 8.74 5580.060 5470 to 5725 Pass -30 7.6 5580.060 5470 to 5725 Pass -20 7.6 5580.060 5470 to 5725 Pass 5580 -10 7.6 5580.080 5470 to 5725 Pass 0 7.6 5580.080 5470 to 5725 Pass 0 7.6 5580.080 5470 to 5725 Pass 10 7.6 5580.060 5470 to 5725 Pass 10 7.6 5580.060 5470 to 5725 Pass 30 7.6 5580.000 5470 to 5725 Pass 30 7.6 5580.000 5470 to 5725 Pass 50 7.6 5500.000 5470 to 5725 Pass 50 7.6 5700.000 5470 to 5725 Pass 5700 7.6 5700.000 5470 to 5725 Pass	5500	-10	7.6	5500.140	5470 to 5725	Pass
30		0	7.6	5500.060	5470 to 5725	Pass
40		10	7.6	5500.060	5470 to 5725	Pass
S0		30	7.6	5500.040	5470 to 5725	Pass
Section		40	7.6	5500.000	5470 to 5725	Pass
20		50	7.6	5500.060	5470 to 5725	Pass
8.74 5580.060 5470 to 5725 Pass -30			6.46	5580.040	5470 to 5725	Pass
1.0 7.6 5580.060 5470 to 5725 Pass -20 7.6 5580.080 5470 to 5725 Pass -20 7.6 5580.080 5470 to 5725 Pass -20 7.6 5580.080 5470 to 5725 Pass -20 7.6 5580.060 5470 to 5725 Pass -20 7.6 5580.000 5470 to 5725 Pass -20 7.6 5580.000 5470 to 5725 Pass -20 7.6 5580.040 5470 to 5725 Pass -20 7.6 5700.000 5470 to 5725 Pass -20 7.6 5700.100 5470 to 5725 Pass -20 7.6 5700.100 5470 to 5725 Pass -20 7.6 5700.000 5470 to 5725 Pass		20	7.6	5580.100	5470 to 5725	Pass
10 7.6 5580.080 5470 to 5725 Pass			8.74	5580.060	5470 to 5725	Pass
5580 -10 7.6 5580.080 5470 to 5725 Pass 0 7.6 5580.060 5470 to 5725 Pass 10 7.6 5580.000 5470 to 5725 Pass 30 7.6 5580.040 5470 to 5725 Pass 40 7.6 5580.000 5470 to 5725 Pass 50 7.6 5580.040 5470 to 5725 Pass 20 7.6 5700.100 5470 to 5725 Pass 8.74 5700.000 5470 to 5725 Pass -30 7.6 5700.000 5470 to 5725 Pass -20 7.6 5700.000 5470 to 5725 Pass -10 7.6 5700.000 5470 to 5725 Pass 0 7.6 5700.100 5470 to 5725 Pass 10 7.6 5700.100 5470 to 5725 Pass 10 7.6 5700.000 5470 to 5725 Pass 10 7.6 5700.000 5470 to 5725		-30	7.6	5580.060	5470 to 5725	Pass
0 7.6 5580.060 5470 to 5725 Pass 10 7.6 5580.000 5470 to 5725 Pass 30 7.6 5580.040 5470 to 5725 Pass 40 7.6 5580.000 5470 to 5725 Pass 50 7.6 5580.040 5470 to 5725 Pass 6.46 5700.100 5470 to 5725 Pass 7.6 5700.000 5470 to 5725 Pass 8.74 5700.000 5470 to 5725 Pass -30 7.6 5700.000 5470 to 5725 Pass -20 7.6 5700.000 5470 to 5725 Pass 0 7.6 5700.100 5470 to 5725 Pass 0 7.6 5700.100 5470 to 5725 Pass 10 7.6 5700.100 5470 to 5725 Pass 10 7.6 5700.000 5470 to 5725 Pass 30 7.6 5700.000 5470 to 5725 Pass		-20	7.6	5580.080	5470 to 5725	Pass
10 7.6 5580.000 5470 to 5725 Pass 30 7.6 5580.040 5470 to 5725 Pass 40 7.6 5580.000 5470 to 5725 Pass 50 7.6 5580.040 5470 to 5725 Pass 50 7.6 5580.040 5470 to 5725 Pass 50 7.6 5580.040 5470 to 5725 Pass 6.46 5700.100 5470 to 5725 Pass 8.74 5700.000 5470 to 5725 Pass -30 7.6 5700.000 5470 to 5725 Pass -30 7.6 5700.000 5470 to 5725 Pass -20 7.6 5700.060 5470 to 5725 Pass -10 7.6 5700.100 5470 to 5725 Pass 0 7.6 5700.100 5470 to 5725 Pass 10 7.6 5700.100 5470 to 5725 Pass 10 7.6 5700.000 5470 to 5725 Pass 30 7.6 5700.000 5470 to 5725 Pass	5580	-10	7.6	5580.080	5470 to 5725	Pass
30		0	7.6	5580.060	5470 to 5725	Pass
40 7.6 5580.000 5470 to 5725 Pass 50 7.6 5580.040 5470 to 5725 Pass 6.46 5700.100 5470 to 5725 Pass 20 7.6 5700.000 5470 to 5725 Pass 8.74 5700.000 5470 to 5725 Pass -30 7.6 5700.000 5470 to 5725 Pass -20 7.6 5700.060 5470 to 5725 Pass 0 7.6 5700.100 5470 to 5725 Pass 0 7.6 5700.100 5470 to 5725 Pass 10 7.6 5700.000 5470 to 5725 Pass 30 7.6 5700.000 5470 to 5725 Pass		10	7.6	5580.000	5470 to 5725	Pass
50 7.6 5580.040 5470 to 5725 Pass 20 6.46 5700.100 5470 to 5725 Pass 7.6 5700.000 5470 to 5725 Pass 8.74 5700.000 5470 to 5725 Pass -30 7.6 5700.000 5470 to 5725 Pass -20 7.6 5700.060 5470 to 5725 Pass 0 7.6 5700.100 5470 to 5725 Pass 10 7.6 5700.100 5470 to 5725 Pass 10 7.6 5700.000 5470 to 5725 Pass 30 7.6 5700.060 5470 to 5725 Pass		30	7.6	5580.040	5470 to 5725	Pass
10		40	7.6	5580.000	5470 to 5725	Pass
10		50	7.6	5580.040	5470 to 5725	Pass
8.74 5700.000 5470 to 5725 Pass -30 7.6 5700.000 5470 to 5725 Pass -20 7.6 5700.060 5470 to 5725 Pass -10 7.6 5700.100 5470 to 5725 Pass 0 7.6 5700.100 5470 to 5725 Pass 10 7.6 5700.000 5470 to 5725 Pass 30 7.6 5700.060 5470 to 5725 Pass			6.46	5700.100	5470 to 5725	
-30 7.6 5700.000 5470 to 5725 Pass -20 7.6 5700.060 5470 to 5725 Pass -10 7.6 5700.100 5470 to 5725 Pass 0 7.6 5700.100 5470 to 5725 Pass 10 7.6 5700.000 5470 to 5725 Pass 30 7.6 5700.000 5470 to 5725 Pass 30 7.6 5700.060 5470 to 5725 Pass		20	7.6	5700.000	5470 to 5725	Pass
5700 7.6 5700.060 5470 to 5725 Pass -10 7.6 5700.100 5470 to 5725 Pass 0 7.6 5700.100 5470 to 5725 Pass 10 7.6 5700.000 5470 to 5725 Pass 30 7.6 5700.060 5470 to 5725 Pass			8.74	5700.000	5470 to 5725	Pass
-10 7.6 5700.100 5470 to 5725 Pass 0 7.6 5700.100 5470 to 5725 Pass 10 7.6 5700.000 5470 to 5725 Pass 30 7.6 5700.060 5470 to 5725 Pass		-30	7.6	5700.000	5470 to 5725	Pass
-10 7.6 5700.100 5470 to 5725 Pass 0 7.6 5700.100 5470 to 5725 Pass 10 7.6 5700.000 5470 to 5725 Pass 30 7.6 5700.060 5470 to 5725 Pass	5700	-20	7.6	5700.060	5470 to 5725	Pass
10 7.6 5700.000 5470 to 5725 Pass 30 7.6 5700.060 5470 to 5725 Pass	5/00	-10	7.6	5700.100	5470 to 5725	Pass
30 7.6 5700.060 5470 to 5725 Pass		0	7.6	5700.100	5470 to 5725	Pass
		10	7.6	5700.000	5470 to 5725	Pass
40 7.6 5700.000 5470 to 5725 Pass		30	7.6	5700.060	5470 to 5725	Pass
		40	7.6	5700.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 384 of 397

					~		
			50	7.6	5700.020	5470 to 5725	Pass
				6.46	5745.060	5725 to 5850	Pass
			20	7.6	5744.980	5725 to 5850	Pass
				8.74	5745.080	5725 to 5850	Pass
			-30	7.6	5745.000	5725 to 5850	Pass
			-20	7.6	5745.080	5725 to 5850	Pass
		5745	-10	7.6	5745.140	5725 to 5850	Pass
			0	7.6	5745.040	5725 to 5850	Pass
			10	7.6	5745.040	5725 to 5850	Pass
			30	7.6	5745.020	5725 to 5850	Pass
			40	7.6	5745.100	5725 to 5850	Pass
			50	7.6	5745.040	5725 to 5850	Pass
				6.46	5785.000	5725 to 5850	Pass
			20	7.6	5785.060	5725 to 5850	Pass
				8.74	5785.040	5725 to 5850	Pass
			-30	7.6	5784.980	5725 to 5850	Pass
			-20	7.6	5785.020	5725 to 5850	Pass
		5785	-10	7.6	5785.060	5725 to 5850	Pass
			0	7.6	5785.000	5725 to 5850	Pass
			10	7.6	5785.080	5725 to 5850	Pass
			30	7.6	5785.040	5725 to 5850	Pass
			40	7.6	5785.040	5725 to 5850	Pass
			50	7.6	5785.000	5725 to 5850	Pass
				6.46	5825.020	5725 to 5850	Pass
			20	7.6	5825.040	5725 to 5850	Pass
				8.74	5825.020	5725 to 5850	Pass
			-30	7.6	5825.040	5725 to 5850	Pass
			-20	7.6	5825.040	5725 to 5850	Pass
		5825	-10	7.6	5825.000	5725 to 5850	Pass
			0	7.6	5825.020	5725 to 5850	Pass
			10	7.6	5825.000	5725 to 5850	Pass
			30	7.6	5825.020	5725 to 5850	Pass
			40	7.6	5824.940	5725 to 5850	Pass
			50	7.6	5825.000	5725 to 5850	Pass
				6.46	5190.080	5150 to 5250	Pass
			20	7.6	5190.040	5150 to 5250	Pass
802.11n	CICO	5400		8.74	5190.000	5150 to 5250	Pass
(HT40)	SISO	5190	-30	7.6	5190.040	5150 to 5250	Pass
			-20	7.6	5190.080	5150 to 5250	Pass
		-10	7.6	5190.040	5150 to 5250	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 385 of 397

	0	7.6	5190.080	5150 to 5250	Pass
	10	7.6	5190.080	5150 to 5250	Pass
	30	7.6	5190.160	5150 to 5250	Pass
	40	7.6	5190.080	5150 to 5250	Pass
	50	7.6	5190.080	5150 to 5250	Pass
		6.46	5230.080	5150 to 5250	Pass
	20	7.6	5230.040	5150 to 5250	Pass
		8.74	5230.080	5150 to 5250	Pass
	-30	7.6	5230.120	5150 to 5250	Pass
	-20	7.6	5230.040	5150 to 5250	Pass
5230	-10	7.6	5230.000	5150 to 5250	Pass
	0	7.6	5230.080	5150 to 5250	Pass
	10	7.6	5230.120	5150 to 5250	Pass
	30	7.6	5230.120	5150 to 5250	Pass
	40	7.6	5230.080	5150 to 5250	Pass
	50	7.6	5230.040	5150 to 5250	Pass
		6.46	5270.040	5250 to 5350	Pass
	20	7.6	5269.960	5250 to 5350	Pass
		8.74	5270.000	5250 to 5350	Pass
	-30	7.6	5270.080	5250 to 5350	Pass
	-20	7.6	5270.040	5250 to 5350	Pass
5270	-10	7.6	5270.080	5250 to 5350	Pass
	0	7.6	5270.080	5250 to 5350	Pass
	10	7.6	5270.040	5250 to 5350	Pass
	30	7.6	5270.000	5250 to 5350	Pass
	40	7.6	5270.000	5250 to 5350	Pass
	50	7.6	5270.040	5250 to 5350	Pass
		6.46	5310.120	5250 to 5350	Pass
	20	7.6	5310.000	5250 to 5350	Pass
		8.74	5310.080	5250 to 5350	Pass
	-30	7.6	5310.080	5250 to 5350	Pass
	-20	7.6	5310.080	5250 to 5350	Pass
5310	-10	7.6	5310.160	5250 to 5350	Pass
	0	7.6	5310.120	5250 to 5350	Pass
	10	7.6	5310.040	5250 to 5350	Pass
	30	7.6	5310.000	5250 to 5350	Pass
	40	7.6	5310.040	5250 to 5350	Pass
	50	7.6	5310.080	5250 to 5350	Pass
EE40	20	6.46	5510.120	5470 to 5725	Pass
5510	20	7.6	5510.080	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 386 of 397

				•		
			8.74	5510.120	5470 to 5725	Pass
		-30	7.6	5510.160	5470 to 5725	Pass
		-20	7.6	5510.160	5470 to 5725	Pass
		-10	7.6	5510.120	5470 to 5725	Pass
		0	7.6	5510.120	5470 to 5725	Pass
		10	7.6	5510.120	5470 to 5725	Pass
		30	7.6	5510.160	5470 to 5725	Pass
		40	7.6	5510.120	5470 to 5725	Pass
		50	7.6	5510.120	5470 to 5725	Pass
			6.46	5550.120	5470 to 5725	Pass
		20	7.6	5550.160	5470 to 5725	Pass
			8.74	5550.040	5470 to 5725	Pass
		-30	7.6	5550.160	5470 to 5725	Pass
		-20	7.6	5550.160	5470 to 5725	Pass
	5550	-10	7.6	5550.160	5470 to 5725	Pass
		0	7.6	5550.120	5470 to 5725	Pass
		10	7.6	5550.120	5470 to 5725	Pass
		30	7.6	5550.160	5470 to 5725	Pass
		40	7.6	5550.080	5470 to 5725	Pass
		50	7.6	5550.120	5470 to 5725	Pass
			6.46	5670.000	5470 to 5725	Pass
		20	7.6	5670.080	5470 to 5725	Pass
			8.74	5670.000	5470 to 5725	Pass
		-30	7.6	5670.080	5470 to 5725	Pass
		-20	7.6	5670.080	5470 to 5725	Pass
	5670	-10	7.6	5670.080	5470 to 5725	Pass
		0	7.6	5670.120	5470 to 5725	Pass
		10	7.6	5670.160	5470 to 5725	Pass
		30	7.6	5670.080	5470 to 5725	Pass
		40	7.6	5670.040	5470 to 5725	Pass
		50	7.6	5670.200	5470 to 5725	Pass
			6.46	5755.160	5725 to 5850	Pass
		20	7.6	5755.080	5725 to 5850	Pass
			8.74	5755.120	5725 to 5850	Pass
		-30	7.6	5755.160	5725 to 5850	Pass
	5755	-20	7.6	5755.120	5725 to 5850	Pass
		-10	7.6	5755.160	5725 to 5850	Pass
1			7.0	5755 400	5705 (5050	Daga
		0	7.6	5755.160	5725 to 5850	Pass
		0 10	7.6	5755.160	5725 to 5850 5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 387 of 397

					<u>~</u>		
		_	40	7.6	5755.120	5725 to 5850	Pass
			50	7.6	5755.120	5725 to 5850	Pass
				6.46	5795.080	5725 to 5850	Pass
			20	7.6	5795.080	5725 to 5850	Pass
				8.74	5795.040	5725 to 5850	Pass
			-30	7.6	5795.000	5725 to 5850	Pass
			-20	7.6	5795.120	5725 to 5850	Pass
		5795	-10	7.6	5795.160	5725 to 5850	Pass
			0	7.6	5795.080	5725 to 5850	Pass
			10	7.6	5795.040	5725 to 5850	Pass
			30	7.6	5795.120	5725 to 5850	Pass
			40	7.6	5795.080	5725 to 5850	Pass
			50	7.6	5795.120	5725 to 5850	Pass
				6.46	5180.080	5150 to 5250	Pass
			20	7.6	5180.020	5150 to 5250	Pass
				8.74	5180.060	5150 to 5250	Pass
			-30	7.6	5180.060	5150 to 5250	Pass
			-20	7.6	5180.040	5150 to 5250	Pass
		5180	-10	7.6	5180.060	5150 to 5250	Pass
			0	7.6	5180.080	5150 to 5250	Pass
			10	7.6	5180.040	5150 to 5250	Pass
			30	7.6	5180.060	5150 to 5250	Pass
			40	7.6	5180.100	5150 to 5250	Pass
			50	7.6	5180.080	5150 to 5250	Pass
				6.46	5200.000	5150 to 5250	Pass
			20	7.6	5200.060	5150 to 5250	Pass
802.11ac (VHT20)	SISO			8.74	5200.020	5150 to 5250	Pass
(VIII20)			-30	7.6	5200.040	5150 to 5250	Pass
			-20	7.6	5200.000	5150 to 5250	Pass
		5200	-10	7.6	5200.060	5150 to 5250	Pass
			0	7.6	5200.020	5150 to 5250	Pass
			10	7.6	5200.020	5150 to 5250	Pass
			30	7.6	5200.060	5150 to 5250	Pass
			40	7.6	5200.020	5150 to 5250	Pass
			50	7.6	5199.980	5150 to 5250	Pass
				6.46	5240.100	5150 to 5250	Pass
			20	7.6	5240.000	5150 to 5250	Pass
		5240		8.74	5240.000	5150 to 5250	Pass
			-30	7.6	5239.980	5150 to 5250	Pass
			-20	7.6	5240.060	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

No.1 Workshop, Ni-10, Middle Section, Science & Technology Park, Narshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 388 of 397

-10 7.6 5240.020 5150 to 5250 Pass 10 0 7.6 5240.040 5150 to 5250 Pass 10 7.6 5240.040 5150 to 5250 Pass 30 7.6 5240.040 5150 to 5250 Pass 50 7.6 5240.040 5150 to 5250 Pass 50 7.6 5230.980 5250 to 5350 Pass 50 7.6 5250.980 5250 to 5350 Pass 50 7.6 5260.060 5250 to 5350 Pass 5260 5350 Pass 5360 Pass 5260 5350 Pass 5	 					
10 7.6 5240.040 5150 to 5250 Pass 30 7.6 5240.040 5150 to 5250 Pass 40 7.6 5240.040 5150 to 5250 Pass 50 7.6 5239.980 5150 to 5250 Pass 50 7.6 5239.980 5250 to 5350 Pass 20 7.6 5259.980 5250 to 5350 Pass 8.74 5260.000 5250 to 5350 Pass -30 7.6 5260.060 5250 to 5350 Pass -20 7.6 5260.000 5250 to 5350 Pass -20 7.6 5300.020 5250 to 5350 Pass -30 7.6 5300.000 5250 to 5350 Pass -30 7.6 5320.000 5250 to 5350 Pass -20 7.6 5320.000 5250 to		-10	7.6	5240.020	5150 to 5250	Pass
30		0	7.6	5240.000	5150 to 5250	Pass
40		10	7.6	5240.040	5150 to 5250	Pass
S0		30	7.6	5240.040	5150 to 5250	Pass
6.46 5259.980 5250 to 5350 Pass		40	7.6	5240.040	5150 to 5250	Pass
20		50	7.6	5239.980	5150 to 5250	Pass
8.74 5260.000 5250 to 5350 Pass -30 7.6 5260.060 5250 to 5350 Pass -20 7.6 5260.060 5250 to 5350 Pass -20 7.6 5260.020 5250 to 5350 Pass -20 7.6 5260.020 5250 to 5350 Pass -20 7.6 5260.020 5250 to 5350 Pass -20 7.6 5260.000 5250 to 5350 Pass -20 7.6 5260.000 5250 to 5350 Pass -20 7.6 5260.040 5250 to 5350 Pass -20 7.6 5260.020 5250 to 5350 Pass -20 7.6 5300.020 5250 to 5350 Pass -20 7.6 5300.040 5250 to 5350 Pass -20 7.6 5300.040 5250 to 5350 Pass -20 7.6 5300.040 5250 to 5350 Pass -20 7.6 5300.020 5250 to 5350 Pass -20 7.6 5320.020 52			6.46	5259.980	5250 to 5350	Pass
-30		20	7.6	5259.980	5250 to 5350	Pass
10			8.74	5260.000	5250 to 5350	Pass
5260		-30	7.6	5260.060	5250 to 5350	Pass
0 7.6 5260.000 5250 to 5350 Pass 10 7.6 5259.960 5250 to 5350 Pass 30 7.6 5260.040 5250 to 5350 Pass 40 7.6 5260.020 5250 to 5350 Pass 50 7.6 5260.060 5250 to 5350 Pass 6.46 5300.020 5250 to 5350 Pass 8.74 5299.960 5250 to 5350 Pass -30 7.6 5300.020 5250 to 5350 Pass -20 7.6 5300.020 5250 to 5350 Pass -30 7.6 5300.020 5250 to 5350 Pass -20 7.6 5300.020 5250 to 5350 Pass 5300 -10 7.6 5300.020 5250 to 5350 Pass 5300 -10 7.6 5300.020 5250 to 5350 Pass 40 7.6 5300.020 5250 to 5350 Pass 30 7.6 5300.020 5250 to 5350<		-20	7.6	5260.060	5250 to 5350	Pass
10	5260	-10	7.6	5260.020	5250 to 5350	Pass
30		0	7.6	5260.000	5250 to 5350	Pass
40		10	7.6	5259.960	5250 to 5350	Pass
50 7.6 5260.060 5250 to 5350 Pass 6.46 5300.020 5250 to 5350 Pass 20 7.6 5300.020 5250 to 5350 Pass 8.74 5299.960 5250 to 5350 Pass -30 7.6 5300.020 5250 to 5350 Pass -20 7.6 5299.960 5250 to 5350 Pass 5300 -10 7.6 5300.040 5250 to 5350 Pass 0 7.6 5300.040 5250 to 5350 Pass 10 7.6 5300.020 5250 to 5350 Pass 30 7.6 5300.020 5250 to 5350 Pass 40 7.6 5300.020 5250 to 5350 Pass 50 7.6 5300.020 5250 to 5350 Pass 20 7.6 5320.020 5250 to 5350 Pass 20 7.6 5320.020 5250 to 5350 Pass -30 7.6 5320.020 5250 to 5350 Pass <td></td> <td>30</td> <td>7.6</td> <td>5260.040</td> <td>5250 to 5350</td> <td>Pass</td>		30	7.6	5260.040	5250 to 5350	Pass
20		40	7.6	5260.020	5250 to 5350	Pass
20		50	7.6	5260.060	5250 to 5350	Pass
8.74 5299.960 5250 to 5350 Pass			6.46	5300.020	5250 to 5350	Pass
-30		20	7.6	5300.020	5250 to 5350	Pass
5300 7.6 5299.960 5250 to 5350 Pass 0 7.6 5300.040 5250 to 5350 Pass 0 7.6 5300.040 5250 to 5350 Pass 10 7.6 5300.020 5250 to 5350 Pass 30 7.6 5300.020 5250 to 5350 Pass 40 7.6 5300.020 5250 to 5350 Pass 50 7.6 5300.020 5250 to 5350 Pass 20 7.6 5320.040 5250 to 5350 Pass 20 7.6 5320.020 5250 to 5350 Pass 30 7.6 5320.020 5250 to 5350 Pass -30 7.6 5320.020 5250 to 5350 Pass -20 7.6 5320.020 5250 to 5350 Pass 5320 -10 7.6 5319.960 5250 to 5350 Pass 10 7.6 5319.980 5250 to 5350 Pass 10 7.6 5320.020 <td< td=""><td></td><td></td><td>8.74</td><td>5299.960</td><td>5250 to 5350</td><td>Pass</td></td<>			8.74	5299.960	5250 to 5350	Pass
5300 -10 7.6 5300.040 5250 to 5350 Pass 0 7.6 5300.040 5250 to 5350 Pass 10 7.6 5300.020 5250 to 5350 Pass 30 7.6 5300.020 5250 to 5350 Pass 40 7.6 5300.000 5250 to 5350 Pass 50 7.6 5300.020 5250 to 5350 Pass 20 7.6 5320.040 5250 to 5350 Pass 8.74 5320.020 5250 to 5350 Pass -30 7.6 5320.020 5250 to 5350 Pass -20 7.6 5320.080 5250 to 5350 Pass 5320 -10 7.6 5320.020 5250 to 5350 Pass 5320 -10 7.6 5319.960 5250 to 5350 Pass 10 7.6 5319.980 5250 to 5350 Pass 10 7.6 5320.020 5250 to 5350 Pass 30 7.6 <td< td=""><td></td><td>-30</td><td>7.6</td><td>5300.020</td><td>5250 to 5350</td><td>Pass</td></td<>		-30	7.6	5300.020	5250 to 5350	Pass
0 7.6 5300.040 5250 to 5350 Pass 10 7.6 5300.020 5250 to 5350 Pass 30 7.6 5300.020 5250 to 5350 Pass 40 7.6 5300.000 5250 to 5350 Pass 50 7.6 5300.020 5250 to 5350 Pass 20 7.6 5320.040 5250 to 5350 Pass 20 7.6 5320.020 5250 to 5350 Pass -30 7.6 5320.020 5250 to 5350 Pass -20 7.6 5320.080 5250 to 5350 Pass -20 7.6 5320.020 5250 to 5350 Pass 5320 -10 7.6 5319.960 5250 to 5350 Pass 0 7.6 5319.980 5250 to 5350 Pass 10 7.6 5320.020 5250 to 5350 Pass 30 7.6 5320.020 5250 to 5350 Pass 40 7.6 5319.960		-20	7.6	5299.960	5250 to 5350	Pass
10 7.6 5300.020 5250 to 5350 Pass 30 7.6 5300.020 5250 to 5350 Pass 40 7.6 5300.000 5250 to 5350 Pass 50 7.6 5300.020 5250 to 5350 Pass 50 7.6 5300.020 5250 to 5350 Pass 20 7.6 5320.020 5250 to 5350 Pass -30 7.6 5320.020 5250 to 5350 Pass -20 7.6 5320.020 5250 to 5350 Pass -20 7.6 5320.020 5250 to 5350 Pass 5320 -10 7.6 5320.020 5250 to 5350 Pass 5320 -10 7.6 5319.960 5250 to 5350 Pass 10 7.6 5320.020 5250 to 5350 Pass 30 7.6 5320.020 5250 to 5350 Pass 40 7.6 5320.020 5250 to 5350 Pass 50 7.6 5320.020 5250 to 5350 Pass 50 7.6 5320.020 5250 to 5350 Pass	5300	-10	7.6	5300.040	5250 to 5350	Pass
30 7.6 5300.020 5250 to 5350 Pass 40 7.6 5300.000 5250 to 5350 Pass 50 7.6 5300.020 5250 to 5350 Pass 6.46 5320.040 5250 to 5350 Pass 8.74 5320.020 5250 to 5350 Pass -30 7.6 5320.020 5250 to 5350 Pass -20 7.6 5320.080 5250 to 5350 Pass -20 7.6 5320.020 5250 to 5350 Pass 0 7.6 5319.960 5250 to 5350 Pass 10 7.6 5320.020 5250 to 5350 Pass 30 7.6 5320.020 5250 to 5350 Pass 40 7.6 5320.040 5250 to 5350 Pass 40 7.6 5319.960 5250 to 5350 Pass 50 7.6 5320.020 5250 to 5350 Pass		0	7.6	5300.040	5250 to 5350	Pass
40 7.6 5300.000 5250 to 5350 Pass 50 7.6 5300.020 5250 to 5350 Pass 6.46 5320.040 5250 to 5350 Pass 20 7.6 5320.020 5250 to 5350 Pass 8.74 5320.020 5250 to 5350 Pass -30 7.6 5320.080 5250 to 5350 Pass -20 7.6 5320.020 5250 to 5350 Pass 5320 -10 7.6 5319.960 5250 to 5350 Pass 0 7.6 5319.980 5250 to 5350 Pass 10 7.6 5320.020 5250 to 5350 Pass 30 7.6 5320.040 5250 to 5350 Pass 40 7.6 5319.960 5250 to 5350 Pass 50 7.6 5320.020 5250 to 5350 Pass		10	7.6	5300.020	5250 to 5350	Pass
50 7.6 5300.020 5250 to 5350 Pass 6.46 5320.040 5250 to 5350 Pass 20 7.6 5320.020 5250 to 5350 Pass 8.74 5320.000 5250 to 5350 Pass -30 7.6 5320.080 5250 to 5350 Pass -20 7.6 5320.020 5250 to 5350 Pass 5320 -10 7.6 5319.960 5250 to 5350 Pass 0 7.6 5319.980 5250 to 5350 Pass 10 7.6 5320.020 5250 to 5350 Pass 30 7.6 5320.020 5250 to 5350 Pass 40 7.6 5319.960 5250 to 5350 Pass 50 7.6 5320.020 5250 to 5350 Pass		30	7.6	5300.020	5250 to 5350	Pass
20 6.46 5320.040 5250 to 5350 Pass 8.74 5320.020 5250 to 5350 Pass 8.74 5320.000 5250 to 5350 Pass -30 7.6 5320.080 5250 to 5350 Pass -20 7.6 5320.020 5250 to 5350 Pass 0 7.6 5319.960 5250 to 5350 Pass 10 7.6 5320.020 5250 to 5350 Pass 30 7.6 5320.020 5250 to 5350 Pass 40 7.6 5319.960 5250 to 5350 Pass 40 7.6 5319.960 5250 to 5350 Pass 50 7.6 5320.020 5250 to 5350 Pass		40	7.6	5300.000	5250 to 5350	Pass
20 7.6 5320.020 5250 to 5350 Pass 8.74 5320.000 5250 to 5350 Pass -30 7.6 5320.080 5250 to 5350 Pass -20 7.6 5320.020 5250 to 5350 Pass 5320 -10 7.6 5319.960 5250 to 5350 Pass 0 7.6 5319.980 5250 to 5350 Pass 10 7.6 5320.020 5250 to 5350 Pass 30 7.6 5320.040 5250 to 5350 Pass 40 7.6 5319.960 5250 to 5350 Pass 50 7.6 5320.020 5250 to 5350 Pass		50	7.6	5300.020	5250 to 5350	Pass
8.74 5320.000 5250 to 5350 Pass -30 7.6 5320.080 5250 to 5350 Pass -20 7.6 5320.020 5250 to 5350 Pass 5320 -10 7.6 5319.960 5250 to 5350 Pass 0 7.6 5319.980 5250 to 5350 Pass 10 7.6 5320.020 5250 to 5350 Pass 30 7.6 5320.040 5250 to 5350 Pass 40 7.6 5319.960 5250 to 5350 Pass 50 7.6 5320.020 5250 to 5350 Pass			6.46	5320.040	5250 to 5350	Pass
-30 7.6 5320.080 5250 to 5350 Pass -20 7.6 5320.020 5250 to 5350 Pass -10 7.6 5319.960 5250 to 5350 Pass 0 7.6 5319.980 5250 to 5350 Pass 10 7.6 5320.020 5250 to 5350 Pass 30 7.6 5320.020 5250 to 5350 Pass 40 7.6 5319.960 5250 to 5350 Pass 50 7.6 5320.020 5250 to 5350 Pass 50 7.6 5320.020 5250 to 5350 Pass		20	7.6	5320.020	5250 to 5350	Pass
5320 7.6 5320.020 5250 to 5350 Pass -10 7.6 5319.960 5250 to 5350 Pass 0 7.6 5319.980 5250 to 5350 Pass 10 7.6 5320.020 5250 to 5350 Pass 30 7.6 5320.040 5250 to 5350 Pass 40 7.6 5319.960 5250 to 5350 Pass 50 7.6 5320.020 5250 to 5350 Pass			8.74	5320.000	5250 to 5350	Pass
5320 -10 7.6 5319.960 5250 to 5350 Pass 0 7.6 5319.980 5250 to 5350 Pass 10 7.6 5320.020 5250 to 5350 Pass 30 7.6 5320.040 5250 to 5350 Pass 40 7.6 5319.960 5250 to 5350 Pass 50 7.6 5320.020 5250 to 5350 Pass		-30	7.6	5320.080	5250 to 5350	Pass
0 7.6 5319.980 5250 to 5350 Pass 10 7.6 5320.020 5250 to 5350 Pass 30 7.6 5320.040 5250 to 5350 Pass 40 7.6 5319.960 5250 to 5350 Pass 50 7.6 5320.020 5250 to 5350 Pass		-20	7.6	5320.020	5250 to 5350	Pass
10 7.6 5320.020 5250 to 5350 Pass 30 7.6 5320.040 5250 to 5350 Pass 40 7.6 5319.960 5250 to 5350 Pass 50 7.6 5320.020 5250 to 5350 Pass	5320	-10	7.6	5319.960	5250 to 5350	Pass
30 7.6 5320.040 5250 to 5350 Pass 40 7.6 5319.960 5250 to 5350 Pass 50 7.6 5320.020 5250 to 5350 Pass		0	7.6	5319.980	5250 to 5350	Pass
40 7.6 5319.960 5250 to 5350 Pass 50 7.6 5320.020 5250 to 5350 Pass		10	7.6	5320.020	5250 to 5350	Pass
50 7.6 5320.020 5250 to 5350 Pass		30	7.6	5320.040	5250 to 5350	Pass
		40	7.6	5319.960	5250 to 5350	Pass
5500 20 6.46 5500.080 5470 to 5725 Pass		50	7.6	5320.020	5250 to 5350	Pass
	5500	20	6.46	5500.080	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 389 of 397

				•			
			7.6	5500.020	5470 to 5725	Pass	
			8.74	5500.020	5470 to 5725	Pass	
		-30	7.6	5500.000	5470 to 5725	Pass	
		-20	7.6	5500.060	5470 to 5725	Pass	
		-10	7.6	5500.060	5470 to 5725	Pass	
		0	7.6	5499.980	5470 to 5725	Pass	
		10	7.6	5500.040	5470 to 5725	Pass	
		30	7.6	5500.020	5470 to 5725	Pass	
		40	7.6	5500.020	5470 to 5725	Pass	
		50	7.6	5500.040	5470 to 5725	Pass	
			6.46	5579.980	5470 to 5725	Pass	
		20	7.6	5580.060	5470 to 5725	Pass	
			8.74	5580.020	5470 to 5725	Pass	
		-30	7.6	5580.000	5470 to 5725	Pass	
		-20	7.6	5580.000	5470 to 5725	Pass	
	5580	-10	7.6	5580.020	5470 to 5725	Pass	
		0	7.6	5580.020	5470 to 5725	Pass	
		10	7.6	5579.980	5470 to 5725	Pass	
		30	7.6	5580.040	5470 to 5725	Pass	
		40	7.6	5580.020	5470 to 5725	Pass	
		50	7.6	5579.960	5470 to 5725	Pass	
			6.46	5700.000	5470 to 5725	Pass	
		20	7.6	5700.040	5470 to 5725	Pass	
			8.74	5700.000	5470 to 5725	Pass	
		-30	7.6	5699.960	5470 to 5725	Pass	
	5700	-20	7.6	5700.020	5470 to 5725	Pass	
		-10	7.6	5700.060	5470 to 5725	Pass	
		0	7.6	5700.020	5470 to 5725	Pass	
		10	7.6	5699.980	5470 to 5725	Pass	
		30	7.6	5699.980	5470 to 5725	Pass	
		40	7.6	5699.960	5470 to 5725	Pass	
		50	7.6	5700.000	5470 to 5725	Pass	
	5745		6.46	5745.000	5725 to 5850	Pass	
		20	20	7.6	5745.000	5725 to 5850	Pass
			8.74	5745.000	5725 to 5850	Pass	
		F-7.5	-30	7.6	5744.980	5725 to 5850	Pass
		-20	7.6	5745.020	5725 to 5850	Pass	
		-10	7.6	5744.960	5725 to 5850	Pass	
		0	7.6	5745.020	5725 to 5850	Pass	
		10	7.6	5744.980	5725 to 5850	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 390 of 397

				1	I .			
			30	7.6	5745.040	5725 to 5850	Pass	
			40	7.6	5744.980	5725 to 5850	Pass	
			50	7.6	5745.000	5725 to 5850	Pass	
				6.46	5785.040	5725 to 5850	Pass	
			20	7.6	5785.020	5725 to 5850	Pass	
				8.74	5785.000	5725 to 5850	Pass	
			-30	7.6	5785.000	5725 to 5850	Pass	
			-20	7.6	5784.980	5725 to 5850	Pass	
		5785	-10	7.6	5785.040	5725 to 5850	Pass	
			0	7.6	5785.000	5725 to 5850	Pass	
			10	7.6	5785.020	5725 to 5850	Pass	
			30	7.6	5784.960	5725 to 5850	Pass	
			40	7.6	5785.020	5725 to 5850	Pass	
			50	7.6	5785.080	5725 to 5850	Pass	
				6.46	5825.000	5725 to 5850	Pass	
			20	7.6	5824.980	5725 to 5850	Pass	
				8.74	5824.960	5725 to 5850	Pass	
			-30	7.6	5824.940	5725 to 5850	Pass	
		5825	-20	7.6	5824.960	5725 to 5850	Pass	
			-10	7.6	5825.000	5725 to 5850	Pass	
			0	7.6	5824.960	5725 to 5850	Pass	
			10	7.6	5824.980	5725 to 5850	Pass	
			30	7.6	5825.040	5725 to 5850	Pass	
			40	7.6	5824.980	5725 to 5850	Pass	
			50	7.6	5824.980	5725 to 5850	Pass	
			6.46	5190.160	5150 to 5250	Pass		
		5190 SISO	20	7.6	5190.120	5150 to 5250	Pass	
					8.74	5190.120	5150 to 5250	Pass
				-30	7.6	5190.120	5150 to 5250	Pass
			-20	7.6	5190.120	5150 to 5250	Pass	
			-10	7.6	5190.120	5150 to 5250	Pass	
			0	7.6	5190.040	5150 to 5250	Pass	
802.11ac	SISO		10	7.6	5190.080	5150 to 5250	Pass	
(VHT40)			30	7.6	5190.120	5150 to 5250	Pass	
			40	7.6	5190.080	5150 to 5250	Pass	
			50	7.6	5190.160	5150 to 5250	Pass	
				6.46	5220.120	5150 to 5250	Pass	
		F000	20	7.6	5220.120	5150 to 5250	Pass	
		5230		8.74	5220.120	5150 to 5250	Pass	
			-30	7.6	5220.080	5150 to 5250	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 391 of 397

-20							
0 7.6 5220.160 5150 to 5250 Pass 10 7.6 5220.120 5150 to 5250 Pass 30 7.6 5220.080 5150 to 5250 Pass 40 7.6 5220.080 5150 to 5250 Pass 40 7.6 5220.080 5150 to 5250 Pass 50 7.6 5220.040 5150 to 5250 Pass 50 7.6 5220.040 5150 to 5250 Pass 50 7.6 5220.040 5250 to 5350 Pass 8.74 5270.040 5250 to 5350 Pass 8.74 5270.040 5250 to 5350 Pass -30 7.6 5270.080 5250 to 5350 Pass -20 7.6 5270.080 5250 to 5350 Pass -20 7.6 5270.040 5250 to 5350 Pass -20 7.6 5270.040 5250 to 5350 Pass 0 7.6 5270.040 5250 to 5350 Pass 10 7.6 5270.040 5250 to 5350 Pass 10 7.6 5270.080 5250 to 5350 Pass 10 7.6 5270.080 5250 to 5350 Pass 10 7.6 5270.080 5250 to 5350 Pass 40 7.6 5270.080 5250 to 5350 Pass 50 7.6 5310.160 5250 to 5350 Pass 50 7.6 5310.080 5250 to 5350 Pass 50 7.6 5310.040 5250 to 5350 Pass			-20	7.6	5220.120	5150 to 5250	Pass
10 7.6 5220.120 5150 to 5250 Pass 30 7.6 5220.080 5150 to 5250 Pass 40 7.6 5220.080 5150 to 5250 Pass 50 7.6 5220.080 5150 to 5250 Pass 50 7.6 5220.040 5250 to 5350 Pass 20 7.6 5270.080 5250 to 5350 Pass 8.74 5270.120 5250 to 5350 Pass -20 7.6 5270.080 5250 to 5350 Pass -20 7.6 5310.160 5250 to 5350 Pass -20 7.6 5310.080 5250 to 5350 Pass -20 7.6 5310.100 5250 to 5350 Pass -20 7.6 5510.100 5470 to 5725 Pass -20 7.6 5510.100 5470 to			-10	7.6	5220.120	5150 to 5250	Pass
30			0	7.6	5220.160	5150 to 5250	Pass
40			10	7.6	5220.120	5150 to 5250	Pass
S0			30	7.6	5220.080	5150 to 5250	Pass
6.46 5270.040 5250 to 5350 Pass			40	7.6	5220.080	5150 to 5250	Pass
20			50	7.6	5220.040	5150 to 5250	Pass
8.74 5270.120 5250 to 5350 Pass -30 7.6 5270.080 5250 to 5350 Pass -20 7.6 5270.040 5250 to 5350 Pass -20 7.6 5270.120 5250 to 5350 Pass -20 7.6 5270.120 5250 to 5350 Pass -20 7.6 5270.080 5250 to 5350 Pass -20 7.6 5310.080 5250 to 5350 Pass -20 7.6 5310.040 5250 to 5350 Pass -20 7.6 5310.120 5250 to 5350 Pass -20 7.6 5510.160 5470 to 5725 Pass -20 7.6 5510.160 5470 to 5725 Pass -20 7.6 5510.120 5470 to 5725 Pass -20 7.6 5510.160 5470 to 5725 Pass -20 7.6 5510.160 54				6.46	5270.040	5250 to 5350	Pass
1-30			20	7.6	5270.080	5250 to 5350	Pass
1-20				8.74	5270.120	5250 to 5350	Pass
5270			-30	7.6	5270.080	5250 to 5350	Pass
0 7.6 5270.080 5250 to 5350 Pass 10 7.6 5270.000 5250 to 5350 Pass 30 7.6 5270.080 5250 to 5350 Pass 40 7.6 5270.040 5250 to 5350 Pass 50 7.6 5270.080 5250 to 5350 Pass 6.46 5310.160 5250 to 5350 Pass 20 7.6 5310.080 5250 to 5350 Pass 8.74 5310.080 5250 to 5350 Pass -30 7.6 5310.080 5250 to 5350 Pass -20 7.6 5310.080 5250 to 5350 Pass -20 7.6 5310.040 5250 to 5350 Pass 5310 -10 7.6 5310.040 5250 to 5350 Pass 5310 -7.6 5310.040 5250 to 5350 Pass 40 7.6 5310.040 5250 to 5350 Pass 30 7.6 5310.040 5250 to 5350 Pass			-20	7.6	5270.040	5250 to 5350	Pass
10 7.6 5270.000 5250 to 5350 Pass 30 7.6 5270.080 5250 to 5350 Pass 40 7.6 5270.080 5250 to 5350 Pass 50 7.6 5270.080 5250 to 5350 Pass 50 7.6 5270.080 5250 to 5350 Pass 50 7.6 5310.160 5250 to 5350 Pass 8.74 5310.080 5250 to 5350 Pass 8.74 5310.080 5250 to 5350 Pass -20 7.6 5310.080 5250 to 5350 Pass -20 7.6 5310.080 5250 to 5350 Pass 5310 -10 7.6 5310.080 5250 to 5350 Pass 10 7.6 5310.040 5250 to 5350 Pass 10 7.6 5310.040 5250 to 5350 Pass 40 7.6 5310.040 5250 to 5350 Pass 40 7.6 5310.040 5250 to 5350 Pass 50 7.6 5310.080 5250 to 5350 Pass 40 7.6 5310.120 5250 to 5350 Pass 50 7.6 5510.160 5470 to 5725 Pass 50 7.6 5510.160 5470 to 5725 Pass 510 -10 7.6 5510.120 5470 to 5725 Pass 510 -10 7.6 5510.120 5470 to 5725 Pass 510 7.6 5510.120 5470 to 5725 Pass		5270	-10	7.6	5270.120	5250 to 5350	Pass
30			0	7.6	5270.080	5250 to 5350	Pass
40			10	7.6	5270.000	5250 to 5350	Pass
S0			30	7.6	5270.080	5250 to 5350	Pass
Company			40	7.6	5270.040	5250 to 5350	Pass
20			50	7.6	5270.080	5250 to 5350	Pass
8.74 5310.080 5250 to 5350 Pass -30 7.6 5310.120 5250 to 5350 Pass -20 7.6 5310.080 5250 to 5350 Pass -20 7.6 5310.080 5250 to 5350 Pass 0 7.6 5310.040 5250 to 5350 Pass 10 7.6 5310.040 5250 to 5350 Pass 10 7.6 5310.040 5250 to 5350 Pass 30 7.6 5310.040 5250 to 5350 Pass 40 7.6 5310.120 5250 to 5350 Pass 50 7.6 5310.120 5250 to 5350 Pass 50 7.6 5310.120 5250 to 5350 Pass 20 7.6 5510.160 5470 to 5725 Pass 8.74 5510.160 5470 to 5725 Pass -20 7.6 5510.120 5470 to 5725 Pass -20 7.6 5510.120 5470 to 5725 Pass -20 7.6 5510.120 5470 to 5725 Pass -10 7.6 5510.120 5470 to 5725 Pass 0 7.6 5510.040 5470 to 5725 Pass 10 7.6 5510.040 5470 to 5725 Pass 30 7.6 5510.040 5470 to 5725 Pass 10 7.6 5510.120 5470 to 5725 Pass 30 7.6 5510.040 5470 to 5725 Pass 40 7.6 5510.080 5470 to 5725 Pass			20	6.46	5310.160	5250 to 5350	Pass
-30				7.6	5310.080	5250 to 5350	Pass
-20 7.6 5310.080 5250 to 5350 Pass -10 7.6 5310.040 5250 to 5350 Pass 0 7.6 5310.040 5250 to 5350 Pass 10 7.6 5310.040 5250 to 5350 Pass 30 7.6 5310.080 5250 to 5350 Pass 40 7.6 5310.120 5250 to 5350 Pass 50 7.6 5310.120 5250 to 5350 Pass 50 7.6 5310.120 5250 to 5350 Pass 20 7.6 5310.120 5250 to 5350 Pass 20 7.6 5510.160 5470 to 5725 Pass 20 7.6 5510.160 5470 to 5725 Pass -30 7.6 5510.120 5470 to 5725 Pass -20 7.6 5510.120 5470 to 5725 Pass 0 7.6 5510.040 5470 to 5725 Pass 10 7.6 5510.040 5470 to 5725				8.74	5310.080	5250 to 5350	Pass
5310 -10 7.6 5310.040 5250 to 5350 Pass 0 7.6 5310.040 5250 to 5350 Pass 10 7.6 5310.040 5250 to 5350 Pass 30 7.6 5310.080 5250 to 5350 Pass 40 7.6 5310.120 5250 to 5350 Pass 50 7.6 5310.120 5250 to 5350 Pass 20 7.6 5310.120 5250 to 5350 Pass 20 7.6 5310.120 5250 to 5350 Pass 20 7.6 5510.160 5470 to 5725 Pass 8.74 5510.160 5470 to 5725 Pass -30 7.6 5510.120 5470 to 5725 Pass -20 7.6 5510.120 5470 to 5725 Pass 5510 -10 7.6 5510.120 5470 to 5725 Pass 0 7.6 5510.040 5470 to 5725 Pass 10 7.6 5510.080 <			-30	7.6	5310.120	5250 to 5350	Pass
0 7.6 5310.040 5250 to 5350 Pass 10 7.6 5310.040 5250 to 5350 Pass 30 7.6 5310.080 5250 to 5350 Pass 40 7.6 5310.120 5250 to 5350 Pass 50 7.6 5310.120 5250 to 5350 Pass 50 7.6 5310.120 5250 to 5350 Pass 20 7.6 5510.160 5470 to 5725 Pass 8.74 5510.160 5470 to 5725 Pass -30 7.6 5510.120 5470 to 5725 Pass -20 7.6 5510.120 5470 to 5725 Pass 5510 -10 7.6 5510.120 5470 to 5725 Pass 0 7.6 5510.040 5470 to 5725 Pass 10 7.6 5510.120 5470 to 5725 Pass 30 7.6 5510.080 5470 to 5725 Pass 40 7.6 5510.160 5470 to 5725			-20	7.6	5310.080	5250 to 5350	Pass
10 7.6 5310.040 5250 to 5350 Pass 30 7.6 5310.080 5250 to 5350 Pass 40 7.6 5310.120 5250 to 5350 Pass 50 7.6 5310.120 5250 to 5350 Pass 6.46 5510.160 5470 to 5725 Pass 8.74 5510.160 5470 to 5725 Pass 8.74 5510.160 5470 to 5725 Pass -30 7.6 5510.120 5470 to 5725 Pass -20 7.6 5510.120 5470 to 5725 Pass 5510 -10 7.6 5510.120 5470 to 5725 Pass 0 7.6 5510.040 5470 to 5725 Pass 10 7.6 5510.040 5470 to 5725 Pass 30 7.6 5510.080 5470 to 5725 Pass 40 7.6 5510.160 5470 to 5725 Pass		5310	-10	7.6	5310.040	5250 to 5350	Pass
30 7.6 5310.080 5250 to 5350 Pass 40 7.6 5310.120 5250 to 5350 Pass 50 7.6 5310.120 5250 to 5350 Pass 6.46 5510.160 5470 to 5725 Pass 8.74 5510.160 5470 to 5725 Pass -30 7.6 5510.120 5470 to 5725 Pass -20 7.6 5510.120 5470 to 5725 Pass -20 7.6 5510.160 5470 to 5725 Pass 0 7.6 5510.120 5470 to 5725 Pass 10 7.6 5510.040 5470 to 5725 Pass 10 7.6 5510.120 5470 to 5725 Pass 30 7.6 5510.080 5470 to 5725 Pass 40 7.6 5510.160 5470 to 5725 Pass			0	7.6	5310.040	5250 to 5350	Pass
40 7.6 5310.120 5250 to 5350 Pass 50 7.6 5310.120 5250 to 5350 Pass 6.46 5510.160 5470 to 5725 Pass 20 7.6 5510.160 5470 to 5725 Pass 8.74 5510.160 5470 to 5725 Pass -30 7.6 5510.120 5470 to 5725 Pass -20 7.6 5510.120 5470 to 5725 Pass 0 7.6 5510.120 5470 to 5725 Pass 10 7.6 5510.040 5470 to 5725 Pass 10 7.6 5510.120 5470 to 5725 Pass 30 7.6 5510.080 5470 to 5725 Pass 40 7.6 5510.160 5470 to 5725 Pass			10	7.6	5310.040	5250 to 5350	Pass
50 7.6 5310.120 5250 to 5350 Pass 6.46 5510.160 5470 to 5725 Pass 20 7.6 5510.160 5470 to 5725 Pass 8.74 5510.160 5470 to 5725 Pass -30 7.6 5510.120 5470 to 5725 Pass -20 7.6 5510.120 5470 to 5725 Pass 0 7.6 5510.120 5470 to 5725 Pass 10 7.6 5510.040 5470 to 5725 Pass 10 7.6 5510.120 5470 to 5725 Pass 30 7.6 5510.080 5470 to 5725 Pass 40 7.6 5510.160 5470 to 5725 Pass			30	7.6	5310.080	5250 to 5350	Pass
20 6.46 5510.160 5470 to 5725 Pass 8.74 5510.160 5470 to 5725 Pass 8.74 5510.160 5470 to 5725 Pass -30 7.6 5510.120 5470 to 5725 Pass -20 7.6 5510.160 5470 to 5725 Pass 5510 -10 7.6 5510.120 5470 to 5725 Pass 0 7.6 5510.040 5470 to 5725 Pass 10 7.6 5510.120 5470 to 5725 Pass 30 7.6 5510.080 5470 to 5725 Pass 40 7.6 5510.160 5470 to 5725 Pass			40	7.6	5310.120	5250 to 5350	Pass
20			50	7.6	5310.120	5250 to 5350	Pass
8.74 5510.160 5470 to 5725 Pass -30 7.6 5510.120 5470 to 5725 Pass -20 7.6 5510.160 5470 to 5725 Pass 5510 -10 7.6 5510.120 5470 to 5725 Pass 0 7.6 5510.040 5470 to 5725 Pass 10 7.6 5510.120 5470 to 5725 Pass 30 7.6 5510.080 5470 to 5725 Pass 40 7.6 5510.160 5470 to 5725 Pass				6.46	5510.160	5470 to 5725	Pass
-30 7.6 5510.120 5470 to 5725 Pass -20 7.6 5510.160 5470 to 5725 Pass -10 7.6 5510.120 5470 to 5725 Pass 0 7.6 5510.040 5470 to 5725 Pass 10 7.6 5510.120 5470 to 5725 Pass 30 7.6 5510.080 5470 to 5725 Pass 40 7.6 5510.080 5470 to 5725 Pass			20	7.6	5510.160	5470 to 5725	Pass
-20 7.6 5510.160 5470 to 5725 Pass 5510 -10 7.6 5510.120 5470 to 5725 Pass 0 7.6 5510.040 5470 to 5725 Pass 10 7.6 5510.120 5470 to 5725 Pass 30 7.6 5510.080 5470 to 5725 Pass 40 7.6 5510.160 5470 to 5725 Pass				8.74	5510.160	5470 to 5725	Pass
5510			-30	7.6	5510.120	5470 to 5725	Pass
0 7.6 5510.040 5470 to 5725 Pass 10 7.6 5510.120 5470 to 5725 Pass 30 7.6 5510.080 5470 to 5725 Pass 40 7.6 5510.160 5470 to 5725 Pass			-20	7.6	5510.160	5470 to 5725	Pass
10 7.6 5510.120 5470 to 5725 Pass 30 7.6 5510.080 5470 to 5725 Pass 40 7.6 5510.160 5470 to 5725 Pass		5510	-10	7.6	5510.120	5470 to 5725	Pass
30 7.6 5510.080 5470 to 5725 Pass 40 7.6 5510.160 5470 to 5725 Pass			0	7.6	5510.040	5470 to 5725	Pass
40 7.6 5510.160 5470 to 5725 Pass			10	7.6	5510.120	5470 to 5725	Pass
			30	7.6	5510.080	5470 to 5725	Pass
50 7.6 5510.160 5470 to 5725 Pass			40	7.6	5510.160	5470 to 5725	Pass
			50	7.6	5510.160	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 392 of 397

				•		
			6.46	5550.120	5470 to 5725	Pass
		20	7.6	5550.120	5470 to 5725	Pass
			8.74	5550.120	5470 to 5725	Pass
		-30	7.6	5550.080	5470 to 5725	Pass
		-20	7.6	5550.080	5470 to 5725	Pass
	5550	-10	7.6	5550.120	5470 to 5725	Pass
		0	7.6	5550.120	5470 to 5725	Pass
		10	7.6	5550.120	5470 to 5725	Pass
		30	7.6	5550.160	5470 to 5725	Pass
		40	7.6	5550.160	5470 to 5725	Pass
		50	7.6	5550.120	5470 to 5725	Pass
			6.46	5670.120	5470 to 5725	Pass
		20	7.6	5670.080	5470 to 5725	Pass
			8.74	5670.120	5470 to 5725	Pass
		-30	7.6	5670.120	5470 to 5725	Pass
		-20	7.6	5670.040	5470 to 5725	Pass
	5670	-10	7.6	5670.160	5470 to 5725	Pass
		0	7.6	5670.000	5470 to 5725	Pass
		10	7.6	5670.120	5470 to 5725	Pass
		30	7.6	5670.160	5470 to 5725	Pass
		40	7.6	5670.040	5470 to 5725	Pass
		50	7.6	5670.080	5470 to 5725	Pass
		20	6.46	5755.200	5725 to 5850	Pass
			7.6	5755.120	5725 to 5850	Pass
			8.74	5755.080	5725 to 5850	Pass
	5755	-30	7.6	5755.120	5725 to 5850	Pass
		-20	7.6	5755.200	5725 to 5850	Pass
		-10	7.6	5755.080	5725 to 5850	Pass
		0	7.6	5755.160	5725 to 5850	Pass
		10	7.6	5755.120	5725 to 5850	Pass
		30	7.6	5755.080	5725 to 5850	Pass
		40	7.6	5755.120	5725 to 5850	Pass
		50	7.6	5755.080	5725 to 5850	Pass
			6.46	5795.040	5725 to 5850	Pass
		20	7.6	5795.120	5725 to 5850	Pass
			8.74	5795.080	5725 to 5850	Pass
	5795 -30	-30	7.6	5795.120	5725 to 5850	Pass
		-20	7.6	5795.040	5725 to 5850	Pass
		10	7.0	5705 120	5725 to 5850	Pass
		-10	7.6	5795.120	3723 10 3630	rass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 393 of 397

					ı ago.	000 01 001		
			10	7.6	5795.080	5725 to 5850	Pass	
			30	7.6	5795.120	5725 to 5850	Pass	
			40	7.6	5795.080	5725 to 5850	Pass	
			50	7.6	5795.040	5725 to 5850	Pass	
				6.46	5210.075	5150 to 5250	Pass	
			20	7.6	5210.075	5150 to 5250	Pass	
				8.74	5210.000	5150 to 5250	Pass	
			-30	7.6	5210.075	5150 to 5250	Pass	
			-20	7.6	5210.075	5150 to 5250	Pass	
		5210	-10	7.6	5210.075	5150 to 5250	Pass	
			0	7.6	5210.075	5150 to 5250	Pass	
			10	7.6	5210.075	5150 to 5250	Pass	
			30	7.6	5210.075	5150 to 5250	Pass	
			40	7.6	5210.150	5150 to 5250	Pass	
			50	7.6	5210.075	5150 to 5250	Pass	
				6.46	5290.000	5250 to 5350	Pass	
			20	7.6	5290.000	5250 to 5350	Pass	
		5290		8.74	5290.000	5250 to 5350	Pass	
			-30	7.6	5290.000	5250 to 5350	Pass	
			-20	7.6	5290.075	5250 to 5350	Pass	
			-10	7.6	5290.000	5250 to 5350	Pass	
802.11ac	0100		0	7.6	5290.000	5250 to 5350	Pass	
(VHT80)	SISO	0	10	7.6	5290.000	5250 to 5350	Pass	
			30	7.6	5290.000	5250 to 5350	Pass	
			40	7.6	5290.000	5250 to 5350	Pass	
			50	7.6	5290.075	5250 to 5350	Pass	
				6.46	5530.150	5470 to 5725	Pass	
			20	7.6	5530.225	5470 to 5725	Pass	
					8.74	5530.225	5470 to 5725	Pass
		-30	7.6	5530.225	5470 to 5725	Pass		
			-20	7.6	5530.150	5470 to 5725	Pass	
		5530	-10	7.6	5530.225	5470 to 5725	Pass	
			0	7.6	5530.150	5470 to 5725	Pass	
				10	7.6	5530.225	5470 to 5725	Pass
			30	7.6	5530.225	5470 to 5725	Pass	
			40	7.6	5530.225	5470 to 5725	Pass	
			50	7.6	5530.225	5470 to 5725	Pass	
				6.46	5610.225	5470 to 5725	Pass	
		5610	20	7.6	5610.150	5470 to 5725	Pass	
				8.74	5610.150	5470 to 5725	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 394 of 397

		-30	7.6	5610.225	5470 to 5725	Pass	
		-20	7.6	5610.075	5470 to 5725	Pass	
		-10	7.6	5610.225	5470 to 5725	Pass	
		0	7.6	5610.150	5470 to 5725	Pass	
		10	7.6	5610.150	5470 to 5725	Pass	
		30	7.6	5610.075	5470 to 5725	Pass	
		40	7.6	5610.150	5470 to 5725	Pass	
		50	7.6	5610.150	5470 to 5725	Pass	
			6.46	5775.075	5725 to 5850	Pass	
		20	7.6	5775.150	5725 to 5850	Pass	
			8.74	5775.075	5725 to 5850	Pass	
	5775		-30	7.6	5775.000	5725 to 5850	Pass
		-20	7.6	5775.150	5725 to 5850	Pass	
		-10	7.6	5775.150	5725 to 5850	Pass	
		0	7.6	5775.150	5725 to 5850	Pass	
			10	7.6	5775.075	5725 to 5850	Pass
		30	7.6	5775.075	5725 to 5850	Pass	
		40	7.6	5775.075	5725 to 5850	Pass	
		50	7.6	5775.075	5725 to 5850	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805


Page: 395 of 397

6. DFS

6.1 Radar



6.1 Payload(49.15%)





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"

No.1 Workshop, Ib-10, Middle Section, Science & Technology Park, Narshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn





SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 396 of 397

5290MHz:







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600188805

Page: 397 of 397

5530MHz:





- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com"