

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B5_1.4MHz_ERP

Band: 5 / Bandwidth: 1.4MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	24.43	-2.82	19.46	<=38.45	Pass
			2	24.53	-2.82	19.56	<=38.45	Pass
			5	24.27	-2.82	19.30	<=38.45	Pass
		3	0	24.52	-2.82	19.55	<=38.45	Pass
			2	24.70	-2.82	19.73	<=38.45	Pass
			3	24.26	-2.82	19.29	<=38.45	Pass
		6	0	23.45	-2.82	18.48	<=38.45	Pass
	836.5	1	0	24.73	-2.82	19.76	<=38.45	Pass
			2	24.87	-2.82	19.90	<=38.45	Pass
			5	24.03	-2.82	19.06	<=38.45	Pass
		3	0	24.76	-2.82	19.79	<=38.45	Pass
			2	24.92	-2.82	19.95	<=38.45	Pass
		3	24.44	-2.82	19.47	<=38.45	Pass	
	6	0	23.64	-2.82	18.67	<=38.45	Pass	
	848.3	1	0	24.23	-2.82	19.26	<=38.45	Pass
			2	24.59	-2.82	19.62	<=38.45	Pass
			5	24.49	-2.82	19.52	<=38.45	Pass
		3	0	24.64	-2.82	19.67	<=38.45	Pass
			2	24.70	-2.82	19.73	<=38.45	Pass
			3	24.43	-2.82	19.46	<=38.45	Pass
		6	0	23.76	-2.82	18.79	<=38.45	Pass
16QAM	824.7	1	0	23.67	-2.82	18.70	<=38.45	Pass
			2	23.88	-2.82	18.91	<=38.45	Pass
			5	23.60	-2.82	18.63	<=38.45	Pass
		3	0	23.67	-2.82	18.70	<=38.45	Pass
			2	23.87	-2.82	18.90	<=38.45	Pass
			3	23.42	-2.82	18.45	<=38.45	Pass
		6	0	22.62	-2.82	17.65	<=38.45	Pass
	836.5	1	0	23.74	-2.82	18.77	<=38.45	Pass
			2	23.97	-2.82	19.00	<=38.45	Pass
			5	23.15	-2.82	18.18	<=38.45	Pass
		3	0	24.00	-2.82	19.03	<=38.45	Pass
			2	24.14	-2.82	19.17	<=38.45	Pass
		3	23.65	-2.82	18.68	<=38.45	Pass	
	6	0	22.75	-2.82	17.78	<=38.45	Pass	
	848.3	1	0	23.39	-2.82	18.42	<=38.45	Pass
			2	23.78	-2.82	18.81	<=38.45	Pass
			5	23.68	-2.82	18.71	<=38.45	Pass
		3	0	23.92	-2.82	18.95	<=38.45	Pass
			2	23.97	-2.82	19.00	<=38.45	Pass
		3	23.67	-2.82	18.70	<=38.45	Pass	
		6	0	22.92	-2.82	17.95	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.2 B5_3MHz_ERP

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	24.37	-2.82	19.40	<=38.45	Pass
			7	24.92	-2.82	19.95	<=38.45	Pass
			14	24.26	-2.82	19.29	<=38.45	Pass
		8	0	23.71	-2.82	18.74	<=38.45	Pass
			4	23.95	-2.82	18.98	<=38.45	Pass
			7	23.75	-2.82	18.78	<=38.45	Pass
		15	0	23.75	-2.82	18.78	<=38.45	Pass
	836.5	1	0	24.79	-2.82	19.82	<=38.45	Pass
			7	25.10	-2.82	20.13	<=38.45	Pass
			14	23.47	-2.82	18.50	<=38.45	Pass
		8	0	23.88	-2.82	18.91	<=38.45	Pass
			4	23.99	-2.82	19.02	<=38.45	Pass
			7	23.70	-2.82	18.73	<=38.45	Pass
	15	0	23.89	-2.82	18.92	<=38.45	Pass	
	847.5	1	0	24.21	-2.82	19.24	<=38.45	Pass
			7	25.14	-2.82	20.17	<=38.45	Pass
			14	24.53	-2.82	19.56	<=38.45	Pass
		8	0	24.15	-2.82	19.18	<=38.45	Pass
			4	24.27	-2.82	19.30	<=38.45	Pass
			7	23.94	-2.82	18.97	<=38.45	Pass
		15	0	24.16	-2.82	19.19	<=38.45	Pass
16QAM	825.5	1	0	23.97	-2.82	19.00	<=38.45	Pass
			7	24.48	-2.82	19.51	<=38.45	Pass
			14	23.76	-2.82	18.79	<=38.45	Pass
		8	0	22.93	-2.82	17.96	<=38.45	Pass
			4	23.21	-2.82	18.24	<=38.45	Pass
			7	23.02	-2.82	18.05	<=38.45	Pass
		15	0	22.89	-2.82	17.92	<=38.45	Pass
	836.5	1	0	24.06	-2.82	19.09	<=38.45	Pass
			7	24.43	-2.82	19.46	<=38.45	Pass
			14	22.79	-2.82	17.82	<=38.45	Pass
		8	0	22.96	-2.82	17.99	<=38.45	Pass
			4	23.11	-2.82	18.14	<=38.45	Pass
			7	22.82	-2.82	17.85	<=38.45	Pass
	15	0	22.96	-2.82	17.99	<=38.45	Pass	
	847.5	1	0	23.26	-2.82	18.29	<=38.45	Pass
			7	24.30	-2.82	19.33	<=38.45	Pass
			14	23.68	-2.82	18.71	<=38.45	Pass
		8	0	23.34	-2.82	18.37	<=38.45	Pass
			4	23.46	-2.82	18.49	<=38.45	Pass
			7	23.11	-2.82	18.14	<=38.45	Pass
		15	0	23.32	-2.82	18.35	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.3 B5_5MHz_ERP

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	24.77	-2.82	19.80	<=38.45	Pass
			13	24.51	-2.82	19.54	<=38.45	Pass
			24	24.75	-2.82	19.78	<=38.45	Pass
		12	0	23.84	-2.82	18.87	<=38.45	Pass
			6	23.90	-2.82	18.93	<=38.45	Pass
			13	24.02	-2.82	19.05	<=38.45	Pass
		25	0	23.92	-2.82	18.95	<=38.45	Pass
	836.5	1	0	24.90	-2.82	19.93	<=38.45	Pass
			13	24.65	-2.82	19.68	<=38.45	Pass
			24	24.17	-2.82	19.20	<=38.45	Pass
		12	0	23.97	-2.82	19.00	<=38.45	Pass
			6	23.77	-2.82	18.80	<=38.45	Pass
			13	23.84	-2.82	18.87	<=38.45	Pass
		25	0	23.99	-2.82	19.02	<=38.45	Pass
	846.5	1	0	24.39	-2.82	19.42	<=38.45	Pass
			13	24.80	-2.82	19.83	<=38.45	Pass
			24	24.70	-2.82	19.73	<=38.45	Pass
		12	0	24.27	-2.82	19.30	<=38.45	Pass
			6	24.23	-2.82	19.26	<=38.45	Pass
			13	24.35	-2.82	19.38	<=38.45	Pass
		25	0	24.25	-2.82	19.28	<=38.45	Pass
16QAM	826.5	1	0	23.79	-2.82	18.82	<=38.45	Pass
			13	23.53	-2.82	18.56	<=38.45	Pass
			24	23.77	-2.82	18.80	<=38.45	Pass
		12	0	22.96	-2.82	17.99	<=38.45	Pass
			6	23.00	-2.82	18.03	<=38.45	Pass
			13	23.12	-2.82	18.15	<=38.45	Pass
		25	0	23.01	-2.82	18.04	<=38.45	Pass
	836.5	1	0	24.11	-2.82	19.14	<=38.45	Pass
			13	23.93	-2.82	18.96	<=38.45	Pass
			24	23.48	-2.82	18.51	<=38.45	Pass
		12	0	23.09	-2.82	18.12	<=38.45	Pass
			6	22.91	-2.82	17.94	<=38.45	Pass
			13	22.99	-2.82	18.02	<=38.45	Pass
		25	0	23.09	-2.82	18.12	<=38.45	Pass
	846.5	1	0	23.65	-2.82	18.68	<=38.45	Pass
			13	24.12	-2.82	19.15	<=38.45	Pass
			24	24.02	-2.82	19.05	<=38.45	Pass
		12	0	23.37	-2.82	18.40	<=38.45	Pass
6			23.36	-2.82	18.39	<=38.45	Pass	
13			23.47	-2.82	18.50	<=38.45	Pass	
25		0	23.40	-2.82	18.43	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.4 B5_10MHz_ERP

Band: 5 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	24.73	-2.82	19.76	<=38.45	Pass
			25	24.99	-2.82	20.02	<=38.45	Pass
			49	24.90	-2.82	19.93	<=38.45	Pass
		25	0	23.98	-2.82	19.01	<=38.45	Pass
			13	24.15	-2.82	19.18	<=38.45	Pass
			25	24.32	-2.82	19.35	<=38.45	Pass
		50	0	24.22	-2.82	19.25	<=38.45	Pass
	836.5	1	0	25.31	-2.82	20.34	<=38.45	Pass
			25	24.85	-2.82	19.88	<=38.45	Pass
			49	24.40	-2.82	19.43	<=38.45	Pass
		25	0	24.07	-2.82	19.10	<=38.45	Pass
			13	23.66	-2.82	18.69	<=38.45	Pass
			25	23.93	-2.82	18.96	<=38.45	Pass
		50	0	24.24	-2.82	19.27	<=38.45	Pass
	844	1	0	24.23	-2.82	19.26	<=38.45	Pass
			25	25.16	-2.82	20.19	<=38.45	Pass
			49	24.83	-2.82	19.86	<=38.45	Pass
		25	0	24.11	-2.82	19.14	<=38.45	Pass
			13	24.48	-2.82	19.51	<=38.45	Pass
			25	24.53	-2.82	19.56	<=38.45	Pass
		50	0	24.35	-2.82	19.38	<=38.45	Pass
16QAM	829	1	0	24.32	-2.82	19.35	<=38.45	Pass
			25	24.53	-2.82	19.56	<=38.45	Pass
			49	24.37	-2.82	19.40	<=38.45	Pass
		12	0	23.81	-2.82	18.84	<=38.45	Pass
			19	24.26	-2.82	19.29	<=38.45	Pass
			38	24.09	-2.82	19.12	<=38.45	Pass
		27	0	23.05	-2.82	18.08	<=38.45	Pass
	836.5	1	0	24.61	-2.82	19.64	<=38.45	Pass
			25	24.18	-2.82	19.21	<=38.45	Pass
			49	23.73	-2.82	18.76	<=38.45	Pass
		12	0	24.13	-2.82	19.16	<=38.45	Pass
			19	24.07	-2.82	19.10	<=38.45	Pass
			38	23.77	-2.82	18.80	<=38.45	Pass
		27	0	23.13	-2.82	18.16	<=38.45	Pass
	844	1	0	23.23	-2.82	18.26	<=38.45	Pass
			25	24.30	-2.82	19.33	<=38.45	Pass
			49	24.08	-2.82	19.11	<=38.45	Pass
		12	0	23.88	-2.82	18.91	<=38.45	Pass
			19	24.37	-2.82	19.40	<=38.45	Pass
			38	24.24	-2.82	19.27	<=38.45	Pass
		27	23	23.66	-2.82	18.69	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 Test Result

2.1.1 B5_10MHz

Band: 5 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	836.5	50	0	20	3.40	-6.609	-0.0079	-2.5 to 2.5	Pass
					3.70	-0.300	-0.0004	-2.5 to 2.5	Pass
					4.20	-0.772	-0.0009	-2.5 to 2.5	Pass
				-30	3.70	-1.116	-0.0013	-2.5 to 2.5	Pass
				-20	3.70	-0.873	-0.0010	-2.5 to 2.5	Pass
				-10	3.70	-1.831	-0.0022	-2.5 to 2.5	Pass
				0	3.70	-0.916	-0.0011	-2.5 to 2.5	Pass
				10	3.70	-0.257	-0.0003	-2.5 to 2.5	Pass
				30	3.70	-0.529	-0.0006	-2.5 to 2.5	Pass
				40	3.70	-0.544	-0.0007	-2.5 to 2.5	Pass
				50	3.70	-0.858	-0.0010	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band5_OBW


Band: 5 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.114	/	Pass
	16QAM	836.5	6	0	1.134	/	Pass
3	QPSK	836.5	15	0	2.731	/	Pass
	16QAM	836.5	15	0	2.748	/	Pass
5	QPSK	836.5	25	0	4.554	/	Pass
	16QAM	836.5	25	0	4.532	/	Pass
10	QPSK	836.5	50	0	9.039	/	Pass
	16QAM	836.5	27	0	5.394	/	Pass

3.1.2 Band5_XDB


Band: 5 / NTNv							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.597	/	Pass
	16QAM	836.5	6	0	1.552	/	Pass
3	QPSK	836.5	15	0	3.339	/	Pass
	16QAM	836.5	15	0	3.295	/	Pass
5	QPSK	836.5	25	0	5.198	/	Pass
	16QAM	836.5	25	0	5.191	/	Pass
10	QPSK	836.5	50	0	9.858	/	Pass
	16QAM	836.5	27	0	8.859	/	Pass

3.2 Test Graph


3.2.1 Band5_OBW




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5 5MHz QPSK MCH 836.5MHz RB 25 0 NTN




Band5 5MHz 16QAM MCH 836.5MHz RB 25 0 NTN




Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_MCH_836.5MHz_RB_27_0_NTNV




3.2.2 Band5_XDB




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5 5MHz QPSK MCH 836.5MHz RB 25 0 NTN




Band5 5MHz 16QAM MCH 836.5MHz RB 25 0 NTN



Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_MCH_836.5MHz_RB_27_0_NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B5_10MHz

Band: 5 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	4.59	<=13	Pass
16QAM	836.5	27	0	4.82	<=13	Pass

4.2 Test Graph

4.2.1 B5_10MHz



5. Spurious Emission

5.1 Test Result

5.1.1 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		848.3	1	0	Refer To Test Graph	
	5			Refer To Test Graph		Pass
	6		0	Refer To Test Graph		Pass

5.1.2 B5_3MHz

Band: 5 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		847.5	1	0	Refer To Test Graph	
	14			Refer To Test Graph		Pass
	15		0	Refer To Test Graph		Pass

5.1.3 B5_5MHz


Band: 5 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		846.5	1	0	Refer To Test Graph	
	24			Refer To Test Graph		Pass
	25		0	Refer To Test Graph		Pass

5.1.4 B5_10MHz


Band: 5 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 B5_1.4MHz




Band5_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.945	-33.22	-13	Pass
823	824	0.016	CHP	2	823.995	-22.00	-13	Pass
824	827	0.016	CHP	/	/	/	/	/


Band5_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5 1.4MHz QPSK HCH 848.3MHz RB 1 0 NTNV




Band5 1.4MHz QPSK HCH 848.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-21.41	-13	Pass
850	852	0.1	CHP	2	850.632	-37.69	-13	Pass

Band5 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.016	CHP	/	/	/	/	/
849	850	0.016	CHP	1	849.015	-20.11	-13	Pass
850	852	0.1	CHP	2	850.055	-34.66	-13	Pass


5.2.2 B5_3MHz




Band5_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band5_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.012	-20.73	-13	Pass
850	852	0.1	CHP	2	850.059	-36.57	-13	Pass

Band5_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.033	CHP	/	/	/	/	/
849	850	0.033	CHP	1	849.042	-19.20	-13	Pass
850	852	0.1	CHP	2	850.062	-21.23	-13	Pass

5.2.3 B5_5MHz




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.940	-25.05	-13	Pass
823	824	0.052	CHP	2	823.980	-22.67	-13	Pass
824	829	0.052	CHP	/	/	/	/	/


Band5_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band5_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.009	-26.42	-13	Pass
850	854	0.1	CHP	2	850.055	-37.65	-13	Pass

Band5 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.052	CHP	/	/	/	/	/
849	850	0.052	CHP	1	849.060	-20.78	-13	Pass
850	854	0.1	CHP	2	850.060	-22.33	-13	Pass


5.2.4 B5_10MHz




Band5_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band5_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band5_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.011	-39.48	-13	Pass
850	859	0.1	CHP	2	850.058	-37.93	-13	Pass

Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.099	CHP	/	/	/	/	/
849	850	0.099	CHP	1	849.008	-24.31	-13	Pass
850	859	0.1	CHP	2	850.283	-25.12	-13	Pass