



Attachment B

(Photo documentation of the test set-up)

Type / Model Name : TMSS5A2

Product Description : TPMS Sensor S5.xG Dual Band

Applicant : Huf Baolong Electronics Bretten GmbH

Address : Gewerbestr. 40

75015 Bretten, Germany

Manufacturer : Huf Baolong Electronics Bretten GmbH

Address : Gewerbestr. 40

75015 Bretten, Germany

according to

Test Report No. : T46523-00HU	22. July 2020 Date of issue
--------------------------------------	--------------------------------



Deutsche
Akkreditierungsstelle
D-PL-12030-01-01
D-PL-12030-01-02

Contents

1	<u>EQUIPMENT UNDER TEST</u>	<u>3</u>
1.1	INFORMATION PROVIDED BY THE CLIENT	3
1.2	SAMPLING	3
2	<u>PHOTO DOCUMENTATION OF THE TEST SET-UP</u>	<u>3</u>
2.1	FIELD STRENGTH OF THE FUNDAMENTAL WAVE	3
2.2	SPURIOUS EMISSIONS (MAGNETIC FIELD) 9 KHz – 30 MHz	4
2.3	SPURIOUS EMISSIONS RADIATED (ELECTRIC FIELD) / FIELD STRENGTH OF UNWANTED EMISSIONS	4
2.4	CORRECTION FOR PULSE OPERATION (DUTY CYCLE) / PULSED OPERATION	5
2.5	EMISSION BANDWIDTH / BANDWIDTH OF MOMENTARY SIGNALS	5
2.6	ON / OFF PERIOD	6
2.7	SIGNAL DEACTIVATION	6

1 EQUIPMENT UNDER TEST

1.1 Information provided by the Client

Please note, we do not take any responsibility for information provided by the client or his representative which may have an influence on the validity of the test results.

1.2 Sampling

The customer is responsible for the choice of sample. Sample configuration, start-up and operation is carried out by the customer or according his/her instructions.

2 Photo documentation of the test set-up

2.1 Field strength of the fundamental wave




2.2 Spurious emissions (magnetic field) 9 kHz – 30 MHz




2.3 Spurious emissions radiated (electric field) / Field strength of unwanted emissions




2.4 Correction for pulse operation (duty cycle) / Pulsed operation



2.5 Emission bandwidth / Bandwidth of momentary signals



2.6 On / Off Period



2.7 Signal deactivation

