



Appendix A

RF Test Data for 2.4GWIFI (Conducted Measurement)

Product Name: Outdoor AP

Test Model: CF-EW84

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Nick Peng





A.1 -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant0	8.101	≥ 0.5	Pass
NVNT	b	2437	Ant0	9.041	≥ 0.5	Pass
NVNT	b	2462	Ant0	8.011	≥ 0.5	Pass
HVHT	b	2412	Ant0	8.554	≥ 0.5	Pass
NVNT	g	2412	Ant0	16.081	≥ 0.5	Pass
NVNT	g	2437	Ant0	16.328	≥ 0.5	Pass
NVNT	g	2462	Ant0	16.325	≥ 0.5	Pass
NVNT	n20	2412	Ant0	16.876	≥ 0.5	Pass
NVNT	n20	2437	Ant0	17.133	≥ 0.5	Pass
NVNT	n20	2462	Ant0	17.014	≥ 0.5	Pass
NVNT	n40	2422	Ant0	35.631	≥ 0.5	Pass
NVNT	n40	2437	Ant0	35.355	≥ 0.5	Pass
NVNT	n40	2452	Ant0	35.528	≥ 0.5	Pass






Test Graphs

-6dB Bandwidth NVNT b 2412MHz Ant0




-6dB Bandwidth NVNT b 2437MHz Ant0





-6dB Bandwidth NVNT b 2462MHz Ant0



-6dB Bandwidth HVHT b 2412MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT g 2412MHz Ant0




-6dB Bandwidth NVNT g 2437MHz Ant0






-6dB Bandwidth NVNT g 2462MHz Ant0



-6dB Bandwidth NVNT n20 2412MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT n20 2437MHz Ant0




-6dB Bandwidth NVNT n20 2462MHz Ant0







-6dB Bandwidth NVNT n40 2422MHz Ant0



-6dB Bandwidth NVNT n40 2437MHz Ant0







A.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant0	17.45	30	Pass
NVNT	b	2437	Ant0	17.14	30	Pass
NVNT	b	2462	Ant0	17.63	30	Pass
NVNT	g	2412	Ant0	16.85	30	Pass
NVNT	g	2437	Ant0	16.38	30	Pass
NVNT	g	2462	Ant0	16.20	30	Pass
NVNT	n20	2412	Ant0	15.26	30	Pass
NVNT	n20	2437	Ant0	15.81	30	Pass
NVNT	n20	2462	Ant0	15.62	30	Pass
NVNT	n40	2422	Ant0	14.82	30	Pass
NVNT	n40	2437	Ant0	14.83	30	Pass
NVNT	n40	2452	Ant0	14.59	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	16.47	30	Pass
NVNT	b	2437	Ant1	16.95	30	Pass
NVNT	b	2462	Ant1	16.48	30	Pass
NVNT	g	2412	Ant1	15.82	30	Pass
NVNT	g	2437	Ant1	15.29	30	Pass
NVNT	g	2462	Ant1	15.11	30	Pass
NVNT	n20	2412	Ant1	14.22	30	Pass
NVNT	n20	2437	Ant1	14.52	30	Pass
NVNT	n20	2462	Ant1	14.59	30	Pass
NVNT	n40	2422	Ant1	13.94	30	Pass
NVNT	n40	2437	Ant1	13.85	30	Pass
NVNT	n40	2452	Ant1	13.59	30	Pass





MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant0	Ant1	Ant0+Ant1		
NVNT	n20	2412	15.26	14.22	17.78	27.99	Pass
NVNT	n20	2437	15.81	14.52	18.22	27.99	Pass
NVNT	n20	2462	15.62	14.59	18.15	27.99	Pass
NVNT	n40	2422	14.82	13.94	17.41	27.99	Pass
NVNT	n40	2437	14.83	13.85	17.38	27.99	Pass
NVNT	n40	2452	14.59	13.59	17.13	27.99	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant0	-6.13	8	Pass
NVNT	b	2437	Ant0	-6.02	8	Pass
NVNT	b	2462	Ant0	-7.72	8	Pass
HVHT	b	2412	Ant0	-8.25	8	Pass
NVNT	g	2412	Ant0	-14.4	8	Pass
NVNT	g	2437	Ant0	-14.66	8	Pass
NVNT	g	2462	Ant0	-14.58	8	Pass
NVNT	n20	2412	Ant0	-14.79	8	Pass
NVNT	n20	2437	Ant0	-13.99	8	Pass
NVNT	n20	2462	Ant0	-14.9	8	Pass
NVNT	n40	2422	Ant0	-19.04	8	Pass
NVNT	n40	2437	Ant0	-19.08	8	Pass
NVNT	n40	2452	Ant0	-19.44	8	Pass

Condition	Mode	Frequency (MHz)	Antenna	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant1	-7.86	8	Pass
NVNT	b	2437	Ant1	-7.52	8	Pass
NVNT	b	2462	Ant1	-4.27	8	Pass
NVNT	g	2412	Ant1	-15.79	8	Pass
NVNT	g	2437	Ant1	-15.1	8	Pass
NVNT	g	2462	Ant1	-15.21	8	Pass
NVNT	n20	2412	Ant1	-15.38	8	Pass
NVNT	n20	2437	Ant1	-15.98	8	Pass
NVNT	n20	2462	Ant1	-15.49	8	Pass
NVNT	n40	2422	Ant1	-20.74	8	Pass
NVNT	n40	2437	Ant1	-19.46	8	Pass
NVNT	n40	2452	Ant1	-20.63	8	Pass





MIMO

Condition	Mode	Frequency (MHz)	Total PSD (dBm/3kHz)			Limit (dBm)	Verdict
			Ant0	Ant1	Ant0+Ant1		
NVNT	n20	2412	-14.79	-15.38	-12.06	5.99	Pass
NVNT	n20	2437	-13.99	-15.98	-11.86	5.99	Pass
NVNT	n20	2462	-14.9	-15.49	-12.17	5.99	Pass
NVNT	n40	2422	-19.04	-20.74	-16.80	5.99	Pass
NVNT	n40	2437	-19.08	-19.46	-16.26	5.99	Pass
NVNT	n40	2452	-19.44	-20.63	-16.98	5.99	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

PSD NVNT b 2412MHz Ant0




PSD NVNT b 2437MHz Ant0






PSD NVNT b 2462MHz Ant0




PSD HVHT b 2412MHz Ant0






PSD NVNT g 2412MHz Ant0




PSD NVNT g 2437MHz Ant0






PSD NVNT g 2462MHz Ant0




PSD NVNT n20 2412MHz Ant0






PSD NVNT n20 2437MHz Ant0




PSD NVNT n20 2462MHz Ant0







PSD NVNT n40 2422MHz Ant0



PSD NVNT n40 2437MHz Ant0









Test Graphs

PSD NVNT b 2412MHz Ant1




PSD NVNT b 2437MHz Ant1






PSD NVNT b 2462MHz Ant1




PSD NVNT g 2412MHz Ant1






PSD NVNT g 2437MHz Ant1




PSD NVNT g 2462MHz Ant1








PSD NVNT n20 2412MHz Ant1




PSD NVNT n20 2437MHz Ant1








PSD NVNT n40 2437MHz Ant1



PSD NVNT n40 2452MHz Ant1





A.4 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant0	-41.28	-20	Pass
NVNT	b	2462	Ant0	-60.49	-20	Pass
HVHT	b	2412	Ant0	-39.72	-20	Pass
NVNT	g	2412	Ant0	-32.11	-20	Pass
NVNT	g	2462	Ant0	-44.75	-20	Pass
NVNT	n20	2412	Ant0	-30.48	-20	Pass
NVNT	n20	2462	Ant0	-41.77	-20	Pass
NVNT	n40	2422	Ant0	-34.67	-20	Pass
NVNT	n40	2452	Ant0	-37.99	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT b 2412MHz Ant0 Ref




Band Edge NVNT b 2412MHz Ant0 Emission





Band Edge NVNT b 2462MHz Ant0 Ref



Band Edge NVNT b 2462MHz Ant0 Emission





Band Edge HVHT b 2412MHz Ant0 Ref




Band Edge HVHT b 2412MHz Ant0 Emission






Band Edge NVNT g 2412MHz Ant0 Ref




Band Edge NVNT g 2412MHz Ant0 Emission






Band Edge NVNT g 2462MHz Ant0 Ref




Band Edge NVNT g 2462MHz Ant0 Emission






Band Edge NVNT n20 2412MHz Ant0 Ref




Band Edge NVNT n20 2412MHz Ant0 Emission






Band Edge NVNT n20 2462MHz Ant0 Ref




Band Edge NVNT n20 2462MHz Ant0 Emission






Band Edge NVNT n40 2422MHz Ant0 Ref




Band Edge NVNT n40 2422MHz Ant0 Emission






Band Edge NVNT n40 2452MHz Ant0 Ref



Band Edge NVNT n40 2452MHz Ant0 Emission





Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-44	-20	Pass
NVNT	b	2462	Ant1	-61.32	-20	Pass
NVNT	g	2412	Ant1	-31.36	-20	Pass
NVNT	g	2462	Ant1	-44.98	-20	Pass
NVNT	n20	2412	Ant1	-30.68	-20	Pass
NVNT	n20	2462	Ant1	-40.29	-20	Pass
NVNT	n40	2422	Ant1	-34.04	-20	Pass
NVNT	n40	2452	Ant1	-37.41	-20	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT b 2412MHz Ant1 Ref




Band Edge NVNT b 2412MHz Ant1 Emission





Band Edge NVNT b 2462MHz Ant1 Ref




Band Edge NVNT b 2462MHz Ant1 Emission





Band Edge NVNT g 2412MHz Ant1 Ref



Band Edge NVNT g 2412MHz Ant1 Emission

