





Restrict Band NVNT a 5320MHz Ant4 Peak




Restrict Band NVNT a 5320MHz Ant4 Average






Restrict Band NVNT n20 5260MHz Ant4 Peak




Restrict Band NVNT n20 5260MHz Ant4 Average






Restrict Band NVNT n20 5320MHz Ant4 Peak




Restrict Band NVNT n20 5320MHz Ant4 Average






Restrict Band NVNT n40 5270MHz Ant4 Peak




Restrict Band NVNT n40 5270MHz Ant4 Average






Restrict Band NVNT n40 5310MHz Ant4 Peak




Restrict Band NVNT n40 5310MHz Ant4 Average






Restrict Band NVNT ac20 5260MHz Ant4 Peak




Restrict Band NVNT ac20 5260MHz Ant4 Average






Restrict Band NVNT ac20 5320MHz Ant4 Peak




Restrict Band NVNT ac20 5320MHz Ant4 Average






Restrict Band NVNT ac40 5270MHz Ant4 Peak




Restrict Band NVNT ac40 5270MHz Ant4 Average






Restrict Band NVNT ac40 5310MHz Ant4 Peak




Restrict Band NVNT ac40 5310MHz Ant4 Average






Restrict Band NVNT ac80 5290MHz Ant4 Peak




Restrict Band NVNT ac80 5290MHz Ant4 Average






Restrict Band NVNT ac80 5290MHz Ant4 Peak




Restrict Band NVNT ac80 5290MHz Ant4 Average






Restrict Band NVNT ax20 5260MHz Ant4 Peak




Restrict Band NVNT ax20 5260MHz Ant4 Average






Restrict Band NVNT ax20 5320MHz Ant4 Peak




Restrict Band NVNT ax20 5320MHz Ant4 Average






Restrict Band NVNT ax40 5270MHz Ant4 Peak




Restrict Band NVNT ax40 5270MHz Ant4 Average






Restrict Band NVNT ax40 5310MHz Ant4 Peak




Restrict Band NVNT ax40 5310MHz Ant4 Average






Restrict Band NVNT ax80 5290MHz Ant4 Peak




Restrict Band NVNT ax80 5290MHz Ant4 Average






Restrict Band NVNT ax80 5290MHz Ant4 Peak



Restrict Band NVNT ax80 5290MHz Ant4 Average





MIMO

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Ant3 Power (dBm)	Ant4 Power (dBm)	Gain (dBi)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	n20	5260	4500	-50.44	-50.86	6.55	54.14	Peak	68.2	Pass
NVNT	n20	5260	4500	-58.23	-58.62	6.55	46.37	Average	54	Pass
NVNT	n20	5260	5094.36	-46.41	-46.3	6.55	58.43	Peak	68.2	Pass
NVNT	n20	5260	5131.02	-56.54	-56.65	6.55	48.19	Average	54	Pass
NVNT	n20	5260	5150	-48.3	-49.46	6.55	55.95	Peak	68.2	Pass
NVNT	n20	5260	5150	-57.32	-56.94	6.55	47.66	Average	54	Pass
NVNT	n20	5320	5350	-48.98	-48.59	6.55	56.01	Peak	68.2	Pass
NVNT	n20	5320	5350	-57.43	-57.43	6.55	47.36	Average	54	Pass
NVNT	n20	5320	5385	-46.5	-46.68	6.55	58.20	Peak	68.2	Pass
NVNT	n20	5320	5448	-56.61	-56.8	6.55	48.08	Average	54	Pass
NVNT	n20	5320	5460	-49.08	-49.17	6.55	55.66	Peak	68.2	Pass
NVNT	n20	5320	5460	-57.73	-57.96	6.55	46.94	Average	54	Pass
NVNT	n40	5270	4500	-49.99	-51.12	6.55	54.27	Peak	68.2	Pass
NVNT	n40	5270	4500	-58.58	-58.98	6.55	46.01	Average	54	Pass
NVNT	n40	5270	5144.76	-46.25	-46.39	6.55	58.47	Peak	68.2	Pass
NVNT	n40	5270	5091.3	-56.38	-56.52	6.55	48.34	Average	54	Pass
NVNT	n40	5270	5150	-48.52	-49.59	6.55	55.77	Peak	68.2	Pass
NVNT	n40	5270	5150	-57.35	-57.3	6.55	47.46	Average	54	Pass
NVNT	n40	5310	5350	-47.72	-48.75	6.55	56.58	Peak	68.2	Pass
NVNT	n40	5310	5350	-57.22	-57.8	6.55	47.29	Average	54	Pass
NVNT	n40	5310	5350.4	-44.22	-45.48	6.55	59.98	Peak	68.2	Pass
NVNT	n40	5310	5351.4	-56.48	-56.84	6.55	48.13	Average	54	Pass
NVNT	n40	5310	5460	-50.06	-50.25	6.55	54.63	Peak	68.2	Pass
NVNT	n40	5310	5460	-57.6	-57.66	6.55	47.16	Average	54	Pass
NVNT	ac20	5260	4500	-50.56	-50.18	6.55	54.42	Peak	68.2	Pass
NVNT	ac20	5260	4500	-58.74	-58.72	6.55	46.06	Average	54	Pass
NVNT	ac20	5260	5068.62	-45.9	-46.31	6.55	58.69	Peak	68.2	Pass
NVNT	ac20	5260	5083.44	-56.55	-56.55	6.55	48.24	Average	54	Pass
NVNT	ac20	5260	5150	-48.2	-48.34	6.55	56.52	Peak	68.2	Pass
NVNT	ac20	5260	5150	-57.28	-57.73	6.55	47.29	Average	54	Pass
NVNT	ac20	5320	5350	-48.03	-50.87	6.55	55.57	Peak	68.2	Pass
NVNT	ac20	5320	5350	-57.91	-57.85	6.55	46.91	Average	54	Pass
NVNT	ac20	5320	5398.8	-47.06	-46.67	6.55	57.93	Peak	68.2	Pass
NVNT	ac20	5320	5363.2	-56.77	-56.9	6.55	47.95	Average	54	Pass
NVNT	ac20	5320	5460	-49.19	-49.18	6.55	55.60	Peak	68.2	Pass
NVNT	ac20	5320	5460	-57.35	-57.56	6.55	47.33	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



NVNT	ac40	5270	4500	-50.04	-49.6	6.55	54.97	Peak	68.2	Pass
NVNT	ac40	5270	4500	-58.8	-58.96	6.55	45.91	Average	54	Pass
NVNT	ac40	5270	5023.26	-46.44	-46.28	6.55	58.43	Peak	68.2	Pass
NVNT	ac40	5270	5094.54	-56.53	-56.68	6.55	48.18	Average	54	Pass
NVNT	ac40	5270	5150	-47.06	-49.47	6.55	56.69	Peak	68.2	Pass
NVNT	ac40	5270	5150	-57.58	-56.8	6.55	47.62	Average	54	Pass
NVNT	ac40	5310	5350	-48.05	-49.7	6.55	55.99	Peak	68.2	Pass
NVNT	ac40	5310	5350	-57.4	-57.82	6.55	47.18	Average	54	Pass
NVNT	ac40	5310	5354.4	-45.07	-46.89	6.55	58.90	Peak	68.2	Pass
NVNT	ac40	5310	5357	-56.49	-56.65	6.55	48.22	Average	54	Pass
NVNT	ac40	5310	5460	-49.47	-48.46	6.55	55.85	Peak	68.2	Pass
NVNT	ac40	5310	5460	-57.93	-58.11	6.55	46.77	Average	54	Pass
NVNT	ac80	5290	4500	-50.01	-49.17	6.55	55.22	Peak	68.2	Pass
NVNT	ac80	5290	4500	-58.67	-58.81	6.55	46.05	Average	54	Pass
NVNT	ac80	5290	4813.2	-46.22	-46.51	6.55	58.43	Peak	68.2	Pass
NVNT	ac80	5290	5096.82	-56.39	-56.4	6.55	48.39	Average	54	Pass
NVNT	ac80	5290	5150	-48.16	-47.34	6.55	57.06	Peak	68.2	Pass
NVNT	ac80	5290	5150	-57.01	-57.18	6.55	47.69	Average	54	Pass
NVNT	ac80	5290	5350	-46.13	-42.17	6.55	61.07	Peak	68.2	Pass
NVNT	ac80	5290	5350	-56.94	-57.79	6.55	47.44	Average	54	Pass
NVNT	ac80	5290	5352.75	-44.26	-42.17	6.55	61.70	Peak	68.2	Pass
NVNT	ac80	5290	5358.5	-56.41	-56.79	6.55	48.19	Average	54	Pass
NVNT	ac80	5290	5460	-48.68	-49.21	6.55	55.85	Peak	68.2	Pass
NVNT	ac80	5290	5460	-57.82	-57.63	6.55	47.06	Average	54	Pass
NVNT	ax20	5260	4500	-51.25	-49.79	6.55	54.33	Peak	68.2	Pass
NVNT	ax20	5260	4500	-58.26	-58.38	6.55	46.47	Average	54	Pass
NVNT	ax20	5260	4959.42	-45.41	-46.29	6.55	58.96	Peak	68.2	Pass
NVNT	ax20	5260	5051.46	-56.54	-56.55	6.55	48.24	Average	54	Pass
NVNT	ax20	5260	5150	-49.41	-49.05	6.55	55.56	Peak	68.2	Pass
NVNT	ax20	5260	5150	-56.77	-57.6	6.55	47.62	Average	54	Pass
NVNT	ax20	5320	5350	-49.48	-49.37	6.55	55.36	Peak	68.2	Pass
NVNT	ax20	5320	5350	-57.89	-57.55	6.55	47.07	Average	54	Pass
NVNT	ax20	5320	5353	-45	-45.43	6.55	59.58	Peak	68.2	Pass
NVNT	ax20	5320	5396.6	-56.64	-56.63	6.55	48.15	Average	54	Pass
NVNT	ax20	5320	5460	-49	-50.51	6.55	55.10	Peak	68.2	Pass
NVNT	ax20	5320	5460	-57.74	-57.82	6.55	47.01	Average	54	Pass
NVNT	ax40	5270	4500	-50.05	-49.35	6.55	55.10	Peak	68.2	Pass
NVNT	ax40	5270	4500	-58.36	-58.55	6.55	46.33	Average	54	Pass
NVNT	ax40	5270	4992.48	-45.71	-45.76	6.55	59.05	Peak	68.2	Pass
NVNT	ax40	5270	5030.55	-56.6	-56.35	6.55	48.31	Average	54	Pass
NVNT	ax40	5270	5150	-49.44	-49.61	6.55	55.26	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



NVNT	ax40	5270	5150	-57.77	-57.49	6.55	47.16	Average	54	Pass
NVNT	ax40	5310	5350	-48.08	-50.8	6.55	55.56	Peak	68.2	Pass
NVNT	ax40	5310	5350	-56.65	-57.51	6.55	47.73	Average	54	Pass
NVNT	ax40	5310	5351.6	-45.83	-46.15	6.55	58.80	Peak	68.2	Pass
NVNT	ax40	5310	5351.2	-56.51	-56.71	6.55	48.18	Average	54	Pass
NVNT	ax40	5310	5460	-49.19	-48.71	6.55	55.84	Peak	68.2	Pass
NVNT	ax40	5310	5460	-57.55	-57.25	6.55	47.39	Average	54	Pass
NVNT	ax80	5290	5350	-48.13	-48.22	6.55	56.61	Peak	68.2	Pass
NVNT	ax80	5290	5350	-57.44	-57.34	6.55	47.40	Average	54	Pass
NVNT	ax80	5290	5351.5	-43.18	-46.21	6.55	60.35	Peak	68.2	Pass
NVNT	ax80	5290	5358	-55.91	-56.66	6.55	48.52	Average	54	Pass
NVNT	ax80	5290	5460	-50.27	-51.04	6.55	54.15	Peak	68.2	Pass
NVNT	ax80	5290	5460	-57.63	-57.59	6.55	47.18	Average	54	Pass
NVNT	ax80	5290	4500	-51.45	-50.09	6.55	54.07	Peak	68.2	Pass
NVNT	ax80	5290	4500	-58.36	-58.56	6.55	46.33	Average	54	Pass
NVNT	ax80	5290	4618.32	-46.22	-46.19	6.55	58.58	Peak	68.2	Pass
NVNT	ax80	5290	5099.43	-56.49	-56.24	6.55	48.42	Average	54	Pass
NVNT	ax80	5290	5150	-48.18	-48.85	6.55	56.29	Peak	68.2	Pass
NVNT	ax80	5290	5150	-57.14	-57.72	6.55	47.37	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



C.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5260	Ant3	5260.08	80000	15.21	25	Pass
NVNT	a	5300	Ant3	5300.08	80000	15.09	25	Pass
NVNT	a	5320	Ant3	5320.08	80000	15.04	25	Pass
NVNT	n20	5260	Ant3	5260.04	40000	7.6	25	Pass
NVNT	n20	5300	Ant3	5300.08	80000	15.09	25	Pass
NVNT	n20	5320	Ant3	5320.04	40000	7.52	25	Pass
NVNT	n40	5270	Ant3	5270.12	120000	22.77	25	Pass
NVNT	n40	5310	Ant3	5309.96	-40000	-7.53	25	Pass
NVNT	ac20	5260	Ant3	5260.1	100000	19.01	25	Pass
NVNT	ac20	5300	Ant3	5300.08	80000	15.09	25	Pass
NVNT	ac20	5320	Ant3	5320.06	60000	11.28	25	Pass
NVNT	ac40	5270	Ant3	5270.04	40000	7.59	25	Pass
NVNT	ac40	5310	Ant3	5310.08	80000	15.07	25	Pass
NVNT	ac80	5290	Ant3	5290.08	80000	15.12	25	Pass
NVNT	ax20	5260	Ant3	5260.08	80000	15.21	25	Pass
NVNT	ax20	5300	Ant3	5300.06	60000	11.32	25	Pass
NVNT	ax20	5320	Ant3	5320.06	60000	11.28	25	Pass
NVNT	ax40	5270	Ant3	5270.08	80000	15.18	25	Pass
NVNT	ax40	5310	Ant3	5310.08	80000	15.07	25	Pass
NVNT	ax80	5290	Ant3	5290.08	80000	15.12	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Freq. Stability NVNT a 5260MHz Ant3




Freq. Stability NVNT a 5300MHz Ant3






Freq. Stability NVNT a 5320MHz Ant3




Freq. Stability NVNT n20 5260MHz Ant3






Freq. Stability NVNT n20 5300MHz Ant3




Freq. Stability NVNT n20 5320MHz Ant3






Freq. Stability NVNT n40 5270MHz Ant3




Freq. Stability NVNT n40 5310MHz Ant3






Freq. Stability NVNT ac20 5260MHz Ant3




Freq. Stability NVNT ac20 5300MHz Ant3






Freq. Stability NVNT ac20 5320MHz Ant3




Freq. Stability NVNT ac40 5270MHz Ant3






Freq. Stability NVNT ac40 5310MHz Ant3




Freq. Stability NVNT ac80 5290MHz Ant3






Freq. Stability NVNT ax20 5260MHz Ant3




Freq. Stability NVNT ax20 5300MHz Ant3






Freq. Stability NVNT ax20 5320MHz Ant3




Freq. Stability NVNT ax40 5270MHz Ant3






Freq. Stability NVNT ax40 5310MHz Ant3



Freq. Stability NVNT ax80 5290MHz Ant3





Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5260	Ant4	5260.06	60000	11.41	25	Pass
NVNT	a	5300	Ant4	5300.08	80000	15.09	25	Pass
NVNT	a	5320	Ant4	5320.06	60000	11.28	25	Pass
NVNT	n20	5260	Ant4	5260.06	60000	11.41	25	Pass
NVNT	n20	5300	Ant4	5300.04	40000	7.55	25	Pass
NVNT	n20	5320	Ant4	5320.08	80000	15.04	25	Pass
NVNT	n40	5270	Ant4	5270.08	80000	15.18	25	Pass
NVNT	n40	5310	Ant4	5310.04	40000	7.53	25	Pass
NVNT	ac20	5260	Ant4	5260.08	80000	15.21	25	Pass
NVNT	ac20	5300	Ant4	5300.06	60000	11.32	25	Pass
NVNT	ac20	5320	Ant4	5320.08	80000	15.04	25	Pass
NVNT	ac40	5270	Ant4	5270.08	80000	15.18	25	Pass
NVNT	ac40	5310	Ant4	5310.08	80000	15.07	25	Pass
NVNT	ac80	5290	Ant4	5290.08	80000	15.12	25	Pass
NVNT	ax20	5260	Ant4	5260.08	80000	15.21	25	Pass
NVNT	ax20	5300	Ant4	5300.08	80000	15.09	25	Pass
NVNT	ax20	5320	Ant4	5320.08	80000	15.04	25	Pass
NVNT	ax40	5270	Ant4	5270.04	40000	7.59	25	Pass
NVNT	ax40	5310	Ant4	5310.08	80000	15.07	25	Pass
NVNT	ax80	5290	Ant4	5290.08	80000	15.12	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Freq. Stability NVNT a 5260MHz Ant4




Freq. Stability NVNT a 5300MHz Ant4






Freq. Stability NVNT a 5320MHz Ant4




Freq. Stability NVNT n20 5260MHz Ant4






Freq. Stability NVNT n20 5300MHz Ant4




Freq. Stability NVNT n20 5320MHz Ant4






Freq. Stability NVNT n40 5270MHz Ant4




Freq. Stability NVNT n40 5310MHz Ant4






Freq. Stability NVNT ac20 5260MHz Ant4




Freq. Stability NVNT ac20 5300MHz Ant4






Freq. Stability NVNT ac20 5320MHz Ant4




Freq. Stability NVNT ac40 5270MHz Ant4






Freq. Stability NVNT ac40 5310MHz Ant4




Freq. Stability NVNT ac80 5290MHz Ant4






Freq. Stability NVNT ax20 5260MHz Ant4




Freq. Stability NVNT ax20 5300MHz Ant4






Freq. Stability NVNT ax20 5320MHz Ant4




Freq. Stability NVNT ax40 5270MHz Ant4






Freq. Stability NVNT ax40 5310MHz Ant4



Freq. Stability NVNT ax80 5290MHz Ant4





C.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant3	35.21	4.53	0.74
NVNT	a	5300	Ant3	35.21	4.53	0.74
NVNT	a	5320	Ant3	35.21	4.53	0.74
NVNT	n20	5260	Ant3	31.47	5.02	0.87
NVNT	n20	5300	Ant3	31.46	5.02	0.87
NVNT	n20	5320	Ant3	31.46	5.02	0.87
NVNT	n40	5270	Ant3	18.63	7.3	1.75
NVNT	n40	5310	Ant3	18.63	7.3	1.75
NVNT	ac20	5260	Ant3	31.52	5.01	0.87
NVNT	ac20	5300	Ant3	31.55	5.01	0.87
NVNT	ac20	5320	Ant3	31.52	5.01	0.87
NVNT	ac40	5270	Ant3	18.73	7.27	1.73
NVNT	ac40	5310	Ant3	18.71	7.28	1.74
NVNT	ac80	5290	Ant3	10.35	9.85	3.46
NVNT	ax20	5260	Ant3	28.26	5.49	1.01
NVNT	ax20	5300	Ant3	28.26	5.49	1.01
NVNT	ax20	5320	Ant3	28.28	5.49	1.01
NVNT	ax40	5270	Ant3	17.23	7.64	1.92
NVNT	ax40	5310	Ant3	17.2	7.64	1.92
NVNT	ax80	5290	Ant3	10.03	9.99	3.58




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT a 5260MHz Ant3




Duty Cycle NVNT a 5300MHz Ant3










Duty Cycle NVNT a 5320MHz Ant3



Duty Cycle NVNT n20 5260MHz Ant3











Duty Cycle NVNT ac20 5260MHz Ant3




Duty Cycle NVNT ac20 5300MHz Ant3






Duty Cycle NVNT ac20 5320MHz Ant3




Duty Cycle NVNT ac40 5270MHz Ant3






Duty Cycle NVNT ac40 5310MHz Ant3




Duty Cycle NVNT ac80 5290MHz Ant3






Duty Cycle NVNT ax20 5260MHz Ant3




Duty Cycle NVNT ax20 5300MHz Ant3






Duty Cycle NVNT ax20 5320MHz Ant3




Duty Cycle NVNT ax40 5270MHz Ant3






Duty Cycle NVNT ax40 5310MHz Ant3



Duty Cycle NVNT ax80 5290MHz Ant3





Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant4	35.21	4.53	0.74
NVNT	a	5300	Ant4	35.21	4.53	0.74
NVNT	a	5320	Ant4	35.21	4.53	0.74
NVNT	n20	5260	Ant4	31.46	5.02	0.87
NVNT	n20	5300	Ant4	31.46	5.02	0.87
NVNT	n20	5320	Ant4	31.44	5.03	0.87
NVNT	n40	5270	Ant4	18.63	7.3	1.75
NVNT	n40	5310	Ant4	18.63	7.3	1.75
NVNT	ac20	5260	Ant4	31.54	5.01	0.87
NVNT	ac20	5300	Ant4	31.54	5.01	0.87
NVNT	ac20	5320	Ant4	31.54	5.01	0.87
NVNT	ac40	5270	Ant4	18.71	7.28	1.74
NVNT	ac40	5310	Ant4	18.71	7.28	1.74
NVNT	ac80	5290	Ant4	10.35	9.85	3.46
NVNT	ax20	5260	Ant4	28.29	5.48	1.01
NVNT	ax20	5300	Ant4	28.29	5.48	1.01
NVNT	ax20	5320	Ant4	28.26	5.49	1.01
NVNT	ax40	5270	Ant4	17.2	7.64	1.92
NVNT	ax40	5310	Ant4	17.2	7.64	1.92
NVNT	ax80	5290	Ant4	10.03	9.99	3.58




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT a 5260MHz Ant4




Duty Cycle NVNT a 5300MHz Ant4






Duty Cycle NVNT a 5320MHz Ant4




Duty Cycle NVNT n20 5260MHz Ant4






Duty Cycle NVNT n20 5300MHz Ant4




Duty Cycle NVNT n20 5320MHz Ant4






Duty Cycle NVNT n40 5270MHz Ant4




Duty Cycle NVNT n40 5310MHz Ant4






Duty Cycle NVNT ac20 5260MHz Ant4




Duty Cycle NVNT ac20 5300MHz Ant4






Duty Cycle NVNT ac20 5320MHz Ant4




Duty Cycle NVNT ac40 5270MHz Ant4






Duty Cycle NVNT ac40 5310MHz Ant4




Duty Cycle NVNT ac80 5290MHz Ant4






Duty Cycle NVNT ax20 5260MHz Ant4




Duty Cycle NVNT ax20 5300MHz Ant4






Duty Cycle NVNT ax20 5320MHz Ant4




Duty Cycle NVNT ax40 5270MHz Ant4






Duty Cycle NVNT ax40 5310MHz Ant4



Duty Cycle NVNT ax80 5290MHz Ant4





Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity