


R-8903-1 Amplidyne MC 15.207 (a) CH.1 PL 4/10/01 LEAD-HOT  
 REF 85.0 dBµV ATTEN 10 dB



hp  
 10 dB/

OFFSET  
 10.0  
 dB

DL  
 48.0  
 dBµV

START 450 kHz RES BW 10 kHz VBW 30 kHz SWP 20.0 sec STOP 30.0 MHz

Customer:	Amplidyne, Inc.
Test Sample:	Direct Sequence Spread Spectrum Transmitter
Model No.:	Micro Cell
Test Method:	FCC15.207(a) Conducted Emissions, 450kHz to 30MHz
Notes:	Center Frequency CH.1=2.412GHz Lead-HOT Detector=Peak
Date:	April 10, 2001
Tech:	Peter Lananna
Sheet:	1 of 6




**Retlif Testing Laboratories**

Report No. R-8903-1

R-8903-1 Amplidyne MC 15.207 (a) CH.1 PL 4/10/01 LEAD-Neutral  
 REF 85.0 dB $\mu$ V ATTEN 10 dB

hp  
 10 dB/  
 OFFSET  
 10.0  
 dB  
 DL  
 48.0  
 dB $\mu$ V



START 450 kHz  
 RES BW 10 kHz  
 VBW 30 kHz  
 SWP 20.0 sec  
 STOP 30.0 MHz

Customer:	Amplidyne, Inc.
Test Sample:	Direct Sequence Spread Spectrum Transmitter
Model No.:	Micro Cell
Test Method:	FCC 15.207(a) Conducted Emissions, 450kHz to 30MHz
Setup:	Center Frequency CH1=2.412GHz
	Lead-NEUTRAL
	Detector=Peak
Date:	April 10, 2001
Techn:	Peter Lananna
Sheet:	2 of 6



**Retlif Testing Laboratories**


Report No. R-8903-1

R-8903-1 Amplidyne MC 15.207(a) CH.6 PL 4/10/01 LEAD-145+

hp  
10 dB/

OFFSET  
10.0  
dB

DL  
48.0  
dBμV



START 450 KHz  
RES BW 10 KHz  
VBW 30 KHz  
SWP 20.0 sec  
STOP 30.0 MHz

Customer:	Amplidyne, Inc.
Test Sample:	Direct Sequence Spread Spectrum Transmitter
Model No.:	Micro Cell
Test Method:	FCC15.207(a) Conducted Emissions, 450kHz to 30MHz
Notes:	Center Frequency CH.6-2.437GHz Lead-HOT Detector=Peak
Date:	April 10, 2001
Techn:	Peter Laranna
Sheet:	3 of 6



Retlif Testing Laboratories

Report No. R-8903-1


R-8903-1 Amplidyne MC 15.207 (a) CH.6 PL 4/10/01 LEAD-Neutral  
 REF 85.0 dBµV ATTEN 10 dB

f<sub>p</sub>

10 dB/

OFFSET  
 10.0  
 dB

DL  
 48.0  
 dBµV



START 450 kHz RES BW 10 kHz VBW 30 kHz SWP 20.0 sec STOP 30.0 MHz

Customer:	Amplidyne, Inc.
Test Sample:	Direct Sequence Spread Spectrum Transmitter
Model No.:	Micro Cell
Test Method:	FCC 15.207(a) Conducted Emissions, 480kHz to 30MHz
Notes:	Center Frequency CH.6=2.437GHz Lead-NEUTRAL Detector=Peak
Date:	April 10, 2001
Tech:	Peter Lananna
Sheet:	4 of 6



Retlif Testing Laboratories

Report No. R-8903-1

R-8903-1 Amplidyne MC 15.207 (a) CH. // PL 4/10/01 LEAD-HOT  
 REF 85.0 dBµW ATTEN 10 dB

hp


10 dB/

OFFSET

10.0 dB

DL

48.0 dBµW



START 450 kHz RES BW 10 kHz VBW 30 kHz SWP 20.0 sec  
 STOP 30.0 MHz

Customer:	Amplidyne, Inc.
Test Sample:	Direct Sequence Spread Spectrum Transmitter
Model No.:	Micro Cell
Test Method:	FCC15.207(a) Conducted Emissions, 450kHz to 30MHz
Notes:	Center Frequency CH.11=2.462GHz Lead-HOT Detector=Peak
Date:	April 10, 2001
Tech:	Petar Lazanna
Sheet:	5 of 6




**Retlif Testing Laboratories**

Report No. R-8903-1

R-8903-1 Amplidyne MC 15.207 (a) CH.11 PL 4/10/01 LEAD-Neutral/  
 REF 85.0 dBµV ATTEN 10 dB

10 dB/  
 OFFSET 10.0 dB  
 DL 48.0 dBµV



START 450 kHz RES BW 10 kHz VBW 30 kHz STOP 30.0 MHz  
 SWP 20.0 sec

Customer: Amplidyne, Inc.  
 Test Sample: Direct Sequence Spread Spectrum Transmitter  
 Model No.: Micro Cell  
 Test Method: FCC 15.207(a) Conducted Emissions, 450kHz to 30MHz  
 No. 10: Center Frequency CH.11=2.452GHz  
 Lead-NEUTRAL  
 Detector=Peak

Date: April 10, 2001 Tech: Peter Lantana Sheet: 5 of 5



**Retlif Testing Laboratories**

Report No. R-8903-1