


ATTACHMENT A.
ID LABEL INFORMATION AND LOCATION PHOTOS

1.1 ID Label Information

Following is a copy of the label that will be placed on the rear side of the cabinet.

Figure 3.1 PRODUCT LABEL

Both the FCC ID and compliance statement are included in the product label



**17" MULTI SCAN
COLOR MONITOR**

CAUTION : TO PREVENT ELECTRIC SHOCK. DO NOT REMOVE BACK. NO USER-SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.



LISTED
I.T.E
49RK
E193683



Die in diesem Gerät entstehende Röntgenstrahlung ist durch eine eigensichere Kathodenstrahlröhre nach Anlage III Röntgenverordnung ausreichend abgeschirmt.
Beschleunigungsspannung : Max. 27KV

MODIS TECHNOLOGY USA, Inc
14094 E. Fireston Blvd. Santa Fe Springs, CA 90670
Tel : 562-623-9093/9094 Fax : 562-623-9594
<http://www.modisusa.com> MADE IN KOREA

MODEL NO. : MS-71FS
POWER : 100-240V AC 60/50Hz 1.6-0.8A
CHASSIS NO. : CH-19H

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not (cause harmful interference. And 2) this device must accept any interference received, including interference that may cause undesired operation.

COMPLIES WITH FDA RADIATION PERFORMANCE STANDARD, 21 CFR SUBCHAPTER J, APPLICABLE AT DATE OF MANUFACTURE.

This class B digital apparatus meets all requirements of the Canadian Interference - Causing Equipment Regulations. Cet appareil numerique de la class B respecte toutes les exigences du Reglement sur le materiel brouiller du Canada.

SERIAL NO. :
MANF. :
81002102 R0

SAMPLE
IS

1.2 Label Location Photos

The label shown shall be permanently affixed at a conspicuous location on the device and be readily visible to the user at the time purchase.(Labeling requirements per 2.925)



modis
TECHNOLOGY**17" MULTI SCAN
COLOR MONITOR**MODEL NO.: MS-71FS
POWER: 100-240V AC 60/50Hz 1.6-0.8A
CHASSIS NO.: CH-19H**CAUTION : TO PREVENT ELECTRIC SHOCK DO NOT
REMOVE BACK, NO USER-SERVICEABLE PARTS INSIDE.
REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.**LISTED C
I.T.E
49RK
E193683COMPLIES WITH FDA RADIATION PERFORMANCE STANDARD, 21
CFR SUBCHAPTER J, APPLICABLE AT DATE OF MANUFACTURE.

Die in diesem Gerät entstehende Röntgenstrahlung ist
durch eine eigensichere Kathodenstrahlröhre nach Anlage III
Röntgenverordnung ausreichend abgeschirmt.
Beschleunigungsspannung : Max 27KV

This class B digital apparatus meets all requirements of the
Canadian Interference - Causing Equipment Regulations.
Cet appareil numerique de la class B respecte toutes les
exigences du Règlement sur le matériel brouilleur du Canada.

MODIS TECHNOLOGY USA, Inc
14094 E. Fireston Blvd. Santa Fe Springs, CA 90670
Tel: 562-623-9093/9094 Fax: 562-623-9594
<http://www.modisusa.com> MADE IN KOREA

SERIAL NO.: **SAMPLE**
MANF.: **IS**