


6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.61	54.00	-13.39	33.03	3	Horizontal	31	1.00	-	39.09	9.67	41.18
PK	9.394G	53.72	74.00	-20.28	46.14	3	Horizontal	31	1.00	-	39.09	9.67	41.18
AV	10G	41.80	68.20	-26.40	34.53	3	Horizontal	44	1.91	-	39.10	9.93	41.76
PK	10G	54.65	88.20	-33.55	47.38	3	Horizontal	44	1.91	-	39.10	9.93	41.76
AV	12.89G	42.02	68.20	-26.18	35.52	3	Horizontal	85	1.00	-	39.70	10.47	43.67
PK	12.89G	55.42	88.20	-32.78	48.92	3	Horizontal	85	1.00	-	39.70	10.47	43.67

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.31	54.00	-13.69	32.73	3	Vertical	42	1.00	-	39.09	9.67	41.18
PK	9.394G	53.31	74.00	-20.69	45.73	3	Vertical	42	1.00	-	39.09	9.67	41.18
AV	10G	40.65	68.20	-27.55	33.38	3	Vertical	40	1.00	-	39.10	9.93	41.76
PK	10G	53.45	88.20	-34.75	46.18	3	Vertical	40	1.00	-	39.10	9.93	41.76
AV	12.89G	42.48	68.20	-25.72	35.98	3	Vertical	158	1.00	-	39.70	10.47	43.67
PK	12.89G	56.03	88.20	-32.17	49.53	3	Vertical	158	1.00	-	39.70	10.47	43.67



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.15	54.00	-13.85	32.57	3	Horizontal	30	1.00	-	39.09	9.67	41.18
PK	9.394G	53.42	74.00	-20.58	45.84	3	Horizontal	30	1.00	-	39.09	9.67	41.18
AV	10G	42.48	68.20	-25.72	35.21	3	Horizontal	42	1.91	-	39.10	9.93	41.76
PK	10G	55.26	88.20	-32.94	47.99	3	Horizontal	42	1.91	-	39.10	9.93	41.76
AV	12.97G	42.26	68.20	-25.94	35.75	3	Horizontal	65	1.00	-	39.76	10.50	43.75
PK	12.97G	54.53	88.20	-33.67	48.02	3	Horizontal	65	1.00	-	39.76	10.50	43.75



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.59	54.00	-13.41	33.01	3	Vertical	42	1.00	-	39.09	9.67	41.18
PK	9.394G	53.68	74.00	-20.32	46.10	3	Vertical	42	1.00	-	39.09	9.67	41.18
AV	10G	40.42	68.20	-27.78	33.15	3	Vertical	25	1.00	-	39.10	9.93	41.76
PK	10G	53.38	88.20	-34.82	46.11	3	Vertical	25	1.00	-	39.10	9.93	41.76
AV	12.97G	42.43	68.20	-25.77	35.92	3	Vertical	158	1.00	-	39.76	10.50	43.75
PK	12.97G	55.31	88.20	-32.89	48.80	3	Vertical	158	1.00	-	39.76	10.50	43.75



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.28	54.00	-13.72	32.70	3	Horizontal	23	1.00	-	39.09	9.67	41.18
PK	9.394G	53.42	74.00	-20.58	45.84	3	Horizontal	23	1.00	-	39.09	9.67	41.18
AV	10G	42.38	68.20	-25.82	35.11	3	Horizontal	41	1.90	-	39.10	9.93	41.76
PK	10G	54.65	88.20	-33.55	47.38	3	Horizontal	41	1.90	-	39.10	9.93	41.76
AV	13.05G	41.42	68.20	-26.78	35.25	3	Horizontal	82	1.00	-	39.50	10.52	43.85
PK	13.05G	54.29	88.20	-33.91	48.12	3	Horizontal	82	1.00	-	39.50	10.52	43.85



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.42	54.00	-13.58	32.84	3	Vertical	42	1.00	-	39.09	9.67	41.18
PK	9.394G	53.67	74.00	-20.33	46.09	3	Vertical	42	1.00	-	39.09	9.67	41.18
AV	10G	40.54	68.20	-27.66	33.27	3	Vertical	32	1.00	-	39.10	9.93	41.76
PK	10G	53.42	88.20	-34.78	46.15	3	Vertical	32	1.00	-	39.10	9.93	41.76
AV	13.05G	42.02	68.20	-26.18	35.85	3	Vertical	168	1.00	-	39.50	10.52	43.85
PK	13.05G	54.68	88.20	-33.52	48.51	3	Vertical	168	1.00	-	39.50	10.52	43.85

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.49	54.00	-13.51	32.91	3	Horizontal	28	1.00	-	39.09	9.67	41.18
PK	9.394G	53.68	74.00	-20.32	46.10	3	Horizontal	28	1.00	-	39.09	9.67	41.18
AV	10G	42.03	68.20	-26.17	34.76	3	Horizontal	42	1.95	-	39.10	9.93	41.76
PK	10G	54.46	88.20	-33.74	47.19	3	Horizontal	42	1.95	-	39.10	9.93	41.76
AV	13.13G	41.89	68.20	-26.31	35.72	3	Horizontal	90	1.00	-	39.58	10.54	43.95
PK	13.13G	55.32	88.20	-32.88	49.15	3	Horizontal	90	1.00	-	39.58	10.54	43.95

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.54	54.00	-13.46	32.96	3	Vertical	45	1.00	-	39.09	9.67	41.18
PK	9.394G	53.60	74.00	-20.40	46.02	3	Vertical	45	1.00	-	39.09	9.67	41.18
AV	10G	40.68	68.20	-27.52	33.41	3	Vertical	39	1.00	-	39.10	9.93	41.76
PK	10G	53.68	88.20	-34.52	46.41	3	Vertical	39	1.00	-	39.10	9.93	41.76
AV	13.13G	42.02	68.20	-26.18	35.85	3	Vertical	161	1.00	-	39.58	10.54	43.95
PK	13.13G	55.61	88.20	-32.59	49.44	3	Vertical	161	1.00	-	39.58	10.54	43.95



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6725MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.42	54.00	-13.58	32.84	3	Horizontal	25	1.00	-	39.09	9.67	41.18
PK	9.394G	53.40	74.00	-20.60	45.82	3	Horizontal	25	1.00	-	39.09	9.67	41.18
AV	10G	41.95	68.20	-26.25	34.68	3	Horizontal	43	1.96	-	39.10	9.93	41.76
PK	10G	54.48	88.20	-33.72	47.21	3	Horizontal	43	1.96	-	39.10	9.93	41.76
AV	13.45G	42.66	68.20	-25.54	36.32	3	Horizontal	82	1.00	-	40.10	10.62	44.38
PK	13.45G	56.88	88.20	-31.32	50.54	3	Horizontal	82	1.00	-	40.10	10.62	44.38



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6725MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.26	54.00	-13.74	32.68	3	Vertical	52	1.00	-	39.09	9.67	41.18
PK	9.394G	53.59	74.00	-20.41	46.01	3	Vertical	52	1.00	-	39.09	9.67	41.18
AV	10G	40.68	68.20	-27.52	33.41	3	Vertical	49	1.00	-	39.10	9.93	41.76
PK	10G	53.79	88.20	-34.41	46.52	3	Vertical	49	1.00	-	39.10	9.93	41.76
AV	13.45G	42.89	68.20	-25.31	36.55	3	Vertical	155	1.00	-	40.10	10.62	44.38
PK	13.45G	56.92	88.20	-31.28	50.58	3	Vertical	155	1.00	-	40.10	10.62	44.38

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.28	54.00	-13.72	32.70	3	Horizontal	28	1.00	-	39.09	9.67	41.18
PK	9.394G	53.48	74.00	-20.52	45.90	3	Horizontal	28	1.00	-	39.09	9.67	41.18
AV	10G	42.26	68.20	-25.94	34.99	3	Horizontal	42	1.93	-	39.10	9.93	41.76
PK	10G	54.68	88.20	-33.52	47.41	3	Horizontal	42	1.93	-	39.10	9.93	41.76
AV	13.69G	42.88	68.20	-25.32	36.53	3	Horizontal	77	1.00	-	40.28	10.68	44.61
PK	13.69G	56.75	88.20	-31.45	50.40	3	Horizontal	77	1.00	-	40.28	10.68	44.61



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.41	54.00	-13.59	32.83	3	Vertical	45	1.00	-	39.09	9.67	41.18
PK	9.394G	53.68	74.00	-20.32	46.10	3	Vertical	45	1.00	-	39.09	9.67	41.18
AV	10G	40.48	68.20	-27.72	33.21	3	Vertical	42	1.00	-	39.10	9.93	41.76
PK	10G	53.52	88.20	-34.68	46.25	3	Vertical	42	1.00	-	39.10	9.93	41.76
AV	13.69G	43.29	68.20	-24.91	36.94	3	Vertical	163	1.00	-	40.28	10.68	44.61
PK	13.69G	57.25	88.20	-30.95	50.90	3	Vertical	163	1.00	-	40.28	10.68	44.61



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.42	54.00	-13.58	32.84	3	Horizontal	32	1.00	-	39.09	9.67	41.18
PK	9.394G	53.88	74.00	-20.12	46.30	3	Horizontal	32	1.00	-	39.09	9.67	41.18
AV	10G	41.95	68.20	-26.25	34.68	3	Horizontal	38	1.92	-	39.10	9.93	41.76
PK	10G	54.62	88.20	-33.58	47.35	3	Horizontal	38	1.92	-	39.10	9.93	41.76
AV	13.77G	43.18	68.20	-25.02	36.81	3	Horizontal	60	1.00	-	40.34	10.70	44.67
PK	13.77G	56.59	88.20	-31.61	50.22	3	Horizontal	60	1.00	-	40.34	10.70	44.67

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.28	54.00	-13.72	32.70	3	Vertical	48	1.00	-	39.09	9.67	41.18
PK	9.394G	53.59	74.00	-20.41	46.01	3	Vertical	48	1.00	-	39.09	9.67	41.18
AV	10G	40.75	68.20	-27.45	33.48	3	Vertical	45	1.00	-	39.10	9.93	41.76
PK	10G	53.88	88.20	-34.32	46.61	3	Vertical	45	1.00	-	39.10	9.93	41.76
AV	13.77G	43.42	68.20	-24.78	37.05	3	Vertical	78	1.00	-	40.34	10.70	44.67
PK	13.77G	56.42	88.20	-31.78	50.05	3	Vertical	78	1.00	-	40.34	10.70	44.67

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.58	54.00	-13.42	33.00	3	Horizontal	31	1.00	-	39.09	9.67	41.18
PK	9.394G	53.88	74.00	-20.12	46.30	3	Horizontal	31	1.00	-	39.09	9.67	41.18
AV	10G	42.36	68.20	-25.84	35.09	3	Horizontal	42	1.93	-	39.10	9.93	41.76
PK	10G	54.88	88.20	-33.32	47.61	3	Horizontal	42	1.93	-	39.10	9.93	41.76
AV	13.85G	43.68	68.20	-24.52	37.30	3	Horizontal	105	1.00	-	40.40	10.72	44.74
PK	13.85G	53.81	88.20	-34.39	47.43	3	Horizontal	105	1.00	-	40.40	10.72	44.74

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.41	54.00	-13.59	32.83	3	Vertical	62	1.00	-	39.09	9.67	41.18
PK	9.394G	53.69	74.00	-20.31	46.11	3	Vertical	62	1.00	-	39.09	9.67	41.18
AV	10G	40.85	68.20	-27.35	33.58	3	Vertical	39	1.00	-	39.10	9.93	41.76
PK	10G	53.79	88.20	-34.41	46.52	3	Vertical	39	1.00	-	39.10	9.93	41.76
AV	13.85G	43.48	68.20	-24.72	37.10	3	Vertical	148	1.00	-	40.40	10.72	44.74
PK	13.85G	57.02	88.20	-31.18	50.64	3	Vertical	148	1.00	-	40.40	10.72	44.74

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.45	54.00	-13.55	32.87	3	Horizontal	32	1.00	-	39.09	9.67	41.18
PK	9.394G	53.69	74.00	-20.31	46.11	3	Horizontal	32	1.00	-	39.09	9.67	41.18
AV	10G	42.13	68.20	-26.07	34.86	3	Horizontal	44	1.95	-	39.10	9.93	41.76
PK	10G	55.03	88.20	-33.17	47.76	3	Horizontal	44	1.95	-	39.10	9.93	41.76
AV	14.01G	44.72	68.20	-23.48	37.81	3	Horizontal	52	1.00	-	41.02	10.76	44.87
PK	14.01G	57.46	88.20	-30.74	50.55	3	Horizontal	52	1.00	-	41.02	10.76	44.87

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.48	54.00	-13.52	32.90	3	Vertical	55	1.00	-	39.09	9.67	41.18
PK	9.394G	53.88	74.00	-20.12	46.30	3	Vertical	55	1.00	-	39.09	9.67	41.18
AV	10G	40.45	68.20	-27.75	33.18	3	Vertical	51	1.00	-	39.10	9.93	41.76
PK	10G	53.48	88.20	-34.72	46.21	3	Vertical	51	1.00	-	39.10	9.93	41.76
AV	14.01G	44.46	68.20	-23.74	37.55	3	Vertical	68	1.00	-	41.02	10.76	44.87
PK	14.01G	57.59	88.20	-30.61	50.68	3	Vertical	68	1.00	-	41.02	10.76	44.87



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.52	54.00	-13.48	32.94	3	Horizontal	31	1.00	-	39.09	9.67	41.18
PK	9.394G	53.76	74.00	-20.24	46.18	3	Horizontal	31	1.00	-	39.09	9.67	41.18
AV	10G	42.28	68.20	-25.92	35.01	3	Horizontal	37	1.92	-	39.10	9.93	41.76
PK	10G	54.68	88.20	-33.52	47.41	3	Horizontal	37	1.92	-	39.10	9.93	41.76
AV	14.17G	44.38	68.20	-23.82	37.09	3	Horizontal	65	1.00	-	41.48	10.82	45.01
PK	14.17G	58.03	88.20	-30.17	50.74	3	Horizontal	65	1.00	-	41.48	10.82	45.01

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.29	54.00	-13.71	32.71	3	Vertical	49	1.00	-	39.09	9.67	41.18
PK	9.394G	53.41	74.00	-20.59	45.83	3	Vertical	49	1.00	-	39.09	9.67	41.18
AV	10G	41.45	68.20	-26.75	34.18	3	Vertical	52	1.00	-	39.10	9.93	41.76
PK	10G	53.79	88.20	-34.41	46.52	3	Vertical	52	1.00	-	39.10	9.93	41.76
AV	14.17G	44.76	68.20	-23.44	37.47	3	Vertical	90	1.00	-	41.48	10.82	45.01
PK	14.17G	58.39	88.20	-29.81	51.10	3	Vertical	90	1.00	-	41.48	10.82	45.01

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.45	54.00	-13.55	32.87	3	Horizontal	30	1.00	-	39.09	9.67	41.18
PK	9.394G	53.75	74.00	-20.25	46.17	3	Horizontal	30	1.00	-	39.09	9.67	41.18
AV	10G	42.31	68.20	-25.89	35.04	3	Horizontal	45	1.93	-	39.10	9.93	41.76
PK	10G	56.98	88.20	-31.22	49.71	3	Horizontal	45	1.93	-	39.10	9.93	41.76
AV	11.97G	42.39	54.00	-11.61	35.73	3	Horizontal	85	1.00	-	39.18	10.23	42.75
PK	11.97G	54.62	74.00	-19.38	47.96	3	Horizontal	85	1.00	-	39.18	10.23	42.75

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.29	54.00	-13.71	32.71	3	Vertical	55	1.00	-	39.09	9.67	41.18
PK	9.394G	53.29	74.00	-20.71	45.71	3	Vertical	55	1.00	-	39.09	9.67	41.18
AV	10G	40.68	68.20	-27.52	33.41	3	Vertical	42	1.00	-	39.10	9.93	41.76
PK	10G	53.97	88.20	-34.23	46.70	3	Vertical	42	1.00	-	39.10	9.93	41.76
AV	11.97G	42.29	54.00	-11.71	35.63	3	Vertical	165	1.00	-	39.18	10.23	42.75
PK	11.97G	54.66	74.00	-19.34	48.00	3	Vertical	165	1.00	-	39.18	10.23	42.75

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.49	54.00	-13.51	32.91	3	Horizontal	26	1.00	-	39.09	9.67	41.18
PK	9.394G	53.55	74.00	-20.45	45.97	3	Horizontal	26	1.00	-	39.09	9.67	41.18
AV	10G	42.05	68.20	-26.15	34.78	3	Horizontal	46	1.93	-	39.10	9.93	41.76
PK	10G	54.89	88.20	-33.31	47.62	3	Horizontal	46	1.93	-	39.10	9.93	41.76
AV	12.29G	42.01	54.00	-11.99	35.29	3	Horizontal	90	1.00	-	39.48	10.29	43.05
PK	12.29G	54.18	74.00	-19.82	47.46	3	Horizontal	90	1.00	-	39.48	10.29	43.05



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.48	54.00	-13.52	32.90	3	Vertical	59	1.00	-	39.09	9.67	41.18
PK	9.394G	53.61	74.00	-20.39	46.03	3	Vertical	59	1.00	-	39.09	9.67	41.18
AV	10G	41.18	68.20	-27.02	33.91	3	Vertical	48	1.00	-	39.10	9.93	41.76
PK	10G	53.48	88.20	-34.72	46.21	3	Vertical	48	1.00	-	39.10	9.93	41.76
AV	12.29G	42.43	54.00	-11.57	35.71	3	Vertical	171	1.00	-	39.48	10.29	43.05
PK	12.29G	55.26	74.00	-18.74	48.54	3	Vertical	171	1.00	-	39.48	10.29	43.05

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.54	54.00	-13.46	32.96	3	Horizontal	24	1.00	-	39.09	9.67	41.18
PK	9.394G	53.79	74.00	-20.21	46.21	3	Horizontal	24	1.00	-	39.09	9.67	41.18
AV	10G	42.48	68.20	-25.72	35.21	3	Horizontal	45	1.96	-	39.10	9.93	41.76
PK	10G	54.82	88.20	-33.38	47.55	3	Horizontal	45	1.96	-	39.10	9.93	41.76
AV	12.77G	41.91	68.20	-26.29	35.60	3	Horizontal	72	1.00	-	39.42	10.43	43.54
PK	12.77G	55.25	88.20	-32.95	48.94	3	Horizontal	72	1.00	-	39.42	10.43	43.54

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.32	54.00	-13.68	32.74	3	Vertical	48	1.00	-	39.09	9.67	41.18
PK	9.394G	53.26	74.00	-20.74	45.68	3	Vertical	48	1.00	-	39.09	9.67	41.18
AV	10G	40.86	68.20	-27.34	33.59	3	Vertical	65	1.00	-	39.10	9.93	41.76
PK	10G	54.59	88.20	-33.61	47.32	3	Vertical	65	1.00	-	39.10	9.93	41.76
AV	12.77G	42.05	68.20	-26.15	35.74	3	Vertical	168	1.00	-	39.42	10.43	43.54
PK	12.77G	55.64	88.20	-32.56	49.33	3	Vertical	168	1.00	-	39.42	10.43	43.54

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.75	54.00	-13.25	33.17	3	Horizontal	38	1.00	-	39.09	9.67	41.18
PK	9.394G	53.94	74.00	-20.06	46.36	3	Horizontal	38	1.00	-	39.09	9.67	41.18
AV	10G	41.65	68.20	-26.55	34.38	3	Horizontal	46	1.92	-	39.10	9.93	41.76
PK	10G	54.79	88.20	-33.41	47.52	3	Horizontal	46	1.92	-	39.10	9.93	41.76
AV	12.93G	41.88	68.20	-26.32	35.34	3	Horizontal	83	1.00	-	39.76	10.49	43.71
PK	12.93G	55.56	88.20	-32.64	49.02	3	Horizontal	83	1.00	-	39.76	10.49	43.71

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.18	54.00	-13.82	32.60	3	Vertical	45	1.00	-	39.09	9.67	41.18
PK	9.394G	53.11	74.00	-20.89	45.53	3	Vertical	45	1.00	-	39.09	9.67	41.18
AV	10G	40.54	68.20	-27.66	33.27	3	Vertical	50	1.00	-	39.10	9.93	41.76
PK	10G	53.60	88.20	-34.60	46.33	3	Vertical	50	1.00	-	39.10	9.93	41.76
AV	12.93G	42.58	68.20	-25.62	36.04	3	Vertical	161	1.00	-	39.76	10.49	43.71
PK	12.93G	56.23	88.20	-31.97	49.69	3	Vertical	161	1.00	-	39.76	10.49	43.71



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	42.39	54.00	-11.61	34.81	3	Horizontal	26	1.00	-	39.09	9.67	41.18
PK	9.394G	53.56	74.00	-20.44	45.98	3	Horizontal	26	1.00	-	39.09	9.67	41.18
AV	10G	42.49	68.20	-25.71	35.22	3	Horizontal	45	1.91	-	39.10	9.93	41.76
PK	10G	54.56	88.20	-33.64	47.29	3	Horizontal	45	1.91	-	39.10	9.93	41.76
AV	13.09G	41.26	68.20	-26.94	35.21	3	Horizontal	79	1.00	-	39.42	10.53	43.90
PK	13.09G	54.45	88.20	-33.75	48.40	3	Horizontal	79	1.00	-	39.42	10.53	43.90



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.48	54.00	-13.52	32.90	3	Vertical	46	1.00	-	39.09	9.67	41.18
PK	9.394G	53.87	74.00	-20.13	46.29	3	Vertical	46	1.00	-	39.09	9.67	41.18
AV	10G	40.65	68.20	-27.55	33.38	3	Vertical	35	1.00	-	39.10	9.93	41.76
PK	10G	53.59	88.20	-34.61	46.32	3	Vertical	35	1.00	-	39.10	9.93	41.76
AV	13.09G	42.26	68.20	-25.94	36.21	3	Vertical	165	1.00	-	39.42	10.53	43.90
PK	13.09G	54.79	88.20	-33.41	48.74	3	Vertical	165	1.00	-	39.42	10.53	43.90



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.58	54.00	-13.42	33.00	3	Horizontal	31	1.00	-	39.09	9.67	41.18
PK	9.394G	53.77	74.00	-20.23	46.19	3	Horizontal	31	1.00	-	39.09	9.67	41.18
AV	10G	42.15	68.20	-26.05	34.88	3	Horizontal	43	1.91	-	39.10	9.93	41.76
PK	10G	54.62	88.20	-33.58	47.35	3	Horizontal	43	1.91	-	39.10	9.93	41.76
AV	13.25G	42.06	54.00	-11.94	36.01	3	Horizontal	85	1.00	-	39.60	10.57	44.12
PK	13.25G	55.59	74.00	-18.41	49.54	3	Horizontal	85	1.00	-	39.60	10.57	44.12



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.43	54.00	-13.57	32.85	3	Vertical	51	1.00	-	39.09	9.67	41.18
PK	9.394G	53.89	74.00	-20.11	46.31	3	Vertical	51	1.00	-	39.09	9.67	41.18
AV	10G	40.48	68.20	-27.72	33.21	3	Vertical	42	1.00	-	39.10	9.93	41.76
PK	10G	53.56	88.20	-34.64	46.29	3	Vertical	42	1.00	-	39.10	9.93	41.76
AV	13.25G	42.12	54.00	-11.88	36.07	3	Vertical	158	1.00	-	39.60	10.57	44.12
PK	13.25G	55.84	74.00	-18.16	49.79	3	Vertical	158	1.00	-	39.60	10.57	44.12



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.28	54.00	-13.72	32.70	3	Horizontal	31	1.00	-	39.09	9.67	41.18
PK	9.394G	53.26	74.00	-20.74	45.68	3	Horizontal	31	1.00	-	39.09	9.67	41.18
AV	10G	42.05	68.20	-26.15	34.78	3	Horizontal	45	1.96	-	39.10	9.93	41.76
PK	10G	54.59	88.20	-33.61	47.32	3	Horizontal	45	1.96	-	39.10	9.93	41.76
AV	13.41G	42.89	68.20	-25.31	36.67	3	Horizontal	79	1.00	-	39.94	10.61	44.33
PK	13.41G	56.75	88.20	-31.45	50.53	3	Horizontal	79	1.00	-	39.94	10.61	44.33



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.58	54.00	-13.42	33.00	3	Vertical	48	1.00	-	39.09	9.67	41.18
PK	9.394G	53.68	74.00	-20.32	46.10	3	Vertical	48	1.00	-	39.09	9.67	41.18
AV	10G	40.55	68.20	-27.65	33.28	3	Vertical	52	1.00	-	39.10	9.93	41.76
PK	10G	53.56	88.20	-34.64	46.29	3	Vertical	52	1.00	-	39.10	9.93	41.76
AV	13.41G	42.65	68.20	-25.55	36.43	3	Vertical	162	1.00	-	39.94	10.61	44.33
PK	13.41G	56.78	88.20	-31.42	50.56	3	Vertical	162	1.00	-	39.94	10.61	44.33

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.42	54.00	-13.58	32.84	3	Horizontal	32	1.00	-	39.09	9.67	41.18
PK	9.394G	53.88	74.00	-20.12	46.30	3	Horizontal	32	1.00	-	39.09	9.67	41.18
AV	10G	41.95	68.20	-26.25	34.68	3	Horizontal	38	1.92	-	39.10	9.93	41.76
PK	10G	54.62	88.20	-33.58	47.35	3	Horizontal	38	1.92	-	39.10	9.93	41.76
AV	13.57G	43.46	68.20	-24.74	36.96	3	Horizontal	55	1.00	-	40.36	10.65	44.51
PK	13.57G	56.62	88.20	-31.58	50.12	3	Horizontal	55	1.00	-	40.36	10.65	44.51



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.53	54.00	-13.47	32.95	3	Vertical	51	1.00	-	39.09	9.67	41.18
PK	9.394G	53.76	74.00	-20.24	46.18	3	Vertical	51	1.00	-	39.09	9.67	41.18
AV	10G	40.62	68.20	-27.58	33.35	3	Vertical	42	1.00	-	39.10	9.93	41.76
PK	10G	53.64	88.20	-34.56	46.37	3	Vertical	42	1.00	-	39.10	9.93	41.76
AV	13.57G	43.76	68.20	-24.44	37.26	3	Vertical	162	1.00	-	40.36	10.65	44.51
PK	13.57G	56.95	88.20	-31.25	50.45	3	Vertical	162	1.00	-	40.36	10.65	44.51



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.48	54.00	-13.52	32.90	3	Horizontal	31	1.00	-	39.09	9.67	41.18
PK	9.394G	53.59	74.00	-20.41	46.01	3	Horizontal	31	1.00	-	39.09	9.67	41.18
AV	10G	42.40	68.20	-25.80	35.13	3	Horizontal	45	1.93	-	39.10	9.93	41.76
PK	10G	54.53	88.20	-33.67	47.26	3	Horizontal	45	1.93	-	39.10	9.93	41.76
AV	13.73G	42.75	68.20	-25.45	36.40	3	Horizontal	72	1.00	-	40.30	10.69	44.64
PK	13.73G	56.89	88.20	-31.31	50.54	3	Horizontal	72	1.00	-	40.30	10.69	44.64



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.31	54.00	-13.69	32.73	3	Vertical	42	1.00	-	39.09	9.67	41.18
PK	9.394G	53.48	74.00	-20.52	45.90	3	Vertical	42	1.00	-	39.09	9.67	41.18
AV	10G	40.42	68.20	-27.78	33.15	3	Vertical	39	1.00	-	39.10	9.93	41.76
PK	10G	53.46	88.20	-34.74	46.19	3	Vertical	39	1.00	-	39.10	9.93	41.76
AV	13.73G	43.15	68.20	-25.05	36.80	3	Vertical	161	1.00	-	40.30	10.69	44.64
PK	13.73G	57.02	88.20	-31.18	50.67	3	Vertical	161	1.00	-	40.30	10.69	44.64

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.68	54.00	-13.32	33.10	3	Horizontal	35	1.00	-	39.09	9.67	41.18
PK	9.394G	53.97	74.00	-20.03	46.39	3	Horizontal	35	1.00	-	39.09	9.67	41.18
AV	10G	42.25	68.20	-25.95	34.98	3	Horizontal	43	1.93	-	39.10	9.93	41.76
PK	10G	54.79	88.20	-33.41	47.52	3	Horizontal	43	1.93	-	39.10	9.93	41.76
AV	13.89G	43.54	68.20	-24.66	37.02	3	Horizontal	102	1.00	-	40.56	10.73	44.77
PK	13.89G	53.64	88.20	-34.56	47.12	3	Horizontal	102	1.00	-	40.56	10.73	44.77



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.29	54.00	-13.71	32.71	3	Vertical	58	1.00	-	39.09	9.67	41.18
PK	9.394G	53.48	74.00	-20.52	45.90	3	Vertical	58	1.00	-	39.09	9.67	41.18
AV	10G	40.67	68.20	-27.53	33.40	3	Vertical	42	1.00	-	39.10	9.93	41.76
PK	10G	53.64	88.20	-34.56	46.37	3	Vertical	42	1.00	-	39.10	9.93	41.76
AV	13.89G	43.32	68.20	-24.88	36.80	3	Vertical	151	1.00	-	40.56	10.73	44.77
PK	13.89G	56.88	88.20	-31.32	50.36	3	Vertical	151	1.00	-	40.56	10.73	44.77

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.59	54.00	-13.41	33.01	3	Horizontal	32	1.00	-	39.09	9.67	41.18
PK	9.394G	53.75	74.00	-20.25	46.17	3	Horizontal	32	1.00	-	39.09	9.67	41.18
AV	10G	42.20	68.20	-26.00	34.93	3	Horizontal	46	1.95	-	39.10	9.93	41.76
PK	10G	55.26	88.20	-32.94	47.99	3	Horizontal	46	1.95	-	39.10	9.93	41.76
AV	14.05G	44.61	68.20	-23.59	37.63	3	Horizontal	48	1.00	-	41.10	10.78	44.90
PK	14.05G	57.12	88.20	-31.08	50.14	3	Horizontal	48	1.00	-	41.10	10.78	44.90



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.35	54.00	-13.65	32.77	3	Vertical	60	1.00	-	39.09	9.67	41.18
PK	9.394G	53.74	74.00	-20.26	46.16	3	Vertical	60	1.00	-	39.09	9.67	41.18
AV	10G	40.32	68.20	-27.88	33.05	3	Vertical	48	1.00	-	39.10	9.93	41.76
PK	10G	53.31	88.20	-34.89	46.04	3	Vertical	48	1.00	-	39.10	9.93	41.76
AV	14.05G	44.35	68.20	-23.85	37.37	3	Vertical	55	1.00	-	41.10	10.78	44.90
PK	14.05G	57.46	88.20	-30.74	50.48	3	Vertical	55	1.00	-	41.10	10.78	44.90

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.59	54.00	-13.41	33.01	3	Horizontal	28	1.00	-	39.09	9.67	41.18
PK	9.394G	53.88	74.00	-20.12	46.30	3	Horizontal	28	1.00	-	39.09	9.67	41.18
AV	10G	42.45	68.20	-25.75	35.18	3	Horizontal	41	1.93	-	39.10	9.93	41.76
PK	10G	56.72	88.20	-31.48	49.45	3	Horizontal	41	1.93	-	39.10	9.93	41.76
AV	12.05G	42.16	54.00	-11.84	35.22	3	Horizontal	79	1.00	-	39.50	10.24	42.80
PK	12.05G	54.45	74.00	-19.55	47.51	3	Horizontal	79	1.00	-	39.50	10.24	42.80

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.13	54.00	-13.87	32.55	3	Vertical	60	1.00	-	39.09	9.67	41.18
PK	9.394G	53.39	74.00	-20.61	45.81	3	Vertical	60	1.00	-	39.09	9.67	41.18
AV	10G	40.48	68.20	-27.72	33.21	3	Vertical	39	1.00	-	39.10	9.93	41.76
PK	10G	53.79	88.20	-34.41	46.52	3	Vertical	39	1.00	-	39.10	9.93	41.76
AV	12.05G	42.16	54.00	-11.84	35.22	3	Vertical	168	1.00	-	39.50	10.24	42.80
PK	12.05G	54.42	74.00	-19.58	47.48	3	Vertical	168	1.00	-	39.50	10.24	42.80

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.49	54.00	-13.51	32.91	3	Horizontal	26	1.00	-	39.09	9.67	41.18
PK	9.394G	53.55	74.00	-20.45	45.97	3	Horizontal	26	1.00	-	39.09	9.67	41.18
AV	10G	42.05	68.20	-26.15	34.78	3	Horizontal	46	1.93	-	39.10	9.93	41.76
PK	10G	54.89	88.20	-33.31	47.62	3	Horizontal	46	1.93	-	39.10	9.93	41.76
AV	12.37G	42.26	54.00	-11.74	35.86	3	Horizontal	88	1.00	-	39.22	10.31	43.13
PK	12.37G	54.35	74.00	-19.65	47.95	3	Horizontal	88	1.00	-	39.22	10.31	43.13

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.59	54.00	-13.41	33.01	3	Vertical	62	1.00	-	39.09	9.67	41.18
PK	9.394G	53.78	74.00	-20.22	46.20	3	Vertical	62	1.00	-	39.09	9.67	41.18
AV	10G	41.26	68.20	-26.94	33.99	3	Vertical	55	1.00	-	39.10	9.93	41.76
PK	10G	53.60	88.20	-34.60	46.33	3	Vertical	55	1.00	-	39.10	9.93	41.76
AV	12.37G	42.54	54.00	-11.46	36.14	3	Vertical	169	1.00	-	39.22	10.31	43.13
PK	12.37G	55.36	74.00	-18.64	48.96	3	Vertical	169	1.00	-	39.22	10.31	43.13



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.68	54.00	-13.32	33.10	3	Horizontal	25	1.00	-	39.09	9.67	41.18
PK	9.394G	53.94	74.00	-20.06	46.36	3	Horizontal	25	1.00	-	39.09	9.67	41.18
AV	10G	42.54	68.20	-25.66	35.27	3	Horizontal	42	1.96	-	39.10	9.93	41.76
PK	10G	54.77	88.20	-33.43	47.50	3	Horizontal	42	1.96	-	39.10	9.93	41.76
AV	12.69G	42.05	54.00	-11.95	35.79	3	Horizontal	69	1.00	-	39.32	10.40	43.46
PK	12.69G	55.11	74.00	-18.89	48.85	3	Horizontal	69	1.00	-	39.32	10.40	43.46

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.15	54.00	-13.85	32.57	3	Vertical	52	1.00	-	39.09	9.67	41.18
PK	9.394G	53.39	74.00	-20.61	45.81	3	Vertical	52	1.00	-	39.09	9.67	41.18
AV	10G	40.71	68.20	-27.49	33.44	3	Vertical	66	1.00	-	39.10	9.93	41.76
PK	10G	54.66	88.20	-33.54	47.39	3	Vertical	66	1.00	-	39.10	9.93	41.76
AV	12.69G	42.28	54.00	-11.72	36.02	3	Vertical	163	1.00	-	39.32	10.40	43.46
PK	12.69G	55.48	74.00	-18.52	49.22	3	Vertical	163	1.00	-	39.32	10.40	43.46



6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.89	54.00	-13.11	33.31	3	Horizontal	42	1.00	-	39.09	9.67	41.18
PK	9.394G	54.16	74.00	-19.84	46.58	3	Horizontal	42	1.00	-	39.09	9.67	41.18
AV	10G	41.75	68.20	-26.45	34.48	3	Horizontal	44	1.95	-	39.10	9.93	41.76
PK	10G	54.86	88.20	-33.34	47.59	3	Horizontal	44	1.95	-	39.10	9.93	41.76
AV	13.01G	41.72	68.20	-26.48	35.34	3	Horizontal	79	1.00	-	39.66	10.51	43.79
PK	13.01G	55.68	88.20	-32.52	49.30	3	Horizontal	79	1.00	-	39.66	10.51	43.79

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.26	54.00	-13.74	32.68	3	Vertical	42	1.00	-	39.09	9.67	41.18
PK	9.394G	53.36	74.00	-20.64	45.78	3	Vertical	42	1.00	-	39.09	9.67	41.18
AV	10G	40.79	68.20	-27.41	33.52	3	Vertical	44	1.00	-	39.10	9.93	41.76
PK	10G	53.79	88.20	-34.41	46.52	3	Vertical	44	1.00	-	39.10	9.93	41.76
AV	13.01G	42.76	68.20	-25.44	36.38	3	Vertical	158	1.00	-	39.66	10.51	43.79
PK	13.01G	56.45	88.20	-31.75	50.07	3	Vertical	158	1.00	-	39.66	10.51	43.79

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.69	54.00	-13.31	33.11	3	Horizontal	29	1.00	-	39.09	9.67	41.18
PK	9.394G	53.56	74.00	-20.44	45.98	3	Horizontal	29	1.00	-	39.09	9.67	41.18
AV	10G	42.26	68.20	-25.94	34.99	3	Horizontal	43	1.89	-	39.10	9.93	41.76
PK	10G	54.45	88.20	-33.75	47.18	3	Horizontal	43	1.89	-	39.10	9.93	41.76
AV	13.33G	42.19	54.00	-11.81	36.10	3	Horizontal	85	1.00	-	39.72	10.59	44.22
PK	13.33G	55.76	74.00	-18.24	49.67	3	Horizontal	85	1.00	-	39.72	10.59	44.22

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.28	54.00	-13.72	32.70	3	Vertical	47	1.00	-	39.09	9.67	41.18
PK	9.394G	53.64	74.00	-20.36	46.06	3	Vertical	47	1.00	-	39.09	9.67	41.18
AV	10G	40.33	68.20	-27.87	33.06	3	Vertical	37	1.00	-	39.10	9.93	41.76
PK	10G	53.69	88.20	-34.51	46.42	3	Vertical	37	1.00	-	39.10	9.93	41.76
AV	13.33G	42.29	54.00	-11.71	36.20	3	Vertical	164	1.00	-	39.72	10.59	44.22
PK	13.33G	55.98	74.00	-18.02	49.89	3	Vertical	164	1.00	-	39.72	10.59	44.22



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.21	54.00	-13.79	32.63	3	Horizontal	26	1.00	-	39.09	9.67	41.18
PK	9.394G	53.59	74.00	-20.41	46.01	3	Horizontal	26	1.00	-	39.09	9.67	41.18
AV	10G	42.05	68.20	-26.15	34.78	3	Horizontal	40	1.90	-	39.10	9.93	41.76
PK	10G	54.79	88.20	-33.41	47.52	3	Horizontal	40	1.90	-	39.10	9.93	41.76
AV	13.65G	43.58	68.20	-24.62	37.28	3	Horizontal	60	1.00	-	40.20	10.67	44.57
PK	13.65G	56.79	88.20	-31.41	50.49	3	Horizontal	60	1.00	-	40.20	10.67	44.57



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.42	54.00	-13.58	32.84	3	Vertical	48	1.00	-	39.09	9.67	41.18
PK	9.394G	53.61	74.00	-20.39	46.03	3	Vertical	48	1.00	-	39.09	9.67	41.18
AV	10G	40.45	68.20	-27.75	33.18	3	Vertical	45	1.00	-	39.10	9.93	41.76
PK	10G	53.79	88.20	-34.41	46.52	3	Vertical	45	1.00	-	39.10	9.93	41.76
AV	13.65G	43.87	68.20	-24.33	37.57	3	Vertical	163	1.00	-	40.20	10.67	44.57
PK	13.65G	57.15	88.20	-31.05	50.85	3	Vertical	163	1.00	-	40.20	10.67	44.57



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	7.25G	51.38	54.00	-2.62	45.65	3	Horizontal	61	2.25	-	36.30	8.62	39.19
PK	7.25G	68.56	74.00	-5.44	62.83	3	Horizontal	61	2.25	-	36.30	8.62	39.19
AV	9.394G	40.05	54.00	-13.95	32.47	3	Horizontal	26	1.00	-	39.09	9.67	41.18
PK	9.394G	53.46	74.00	-20.54	45.88	3	Horizontal	26	1.00	-	39.09	9.67	41.18
AV	10G	41.88	68.20	-26.32	34.61	3	Horizontal	39	1.90	-	39.10	9.93	41.76
PK	10G	54.65	88.20	-33.55	47.38	3	Horizontal	39	1.90	-	39.10	9.93	41.76
AV	13.97G	44.01	68.20	-24.19	37.22	3	Horizontal	56	1.00	-	40.88	10.75	44.84
PK	13.97G	57.48	88.20	-30.72	50.69	3	Horizontal	56	1.00	-	40.88	10.75	44.84

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	7.25G	52.53	54.00	-1.47	46.80	3	Vertical	350	1.65	-	36.30	8.62	39.19
PK	7.25G	69.71	74.00	-4.29	63.98	3	Vertical	350	1.65	-	36.30	8.62	39.19
AV	9.394G	40.23	54.00	-13.77	32.65	3	Vertical	51	1.00	-	39.09	9.67	41.18
PK	9.394G	53.45	74.00	-20.55	45.87	3	Vertical	51	1.00	-	39.09	9.67	41.18
AV	10G	40.68	68.20	-27.52	33.41	3	Vertical	42	1.00	-	39.10	9.93	41.76
PK	10G	53.99	88.20	-34.21	46.72	3	Vertical	42	1.00	-	39.10	9.93	41.76
AV	13.97G	43.76	68.20	-24.44	36.97	3	Vertical	60	1.00	-	40.88	10.75	44.84
PK	13.97G	57.21	88.20	-30.99	50.42	3	Vertical	60	1.00	-	40.88	10.75	44.84

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.56	54.00	-13.44	32.98	3	Horizontal	28	1.00	-	39.09	9.67	41.18
PK	9.394G	53.64	74.00	-20.36	46.06	3	Horizontal	28	1.00	-	39.09	9.67	41.18
AV	10G	42.21	68.20	-25.99	34.94	3	Horizontal	43	1.93	-	39.10	9.93	41.76
PK	10G	55.16	88.20	-33.04	47.89	3	Horizontal	43	1.93	-	39.10	9.93	41.76
AV	12.21G	41.87	54.00	-12.13	35.07	3	Horizontal	85	1.00	-	39.48	10.28	42.96
PK	12.21G	54.36	74.00	-19.64	47.56	3	Horizontal	85	1.00	-	39.48	10.28	42.96



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.42	54.00	-13.58	32.84	3	Vertical	62	1.00	-	39.09	9.67	41.18
PK	9.394G	53.89	74.00	-20.11	46.31	3	Vertical	62	1.00	-	39.09	9.67	41.18
AV	10G	41.31	68.20	-26.89	34.04	3	Vertical	50	1.00	-	39.10	9.93	41.76
PK	10G	53.56	88.20	-34.64	46.29	3	Vertical	50	1.00	-	39.10	9.93	41.76
AV	12.21G	42.31	54.00	-11.69	35.51	3	Vertical	168	1.00	-	39.48	10.28	42.96
PK	12.21G	55.16	74.00	-18.84	48.36	3	Vertical	168	1.00	-	39.48	10.28	42.96

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.68	54.00	-13.32	33.10	3	Horizontal	31	1.00	-	39.09	9.67	41.18
PK	9.394G	53.56	74.00	-20.44	45.98	3	Horizontal	31	1.00	-	39.09	9.67	41.18
AV	10G	42.11	68.20	-26.09	34.84	3	Horizontal	44	1.91	-	39.10	9.93	41.76
PK	10G	54.56	88.20	-33.64	47.29	3	Horizontal	44	1.91	-	39.10	9.93	41.76
AV	12.53G	42.01	54.00	-11.99	35.91	3	Horizontal	109	1.00	-	39.04	10.35	43.29
PK	12.53G	54.89	74.00	-19.11	48.79	3	Horizontal	109	1.00	-	39.04	10.35	43.29

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.58	54.00	-13.42	33.00	3	Vertical	65	1.00	-	39.09	9.67	41.18
PK	9.394G	54.05	74.00	-19.95	46.47	3	Vertical	65	1.00	-	39.09	9.67	41.18
AV	10G	41.56	68.20	-26.64	34.29	3	Vertical	45	1.00	-	39.10	9.93	41.76
PK	10G	53.42	88.20	-34.78	46.15	3	Vertical	45	1.00	-	39.10	9.93	41.76
AV	12.53G	42.94	54.00	-11.06	36.84	3	Vertical	155	1.00	-	39.04	10.35	43.29
PK	12.53G	54.27	74.00	-19.73	48.17	3	Vertical	155	1.00	-	39.04	10.35	43.29



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.68	54.00	-13.32	33.10	3	Horizontal	26	1.00	-	39.09	9.67	41.18
PK	9.394G	53.91	74.00	-20.09	46.33	3	Horizontal	26	1.00	-	39.09	9.67	41.18
AV	10G	42.61	68.20	-25.59	35.34	3	Horizontal	42	1.93	-	39.10	9.93	41.76
PK	10G	55.02	88.20	-33.18	47.75	3	Horizontal	42	1.93	-	39.10	9.93	41.76
AV	12.85G	42.13	68.20	-26.07	35.59	3	Horizontal	75	1.00	-	39.70	10.46	43.62
PK	12.85G	55.45	88.20	-32.75	48.91	3	Horizontal	75	1.00	-	39.70	10.46	43.62



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.45	54.00	-13.55	32.87	3	Vertical	51	1.00	-	39.09	9.67	41.18
PK	9.394G	53.56	74.00	-20.44	45.98	3	Vertical	51	1.00	-	39.09	9.67	41.18
AV	10G	41.15	68.20	-27.05	33.88	3	Vertical	70	1.00	-	39.10	9.93	41.76
PK	10G	54.76	88.20	-33.44	47.49	3	Vertical	70	1.00	-	39.10	9.93	41.76
AV	12.85G	42.21	68.20	-25.99	35.67	3	Vertical	160	1.00	-	39.70	10.46	43.62
PK	12.85G	55.79	88.20	-32.41	49.25	3	Vertical	160	1.00	-	39.70	10.46	43.62



6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6585MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.65	54.00	-13.35	33.07	3	Horizontal	38	1.00	-	39.09	9.67	41.18
PK	9.394G	53.89	74.00	-20.11	46.31	3	Horizontal	38	1.00	-	39.09	9.67	41.18
AV	10G	42.23	68.20	-25.97	34.96	3	Horizontal	45	1.88	-	39.10	9.93	41.76
PK	10G	54.59	88.20	-33.61	47.32	3	Horizontal	45	1.88	-	39.10	9.93	41.76
AV	13.17G	41.92	68.20	-26.28	35.72	3	Horizontal	79	1.00	-	39.66	10.55	44.01
PK	13.17G	55.68	88.20	-32.52	49.48	3	Horizontal	79	1.00	-	39.66	10.55	44.01

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.25	54.00	-13.75	32.67	3	Vertical	48	1.00	-	39.09	9.67	41.18
PK	9.394G	54.06	74.00	-19.94	46.48	3	Vertical	48	1.00	-	39.09	9.67	41.18
AV	10G	40.59	68.20	-27.61	33.32	3	Vertical	45	1.00	-	39.10	9.93	41.76
PK	10G	53.78	88.20	-34.42	46.51	3	Vertical	45	1.00	-	39.10	9.93	41.76
AV	13.17G	42.31	68.20	-25.89	36.11	3	Vertical	162	1.00	-	39.66	10.55	44.01
PK	13.17G	56.03	88.20	-32.17	49.83	3	Vertical	162	1.00	-	39.66	10.55	44.01



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	7.25G	51.72	54.00	-2.28	45.99	3	Horizontal	60	2.11	-	36.30	8.62	39.19
PK	7.25G	64.35	74.00	-9.65	58.62	3	Horizontal	60	2.11	-	36.30	8.62	39.19
AV	9.394G	40.42	54.00	-13.58	32.84	3	Horizontal	32	1.00	-	39.09	9.67	41.18
PK	9.394G	53.85	74.00	-20.15	46.27	3	Horizontal	32	1.00	-	39.09	9.67	41.18
AV	10G	42.31	68.20	-25.89	35.04	3	Horizontal	41	1.92	-	39.10	9.93	41.76
PK	10G	55.26	88.20	-32.94	47.99	3	Horizontal	41	1.92	-	39.10	9.93	41.76
AV	13.49G	43.80	68.20	-24.40	37.51	3	Horizontal	111	1.00	-	40.10	10.63	44.44
PK	13.49G	55.43	88.20	-32.77	49.14	3	Horizontal	111	1.00	-	40.10	10.63	44.44



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	7.25G	53.51	54.00	-0.49	47.78	3	Vertical	358	1.84	-	36.30	8.62	39.19
PK	7.25G	63.90	74.00	-10.10	58.17	3	Vertical	358	1.84	-	36.30	8.62	39.19
AV	9.394G	40.28	54.00	-13.72	32.70	3	Vertical	58	1.00	-	39.09	9.67	41.18
PK	9.394G	53.67	74.00	-20.33	46.09	3	Vertical	58	1.00	-	39.09	9.67	41.18
AV	10G	41.45	68.20	-26.75	34.18	3	Vertical	60	1.00	-	39.10	9.93	41.76
PK	10G	53.68	88.20	-34.52	46.41	3	Vertical	60	1.00	-	39.10	9.93	41.76
AV	13.49G	44.24	68.20	-23.96	37.95	3	Vertical	144	1.00	-	40.10	10.63	44.44
PK	13.49G	56.04	88.20	-32.16	49.75	3	Vertical	144	1.00	-	40.10	10.63	44.44



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	7.25G	52.61	54.00	-1.39	46.88	3	Horizontal	62	2.27	-	36.30	8.62	39.19
PK	7.25G	65.79	74.00	-8.21	60.06	3	Horizontal	62	2.27	-	36.30	8.62	39.19
AV	9.394G	40.41	54.00	-13.59	32.83	3	Horizontal	22	1.00	-	39.09	9.67	41.18
PK	9.394G	53.38	74.00	-20.62	45.80	3	Horizontal	22	1.00	-	39.09	9.67	41.18
AV	10G	42.06	68.20	-26.14	34.79	3	Horizontal	46	1.91	-	39.10	9.93	41.76
PK	10G	55.29	88.20	-32.91	48.02	3	Horizontal	46	1.91	-	39.10	9.93	41.76
AV	13.81G	43.86	68.20	-24.34	37.45	3	Horizontal	55	1.00	-	40.40	10.71	44.70
PK	13.81G	56.89	88.20	-31.31	50.48	3	Horizontal	55	1.00	-	40.40	10.71	44.70



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	7.25G	53.69	54.00	-0.31	47.96	3	Vertical	359	2.37	-	36.30	8.62	39.19
PK	7.25G	67.71	74.00	-6.29	61.98	3	Vertical	359	2.37	-	36.30	8.62	39.19
AV	9.394G	40.57	54.00	-13.43	32.99	3	Vertical	55	1.00	-	39.09	9.67	41.18
PK	9.394G	54.02	74.00	-19.98	46.44	3	Vertical	55	1.00	-	39.09	9.67	41.18
AV	10G	41.21	68.20	-26.99	33.94	3	Vertical	45	1.00	-	39.10	9.93	41.76
PK	10G	53.48	88.20	-34.72	46.21	3	Vertical	45	1.00	-	39.10	9.93	41.76
AV	13.81G	43.66	68.20	-24.54	37.25	3	Vertical	66	1.00	-	40.40	10.71	44.70
PK	13.81G	56.56	88.20	-31.64	50.15	3	Vertical	66	1.00	-	40.40	10.71	44.70



Beamforming mode


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	12.35G	42.64	54	-11.36	3	Vertical	160	1.00	-
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	12.33G	42.43	54	-11.57	3	Vertical	163	1.00	-
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	12.29G	42.21	54	-11.79	3	Vertical	168	1.00	-
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	12.37G	42.43	54	-11.57	3	Vertical	163	1.00	-
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	12.53G	42.78	54	-11.22	3	Vertical	153	1.00	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	9.394G	40.68	54	-13.32	3	Horizontal	29	1.00	-
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	9.394G	40.42	54	-13.58	3	Horizontal	29	1.00	-
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	9.394G	42.13	54	-11.87	3	Horizontal	31	1.00	-
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	9.394G	40.58	54	-13.42	3	Horizontal	55	1.00	-
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	9.394G	40.48	54	-13.52	3	Horizontal	40	1.00	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	9.394G	40.46	54	-13.54	3	Vertical	38	1.00	-
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	9.394G	40.32	54	-13.68	3	Horizontal	31	1.00	-
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	13.25G	41.88	54	-12.12	3	Horizontal	88	1.00	-
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.33G	42.11	54	-11.89	3	Vertical	163	1.00	-
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	7.25G	53.55	54.00	-0.45	3	Vertical	350	1.20	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	9.394G	40.51	54	-13.49	3	Horizontal	28	1.00	-
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	9.394G	40.41	54	-13.59	3	Horizontal	26	1.00	-
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	9.394G	40.54	54	-13.46	3	Horizontal	40	1.00	-
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	7.25G	47.89	54.00	-6.11	3	Vertical	182	2.33	-



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5935MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.26	54.00	-13.74	32.68	3	Horizontal	26	1.00	-	39.09	9.67	41.18
PK	9.394G	53.26	74.00	-20.74	45.68	3	Horizontal	26	1.00	-	39.09	9.67	41.18
AV	10G	42.05	68.20	-26.15	34.78	3	Horizontal	42	1.95	-	39.10	9.93	41.76
PK	10G	54.43	88.20	-33.77	47.16	3	Horizontal	42	1.95	-	39.10	9.93	41.76
AV	11.87G	41.89	54.00	-12.11	35.37	3	Horizontal	80	1.00	-	39.04	10.22	42.74
PK	11.87G	54.12	74.00	-19.88	47.60	3	Horizontal	80	1.00	-	39.04	10.22	42.74

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5935MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.43	54.00	-13.57	32.85	3	Vertical	38	1.00	-	39.09	9.67	41.18
PK	9.394G	53.29	74.00	-20.71	45.71	3	Vertical	38	1.00	-	39.09	9.67	41.18
AV	10G	40.45	68.20	-27.75	33.18	3	Vertical	52	1.00	-	39.10	9.93	41.76
PK	10G	53.45	88.20	-34.75	46.18	3	Vertical	52	1.00	-	39.10	9.93	41.76
AV	11.87G	42.05	54.00	-11.95	35.53	3	Vertical	161	1.00	-	39.04	10.22	42.74
PK	11.87G	54.46	74.00	-19.54	47.94	3	Vertical	161	1.00	-	39.04	10.22	42.74

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.43	54.00	-13.57	32.85	3	Horizontal	25	1.00	-	39.09	9.67	41.18
PK	9.394G	53.48	74.00	-20.52	45.90	3	Horizontal	25	1.00	-	39.09	9.67	41.18
AV	10G	42.13	68.20	-26.07	34.86	3	Horizontal	41	1.95	-	39.10	9.93	41.76
PK	10G	54.64	88.20	-33.56	47.37	3	Horizontal	41	1.95	-	39.10	9.93	41.76
AV	11.91G	42.02	54.00	-11.98	35.44	3	Horizontal	88	1.00	-	39.10	10.22	42.74
PK	11.91G	54.46	74.00	-19.54	47.88	3	Horizontal	88	1.00	-	39.10	10.22	42.74



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.42	54.00	-13.58	32.84	3	Vertical	60	1.00	-	39.09	9.67	41.18
PK	9.394G	53.42	74.00	-20.58	45.84	3	Vertical	60	1.00	-	39.09	9.67	41.18
AV	10G	40.62	68.20	-27.58	33.35	3	Vertical	40	1.00	-	39.10	9.93	41.76
PK	10G	53.64	88.20	-34.56	46.37	3	Vertical	40	1.00	-	39.10	9.93	41.76
AV	11.91G	42.43	54.00	-11.57	35.85	3	Vertical	163	1.00	-	39.10	10.22	42.74
PK	11.91G	54.86	74.00	-19.14	48.28	3	Vertical	163	1.00	-	39.10	10.22	42.74

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.62	54.00	-13.38	33.04	3	Horizontal	26	1.00	-	39.09	9.67	41.18
PK	9.394G	53.64	74.00	-20.36	46.06	3	Horizontal	26	1.00	-	39.09	9.67	41.18
AV	10G	42.18	68.20	-26.02	34.91	3	Horizontal	44	1.93	-	39.10	9.93	41.76
PK	10G	54.86	88.20	-33.34	47.59	3	Horizontal	44	1.93	-	39.10	9.93	41.76
AV	12.35G	42.13	54.00	-11.87	35.63	3	Horizontal	88	1.00	-	39.30	10.31	43.11
PK	12.35G	54.53	74.00	-19.47	48.03	3	Horizontal	88	1.00	-	39.30	10.31	43.11

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.43	54.00	-13.57	32.85	3	Vertical	58	1.00	-	39.09	9.67	41.18
PK	9.394G	53.64	74.00	-20.36	46.06	3	Vertical	58	1.00	-	39.09	9.67	41.18
AV	10G	41.02	68.20	-27.18	33.75	3	Vertical	51	1.00	-	39.10	9.93	41.76
PK	10G	53.64	88.20	-34.56	46.37	3	Vertical	51	1.00	-	39.10	9.93	41.76
AV	12.35G	42.64	54.00	-11.36	36.14	3	Vertical	160	1.00	-	39.30	10.31	43.11
PK	12.35G	54.87	74.00	-19.13	48.37	3	Vertical	160	1.00	-	39.30	10.31	43.11

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.44	54.00	-13.56	32.86	3	Horizontal	23	1.00	-	39.09	9.67	41.18
PK	9.394G	53.64	74.00	-20.36	46.06	3	Horizontal	23	1.00	-	39.09	9.67	41.18
AV	10G	42.02	68.20	-26.18	34.75	3	Horizontal	45	1.93	-	39.10	9.93	41.76
PK	10G	54.65	88.20	-33.55	47.38	3	Horizontal	45	1.93	-	39.10	9.93	41.76
AV	12.83G	42.03	68.20	-26.17	35.52	3	Horizontal	79	1.00	-	39.66	10.45	43.60
PK	12.83G	55.42	88.20	-32.78	48.91	3	Horizontal	79	1.00	-	39.66	10.45	43.60

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.18	54.00	-13.82	32.60	3	Vertical	45	1.00	-	39.09	9.67	41.18
PK	9.394G	53.21	74.00	-20.79	45.63	3	Vertical	45	1.00	-	39.09	9.67	41.18
AV	10G	40.62	68.20	-27.58	33.35	3	Vertical	61	1.00	-	39.10	9.93	41.76
PK	10G	53.94	88.20	-34.26	46.67	3	Vertical	61	1.00	-	39.10	9.93	41.76
AV	12.83G	42.31	68.20	-25.89	35.80	3	Vertical	164	1.00	-	39.66	10.45	43.60
PK	12.83G	55.79	88.20	-32.41	49.28	3	Vertical	164	1.00	-	39.66	10.45	43.60



6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.68	54.00	-13.32	33.10	3	Horizontal	29	1.00	-	39.09	9.67	41.18
PK	9.394G	53.77	74.00	-20.23	46.19	3	Horizontal	29	1.00	-	39.09	9.67	41.18
AV	10G	42.02	68.20	-26.18	34.75	3	Horizontal	41	1.96	-	39.10	9.93	41.76
PK	10G	54.66	88.20	-33.54	47.39	3	Horizontal	41	1.96	-	39.10	9.93	41.76
AV	12.87G	42.11	68.20	-26.09	35.58	3	Horizontal	81	1.00	-	39.70	10.47	43.64
PK	12.87G	55.42	88.20	-32.78	48.89	3	Horizontal	81	1.00	-	39.70	10.47	43.64

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.33	54.00	-13.67	32.75	3	Vertical	52	1.00	-	39.09	9.67	41.18
PK	9.394G	53.38	74.00	-20.62	45.80	3	Vertical	52	1.00	-	39.09	9.67	41.18
AV	10G	40.64	68.20	-27.56	33.37	3	Vertical	41	1.00	-	39.10	9.93	41.76
PK	10G	53.43	88.20	-34.77	46.16	3	Vertical	41	1.00	-	39.10	9.93	41.76
AV	12.87G	42.54	68.20	-25.66	36.01	3	Vertical	157	1.00	-	39.70	10.47	43.64
PK	12.87G	56.02	88.20	-32.18	49.49	3	Vertical	157	1.00	-	39.70	10.47	43.64

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.21	54.00	-13.79	32.63	3	Horizontal	22	1.00	-	39.09	9.67	41.18
PK	9.394G	53.43	74.00	-20.57	45.85	3	Horizontal	22	1.00	-	39.09	9.67	41.18
AV	10G	42.42	68.20	-25.78	35.15	3	Horizontal	41	1.93	-	39.10	9.93	41.76
PK	10G	54.86	88.20	-33.34	47.59	3	Horizontal	41	1.93	-	39.10	9.93	41.76
AV	12.95G	42.06	68.20	-26.14	35.50	3	Horizontal	56	1.00	-	39.80	10.49	43.73
PK	12.95G	54.63	88.20	-33.57	48.07	3	Horizontal	56	1.00	-	39.80	10.49	43.73



6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.33	54.00	-13.67	32.75	3	Vertical	45	1.00	-	39.09	9.67	41.18
PK	9.394G	53.26	74.00	-20.74	45.68	3	Vertical	45	1.00	-	39.09	9.67	41.18
AV	10G	40.54	68.20	-27.66	33.27	3	Vertical	40	1.00	-	39.10	9.93	41.76
PK	10G	53.46	88.20	-34.74	46.19	3	Vertical	40	1.00	-	39.10	9.93	41.76
AV	12.95G	42.43	68.20	-25.77	35.87	3	Vertical	162	1.00	-	39.80	10.49	43.73
PK	12.95G	55.02	88.20	-33.18	48.46	3	Vertical	162	1.00	-	39.80	10.49	43.73

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.36	54.00	-13.64	32.78	3	Horizontal	26	1.00	-	39.09	9.67	41.18
PK	9.394G	53.42	74.00	-20.58	45.84	3	Horizontal	26	1.00	-	39.09	9.67	41.18
AV	10G	42.15	68.20	-26.05	34.88	3	Horizontal	46	1.93	-	39.10	9.93	41.76
PK	10G	54.68	88.20	-33.52	47.41	3	Horizontal	46	1.93	-	39.10	9.93	41.76
AV	13.03G	41.42	68.20	-26.78	35.14	3	Horizontal	78	1.00	-	39.58	10.52	43.82
PK	13.03G	54.42	88.20	-33.78	48.14	3	Horizontal	78	1.00	-	39.58	10.52	43.82

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.41	54.00	-13.59	32.83	3	Vertical	52	1.00	-	39.09	9.67	41.18
PK	9.394G	53.77	74.00	-20.23	46.19	3	Vertical	52	1.00	-	39.09	9.67	41.18
AV	10G	40.55	68.20	-27.65	33.28	3	Vertical	42	1.00	-	39.10	9.93	41.76
PK	10G	53.43	88.20	-34.77	46.16	3	Vertical	42	1.00	-	39.10	9.93	41.76
AV	13.03G	42.01	68.20	-26.19	35.73	3	Vertical	166	1.00	-	39.58	10.52	43.82
PK	13.03G	54.76	88.20	-33.44	48.48	3	Vertical	166	1.00	-	39.58	10.52	43.82

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.22	54.00	-13.78	32.64	3	Horizontal	25	1.00	-	39.09	9.67	41.18
PK	9.394G	53.33	74.00	-20.67	45.75	3	Horizontal	25	1.00	-	39.09	9.67	41.18
AV	10G	41.76	68.20	-26.44	34.49	3	Horizontal	42	1.95	-	39.10	9.93	41.76
PK	10G	54.43	88.20	-33.77	47.16	3	Horizontal	42	1.95	-	39.10	9.93	41.76
AV	13.07G	41.48	68.20	-26.72	35.36	3	Horizontal	85	1.00	-	39.46	10.53	43.87
PK	13.07G	55.02	88.20	-33.18	48.90	3	Horizontal	85	1.00	-	39.46	10.53	43.87

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.46	54.00	-13.54	32.88	3	Vertical	38	1.00	-	39.09	9.67	41.18
PK	9.394G	53.42	74.00	-20.58	45.84	3	Vertical	38	1.00	-	39.09	9.67	41.18
AV	10G	40.62	68.20	-27.58	33.35	3	Vertical	35	1.00	-	39.10	9.93	41.76
PK	10G	53.64	88.20	-34.56	46.37	3	Vertical	35	1.00	-	39.10	9.93	41.76
AV	13.07G	41.97	68.20	-26.23	35.85	3	Vertical	161	1.00	-	39.46	10.53	43.87
PK	13.07G	55.62	88.20	-32.58	49.50	3	Vertical	161	1.00	-	39.46	10.53	43.87

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6715MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.44	54.00	-13.56	32.86	3	Horizontal	25	1.00	-	39.09	9.67	41.18
PK	9.394G	53.46	74.00	-20.54	45.88	3	Horizontal	25	1.00	-	39.09	9.67	41.18
AV	10G	42.08	68.20	-26.12	34.81	3	Horizontal	42	1.95	-	39.10	9.93	41.76
PK	10G	54.55	88.20	-33.65	47.28	3	Horizontal	42	1.95	-	39.10	9.93	41.76
AV	13.43G	42.64	68.20	-25.56	36.37	3	Horizontal	82	1.00	-	40.02	10.61	44.36
PK	13.43G	56.89	88.20	-31.31	50.62	3	Horizontal	82	1.00	-	40.02	10.61	44.36

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6715MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.31	54.00	-13.69	32.73	3	Vertical	52	1.00	-	39.09	9.67	41.18
PK	9.394G	53.33	74.00	-20.67	45.75	3	Vertical	52	1.00	-	39.09	9.67	41.18
AV	10G	40.42	68.20	-27.78	33.15	3	Vertical	43	1.00	-	39.10	9.93	41.76
PK	10G	53.42	88.20	-34.78	46.15	3	Vertical	43	1.00	-	39.10	9.93	41.76
AV	13.43G	42.86	68.20	-25.34	36.59	3	Vertical	162	1.00	-	40.02	10.61	44.36
PK	13.43G	56.86	88.20	-31.34	50.59	3	Vertical	162	1.00	-	40.02	10.61	44.36

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.28	54.00	-13.72	32.70	3	Horizontal	26	1.00	-	39.09	9.67	41.18
PK	9.394G	53.52	74.00	-20.48	45.94	3	Horizontal	26	1.00	-	39.09	9.67	41.18
AV	10G	41.88	68.20	-26.32	34.61	3	Horizontal	40	1.96	-	39.10	9.93	41.76
PK	10G	54.41	88.20	-33.79	47.14	3	Horizontal	40	1.96	-	39.10	9.93	41.76
AV	13.71G	42.86	68.20	-25.34	36.50	3	Horizontal	78	1.00	-	40.30	10.68	44.62
PK	13.71G	56.64	88.20	-31.56	50.28	3	Horizontal	78	1.00	-	40.30	10.68	44.62



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.34	54.00	-13.66	32.76	3	Vertical	45	1.00	-	39.09	9.67	41.18
PK	9.394G	53.38	74.00	-20.62	45.80	3	Vertical	45	1.00	-	39.09	9.67	41.18
AV	10G	40.48	68.20	-27.72	33.21	3	Vertical	42	1.00	-	39.10	9.93	41.76
PK	10G	53.54	88.20	-34.66	46.27	3	Vertical	42	1.00	-	39.10	9.93	41.76
AV	13.71G	43.02	68.20	-25.18	36.66	3	Vertical	163	1.00	-	40.30	10.68	44.62
PK	13.71G	57.22	88.20	-30.98	50.86	3	Vertical	163	1.00	-	40.30	10.68	44.62

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.42	54.00	-13.58	32.84	3	Horizontal	28	1.00	-	39.09	9.67	41.18
PK	9.394G	53.51	74.00	-20.49	45.93	3	Horizontal	28	1.00	-	39.09	9.67	41.18
AV	10G	41.75	68.20	-26.45	34.48	3	Horizontal	35	1.93	-	39.10	9.93	41.76
PK	10G	54.42	88.20	-33.78	47.15	3	Horizontal	35	1.93	-	39.10	9.93	41.76
AV	13.75G	43.15	68.20	-25.05	36.81	3	Horizontal	60	1.00	-	40.30	10.70	44.66
PK	13.75G	56.22	88.20	-31.98	49.88	3	Horizontal	60	1.00	-	40.30	10.70	44.66



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.25	54.00	-13.75	32.67	3	Vertical	48	1.00	-	39.09	9.67	41.18
PK	9.394G	53.31	74.00	-20.69	45.73	3	Vertical	48	1.00	-	39.09	9.67	41.18
AV	10G	40.68	68.20	-27.52	33.41	3	Vertical	51	1.00	-	39.10	9.93	41.76
PK	10G	53.62	88.20	-34.58	46.35	3	Vertical	51	1.00	-	39.10	9.93	41.76
AV	13.75G	43.45	68.20	-24.75	37.11	3	Vertical	79	1.00	-	40.30	10.70	44.66
PK	13.75G	56.43	88.20	-31.77	50.09	3	Vertical	79	1.00	-	40.30	10.70	44.66

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.29	54.00	-13.71	32.71	3	Horizontal	28	1.00	-	39.09	9.67	41.18
PK	9.394G	53.51	74.00	-20.49	45.93	3	Horizontal	28	1.00	-	39.09	9.67	41.18
AV	10G	42.02	68.20	-26.18	34.75	3	Horizontal	42	1.96	-	39.10	9.93	41.76
PK	10G	54.62	88.20	-33.58	47.35	3	Horizontal	42	1.96	-	39.10	9.93	41.76
AV	13.79G	43.58	68.20	-24.62	37.18	3	Horizontal	105	1.00	-	40.38	10.71	44.69
PK	13.79G	56.45	88.20	-31.75	50.05	3	Horizontal	105	1.00	-	40.38	10.71	44.69



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.48	54.00	-13.52	32.90	3	Vertical	60	1.00	-	39.09	9.67	41.18
PK	9.394G	53.49	74.00	-20.51	45.91	3	Vertical	60	1.00	-	39.09	9.67	41.18
AV	10G	40.62	68.20	-27.58	33.35	3	Vertical	45	1.00	-	39.10	9.93	41.76
PK	10G	53.43	88.20	-34.77	46.16	3	Vertical	45	1.00	-	39.10	9.93	41.76
AV	13.79G	43.45	68.20	-24.75	37.05	3	Vertical	149	1.00	-	40.38	10.71	44.69
PK	13.79G	57.12	88.20	-31.08	50.72	3	Vertical	149	1.00	-	40.38	10.71	44.69

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7015MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.15	54.00	-13.85	32.57	3	Horizontal	27	1.00	-	39.09	9.67	41.18
PK	9.394G	53.42	74.00	-20.58	45.84	3	Horizontal	27	1.00	-	39.09	9.67	41.18
AV	10G	42.02	68.20	-26.18	34.75	3	Horizontal	45	1.93	-	39.10	9.93	41.76
PK	10G	54.62	88.20	-33.58	47.35	3	Horizontal	45	1.93	-	39.10	9.93	41.76
AV	14.03G	44.55	68.20	-23.65	37.61	3	Horizontal	51	1.00	-	41.06	10.77	44.89
PK	14.03G	57.13	88.20	-31.07	50.19	3	Horizontal	51	1.00	-	41.06	10.77	44.89



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7015MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.42	54.00	-13.58	32.84	3	Vertical	48	1.00	-	39.09	9.67	41.18
PK	9.394G	53.64	74.00	-20.36	46.06	3	Vertical	48	1.00	-	39.09	9.67	41.18
AV	10G	40.51	68.20	-27.69	33.24	3	Vertical	52	1.00	-	39.10	9.93	41.76
PK	10G	53.42	88.20	-34.78	46.15	3	Vertical	52	1.00	-	39.10	9.93	41.76
AV	14.03G	44.42	68.20	-23.78	37.48	3	Vertical	61	1.00	-	41.06	10.77	44.89
PK	14.03G	57.22	88.20	-30.98	50.28	3	Vertical	61	1.00	-	41.06	10.77	44.89

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.51	54.00	-13.49	32.93	3	Horizontal	28	1.00	-	39.09	9.67	41.18
PK	9.394G	53.71	74.00	-20.29	46.13	3	Horizontal	28	1.00	-	39.09	9.67	41.18
AV	10G	42.02	68.20	-26.18	34.75	3	Horizontal	43	1.96	-	39.10	9.93	41.76
PK	10G	54.79	88.20	-33.41	47.52	3	Horizontal	43	1.96	-	39.10	9.93	41.76
AV	14.19G	44.38	68.20	-23.82	37.02	3	Horizontal	72	1.00	-	41.56	10.83	45.03
PK	14.19G	58.03	88.20	-30.17	50.67	3	Horizontal	72	1.00	-	41.56	10.83	45.03

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.31	54.00	-13.69	32.73	3	Vertical	51	1.00	-	39.09	9.67	41.18
PK	9.394G	53.48	74.00	-20.52	45.90	3	Vertical	51	1.00	-	39.09	9.67	41.18
AV	10G	41.16	68.20	-27.04	33.89	3	Vertical	42	1.00	-	39.10	9.93	41.76
PK	10G	53.54	88.20	-34.66	46.27	3	Vertical	42	1.00	-	39.10	9.93	41.76
AV	14.19G	44.41	68.20	-23.79	37.05	3	Vertical	80	1.00	-	41.56	10.83	45.03
PK	14.19G	58.09	88.20	-30.11	50.73	3	Vertical	80	1.00	-	41.56	10.83	45.03

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.45	54.00	-13.55	32.87	3	Horizontal	32	1.00	-	39.09	9.67	41.18
PK	9.394G	53.42	74.00	-20.58	45.84	3	Horizontal	32	1.00	-	39.09	9.67	41.18
AV	10G	41.87	68.20	-26.33	34.60	3	Horizontal	38	1.93	-	39.10	9.93	41.76
PK	10G	54.76	88.20	-33.44	47.49	3	Horizontal	38	1.93	-	39.10	9.93	41.76
AV	14.23G	44.67	68.20	-23.53	37.29	3	Horizontal	61	1.00	-	41.60	10.84	45.06
PK	14.23G	57.33	88.20	-30.87	49.95	3	Horizontal	61	1.00	-	41.60	10.84	45.06

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7115MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.43	54.00	-13.57	32.85	3	Vertical	60	1.00	-	39.09	9.67	41.18
PK	9.394G	53.61	74.00	-20.39	46.03	3	Vertical	60	1.00	-	39.09	9.67	41.18
AV	10G	41.21	68.20	-26.99	33.94	3	Vertical	44	1.00	-	39.10	9.93	41.76
PK	10G	53.89	88.20	-34.31	46.62	3	Vertical	44	1.00	-	39.10	9.93	41.76
AV	14.23G	44.86	68.20	-23.34	37.48	3	Vertical	76	1.00	-	41.60	10.84	45.06
PK	14.23G	57.49	88.20	-30.71	50.11	3	Vertical	76	1.00	-	41.60	10.84	45.06



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.33	54.00	-13.67	32.75	3	Horizontal	30	1.00	-	39.09	9.67	41.18
PK	9.394G	53.48	74.00	-20.52	45.90	3	Horizontal	30	1.00	-	39.09	9.67	41.18
AV	10G	41.96	68.20	-26.24	34.69	3	Horizontal	44	1.95	-	39.10	9.93	41.76
PK	10G	56.62	88.20	-31.58	49.35	3	Horizontal	44	1.95	-	39.10	9.93	41.76
AV	11.93G	42.15	54.00	-11.85	35.57	3	Horizontal	85	1.00	-	39.10	10.22	42.74
PK	11.93G	54.59	74.00	-19.41	48.01	3	Horizontal	85	1.00	-	39.10	10.22	42.74



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.38	54.00	-13.62	32.80	3	Vertical	59	1.00	-	39.09	9.67	41.18
PK	9.394G	53.21	74.00	-20.79	45.63	3	Vertical	59	1.00	-	39.09	9.67	41.18
AV	10G	40.42	68.20	-27.78	33.15	3	Vertical	38	1.00	-	39.10	9.93	41.76
PK	10G	53.65	88.20	-34.55	46.38	3	Vertical	38	1.00	-	39.10	9.93	41.76
AV	11.93G	42.29	54.00	-11.71	35.71	3	Vertical	168	1.00	-	39.10	10.22	42.74
PK	11.93G	54.75	74.00	-19.25	48.17	3	Vertical	168	1.00	-	39.10	10.22	42.74



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6165MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.41	54.00	-13.59	32.83	3	Horizontal	31	1.00	-	39.09	9.67	41.18
PK	9.394G	53.56	74.00	-20.44	45.98	3	Horizontal	31	1.00	-	39.09	9.67	41.18
AV	10G	42.06	68.20	-26.14	34.79	3	Horizontal	42	1.93	-	39.10	9.93	41.76
PK	10G	54.65	88.20	-33.55	47.38	3	Horizontal	42	1.93	-	39.10	9.93	41.76
AV	12.33G	41.94	54.00	-12.06	35.35	3	Horizontal	86	1.00	-	39.38	10.30	43.09
PK	12.33G	54.32	74.00	-19.68	47.73	3	Horizontal	86	1.00	-	39.38	10.30	43.09



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.52	54.00	-13.48	32.94	3	Vertical	66	1.00	-	39.09	9.67	41.18
PK	9.394G	53.61	74.00	-20.39	46.03	3	Vertical	66	1.00	-	39.09	9.67	41.18
AV	10G	41.15	68.20	-27.05	33.88	3	Vertical	48	1.00	-	39.10	9.93	41.76
PK	10G	53.50	88.20	-34.70	46.23	3	Vertical	48	1.00	-	39.10	9.93	41.76
AV	12.33G	42.43	54.00	-11.57	35.84	3	Vertical	163	1.00	-	39.38	10.30	43.09
PK	12.33G	55.02	74.00	-18.98	48.43	3	Vertical	163	1.00	-	39.38	10.30	43.09

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.48	54.00	-13.52	32.90	3	Horizontal	22	1.00	-	39.09	9.67	41.18
PK	9.394G	53.78	74.00	-20.22	46.20	3	Horizontal	22	1.00	-	39.09	9.67	41.18
AV	10G	42.12	68.20	-26.08	34.85	3	Horizontal	38	1.95	-	39.10	9.93	41.76
PK	10G	54.67	88.20	-33.53	47.40	3	Horizontal	38	1.95	-	39.10	9.93	41.76
AV	12.81G	41.89	68.20	-26.31	35.40	3	Horizontal	75	1.00	-	39.62	10.45	43.58
PK	12.81G	55.26	88.20	-32.94	48.77	3	Horizontal	75	1.00	-	39.62	10.45	43.58

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.05	54.00	-13.95	32.47	3	Vertical	52	1.00	-	39.09	9.67	41.18
PK	9.394G	53.02	74.00	-20.98	45.44	3	Vertical	52	1.00	-	39.09	9.67	41.18
AV	10G	40.42	68.20	-27.78	33.15	3	Vertical	58	1.00	-	39.10	9.93	41.76
PK	10G	54.13	88.20	-34.07	46.86	3	Vertical	58	1.00	-	39.10	9.93	41.76
AV	12.81G	42.03	68.20	-26.17	35.54	3	Vertical	163	1.00	-	39.62	10.45	43.58
PK	12.81G	55.45	88.20	-32.75	48.96	3	Vertical	163	1.00	-	39.62	10.45	43.58



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.42	54.00	-13.58	32.84	3	Horizontal	29	1.00	-	39.09	9.67	41.18
PK	9.394G	53.56	74.00	-20.44	45.98	3	Horizontal	29	1.00	-	39.09	9.67	41.18
AV	10G	41.65	68.20	-26.55	34.38	3	Horizontal	45	1.92	-	39.10	9.93	41.76
PK	10G	54.53	88.20	-33.67	47.26	3	Horizontal	45	1.92	-	39.10	9.93	41.76
AV	12.89G	41.76	68.20	-26.44	35.26	3	Horizontal	79	1.00	-	39.70	10.47	43.67
PK	12.89G	55.25	88.20	-32.95	48.75	3	Horizontal	79	1.00	-	39.70	10.47	43.67

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.15	54.00	-13.85	32.57	3	Vertical	39	1.00	-	39.09	9.67	41.18
PK	9.394G	53.15	74.00	-20.85	45.57	3	Vertical	39	1.00	-	39.09	9.67	41.18
AV	10G	40.48	68.20	-27.72	33.21	3	Vertical	35	1.00	-	39.10	9.93	41.76
PK	10G	53.26	88.20	-34.94	45.99	3	Vertical	35	1.00	-	39.10	9.93	41.76
AV	12.89G	42.32	68.20	-25.88	35.82	3	Vertical	158	1.00	-	39.70	10.47	43.67
PK	12.89G	55.88	88.20	-32.32	49.38	3	Vertical	158	1.00	-	39.70	10.47	43.67



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.02	54.00	-13.98	32.44	3	Horizontal	26	1.00	-	39.09	9.67	41.18
PK	9.394G	53.30	74.00	-20.70	45.72	3	Horizontal	26	1.00	-	39.09	9.67	41.18
AV	10G	42.25	68.20	-25.95	34.98	3	Horizontal	44	1.93	-	39.10	9.93	41.76
PK	10G	55.13	88.20	-33.07	47.86	3	Horizontal	44	1.93	-	39.10	9.93	41.76
AV	12.97G	42.06	68.20	-26.14	35.55	3	Horizontal	67	1.00	-	39.76	10.50	43.75
PK	12.97G	54.46	88.20	-33.74	47.95	3	Horizontal	67	1.00	-	39.76	10.50	43.75



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.42	54.00	-13.58	32.84	3	Vertical	39	1.00	-	39.09	9.67	41.18
PK	9.394G	53.45	74.00	-20.55	45.87	3	Vertical	39	1.00	-	39.09	9.67	41.18
AV	10G	40.25	68.20	-27.95	32.98	3	Vertical	27	1.00	-	39.10	9.93	41.76
PK	10G	53.12	88.20	-35.08	45.85	3	Vertical	27	1.00	-	39.10	9.93	41.76
AV	12.97G	42.22	68.20	-25.98	35.71	3	Vertical	162	1.00	-	39.76	10.50	43.75
PK	12.97G	55.15	88.20	-33.05	48.64	3	Vertical	162	1.00	-	39.76	10.50	43.75



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.13	54.00	-13.87	32.55	3	Horizontal	35	1.00	-	39.09	9.67	41.18
PK	9.394G	53.26	74.00	-20.74	45.68	3	Horizontal	35	1.00	-	39.09	9.67	41.18
AV	10G	42.25	68.20	-25.95	34.98	3	Horizontal	45	1.95	-	39.10	9.93	41.76
PK	10G	54.29	88.20	-33.91	47.02	3	Horizontal	45	1.95	-	39.10	9.93	41.76
AV	13.05G	41.29	68.20	-26.91	35.12	3	Horizontal	77	1.00	-	39.50	10.52	43.85
PK	13.05G	54.13	88.20	-34.07	47.96	3	Horizontal	77	1.00	-	39.50	10.52	43.85



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.28	54.00	-13.72	32.70	3	Vertical	36	1.00	-	39.09	9.67	41.18
PK	9.394G	53.56	74.00	-20.44	45.98	3	Vertical	36	1.00	-	39.09	9.67	41.18
AV	10G	40.42	68.20	-27.78	33.15	3	Vertical	32	1.00	-	39.10	9.93	41.76
PK	10G	53.31	88.20	-34.89	46.04	3	Vertical	32	1.00	-	39.10	9.93	41.76
AV	13.05G	41.94	68.20	-26.26	35.77	3	Vertical	171	1.00	-	39.50	10.52	43.85
PK	13.05G	54.53	88.20	-33.67	48.36	3	Vertical	171	1.00	-	39.50	10.52	43.85



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.32	54.00	-13.68	32.74	3	Horizontal	31	1.00	-	39.09	9.67	41.18
PK	9.394G	53.55	74.00	-20.45	45.97	3	Horizontal	31	1.00	-	39.09	9.67	41.18
AV	10G	41.86	68.20	-26.34	34.59	3	Horizontal	45	1.96	-	39.10	9.93	41.76
PK	10G	54.33	88.20	-33.87	47.06	3	Horizontal	45	1.96	-	39.10	9.93	41.76
AV	13.13G	41.75	68.20	-26.45	35.58	3	Horizontal	86	1.00	-	39.58	10.54	43.95
PK	13.13G	55.21	88.20	-32.99	49.04	3	Horizontal	86	1.00	-	39.58	10.54	43.95

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.29	54.00	-13.71	32.71	3	Vertical	42	1.00	-	39.09	9.67	41.18
PK	9.394G	53.45	74.00	-20.55	45.87	3	Vertical	42	1.00	-	39.09	9.67	41.18
AV	10G	40.53	68.20	-27.67	33.26	3	Vertical	40	1.00	-	39.10	9.93	41.76
PK	10G	53.54	88.20	-34.66	46.27	3	Vertical	40	1.00	-	39.10	9.93	41.76
AV	13.13G	41.86	68.20	-26.34	35.69	3	Vertical	157	1.00	-	39.58	10.54	43.95
PK	13.13G	55.43	88.20	-32.77	49.26	3	Vertical	157	1.00	-	39.58	10.54	43.95

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6725MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.26	54.00	-13.74	32.68	3	Horizontal	25	1.00	-	39.09	9.67	41.18
PK	9.394G	53.31	74.00	-20.69	45.73	3	Horizontal	25	1.00	-	39.09	9.67	41.18
AV	10G	41.78	68.20	-26.42	34.51	3	Horizontal	45	1.96	-	39.10	9.93	41.76
PK	10G	54.39	88.20	-33.81	47.12	3	Horizontal	45	1.96	-	39.10	9.93	41.76
AV	13.45G	42.52	68.20	-25.68	36.18	3	Horizontal	77	1.00	-	40.10	10.62	44.38
PK	13.45G	56.68	88.20	-31.52	50.34	3	Horizontal	77	1.00	-	40.10	10.62	44.38



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6725MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.13	54.00	-13.87	32.55	3	Vertical	48	1.00	-	39.09	9.67	41.18
PK	9.394G	53.42	74.00	-20.58	45.84	3	Vertical	48	1.00	-	39.09	9.67	41.18
AV	10G	40.45	68.20	-27.75	33.18	3	Vertical	46	1.00	-	39.10	9.93	41.76
PK	10G	53.65	88.20	-34.55	46.38	3	Vertical	46	1.00	-	39.10	9.93	41.76
AV	13.45G	42.72	68.20	-25.48	36.38	3	Vertical	159	1.00	-	40.10	10.62	44.38
PK	13.45G	56.78	88.20	-31.42	50.44	3	Vertical	159	1.00	-	40.10	10.62	44.38

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.13	54.00	-13.87	32.55	3	Horizontal	31	1.00	-	39.09	9.67	41.18
PK	9.394G	53.23	74.00	-20.77	45.65	3	Horizontal	31	1.00	-	39.09	9.67	41.18
AV	10G	42.15	68.20	-26.05	34.88	3	Horizontal	45	1.96	-	39.10	9.93	41.76
PK	10G	54.45	88.20	-33.75	47.18	3	Horizontal	45	1.96	-	39.10	9.93	41.76
AV	13.69G	42.75	68.20	-25.45	36.40	3	Horizontal	75	1.00	-	40.28	10.68	44.61
PK	13.69G	56.62	88.20	-31.58	50.27	3	Horizontal	75	1.00	-	40.28	10.68	44.61

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.22	54.00	-13.78	32.64	3	Vertical	43	1.00	-	39.09	9.67	41.18
PK	9.394G	53.54	74.00	-20.46	45.96	3	Vertical	43	1.00	-	39.09	9.67	41.18
AV	10G	40.32	68.20	-27.88	33.05	3	Vertical	39	1.00	-	39.10	9.93	41.76
PK	10G	53.43	88.20	-34.77	46.16	3	Vertical	39	1.00	-	39.10	9.93	41.76
AV	13.69G	43.15	68.20	-25.05	36.80	3	Vertical	168	1.00	-	40.28	10.68	44.61
PK	13.69G	57.02	88.20	-31.18	50.67	3	Vertical	168	1.00	-	40.28	10.68	44.61

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.21	54.00	-13.79	32.63	3	Horizontal	32	1.00	-	39.09	9.67	41.18
PK	9.394G	53.79	74.00	-20.21	46.21	3	Horizontal	32	1.00	-	39.09	9.67	41.18
AV	10G	41.83	68.20	-26.37	34.56	3	Horizontal	42	1.90	-	39.10	9.93	41.76
PK	10G	54.51	88.20	-33.69	47.24	3	Horizontal	42	1.90	-	39.10	9.93	41.76
AV	13.77G	42.96	68.20	-25.24	36.59	3	Horizontal	60	1.00	-	40.34	10.70	44.67
PK	13.77G	56.41	88.20	-31.79	50.04	3	Horizontal	60	1.00	-	40.34	10.70	44.67

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.15	54.00	-13.85	32.57	3	Vertical	53	1.00	-	39.09	9.67	41.18
PK	9.394G	53.42	74.00	-20.58	45.84	3	Vertical	53	1.00	-	39.09	9.67	41.18
AV	10G	40.58	68.20	-27.62	33.31	3	Vertical	42	1.00	-	39.10	9.93	41.76
PK	10G	53.64	88.20	-34.56	46.37	3	Vertical	42	1.00	-	39.10	9.93	41.76
AV	13.77G	43.29	68.20	-24.91	36.92	3	Vertical	75	1.00	-	40.34	10.70	44.67
PK	13.77G	56.21	88.20	-31.99	49.84	3	Vertical	75	1.00	-	40.34	10.70	44.67

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.41	54.00	-13.59	32.83	3	Horizontal	26	1.00	-	39.09	9.67	41.18
PK	9.394G	53.67	74.00	-20.33	46.09	3	Horizontal	26	1.00	-	39.09	9.67	41.18
AV	10G	42.12	68.20	-26.08	34.85	3	Horizontal	44	1.95	-	39.10	9.93	41.76
PK	10G	54.65	88.20	-33.55	47.38	3	Horizontal	44	1.95	-	39.10	9.93	41.76
AV	13.85G	43.43	68.20	-24.77	37.05	3	Horizontal	102	1.00	-	40.40	10.72	44.74
PK	13.85G	53.62	88.20	-34.58	47.24	3	Horizontal	102	1.00	-	40.40	10.72	44.74

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.21	54.00	-13.79	32.63	3	Vertical	58	1.00	-	39.09	9.67	41.18
PK	9.394G	53.42	74.00	-20.58	45.84	3	Vertical	58	1.00	-	39.09	9.67	41.18
AV	10G	40.62	68.20	-27.58	33.35	3	Vertical	42	1.00	-	39.10	9.93	41.76
PK	10G	53.65	88.20	-34.55	46.38	3	Vertical	42	1.00	-	39.10	9.93	41.76
AV	13.85G	43.33	68.20	-24.87	36.95	3	Vertical	153	1.00	-	40.40	10.72	44.74
PK	13.85G	56.89	88.20	-31.31	50.51	3	Vertical	153	1.00	-	40.40	10.72	44.74



6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.29	54.00	-13.71	32.71	3	Horizontal	35	1.00	-	39.09	9.67	41.18
PK	9.394G	53.45	74.00	-20.55	45.87	3	Horizontal	35	1.00	-	39.09	9.67	41.18
AV	10G	42.01	68.20	-26.19	34.74	3	Horizontal	46	1.96	-	39.10	9.93	41.76
PK	10G	54.87	88.20	-33.33	47.60	3	Horizontal	46	1.96	-	39.10	9.93	41.76
AV	14.01G	44.55	68.20	-23.65	37.64	3	Horizontal	55	1.00	-	41.02	10.76	44.87
PK	14.01G	57.23	88.20	-30.97	50.32	3	Horizontal	55	1.00	-	41.02	10.76	44.87

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.31	54.00	-13.69	32.73	3	Vertical	61	1.00	-	39.09	9.67	41.18
PK	9.394G	53.79	74.00	-20.21	46.21	3	Vertical	61	1.00	-	39.09	9.67	41.18
AV	10G	40.28	68.20	-27.92	33.01	3	Vertical	48	1.00	-	39.10	9.93	41.76
PK	10G	53.30	88.20	-34.90	46.03	3	Vertical	48	1.00	-	39.10	9.93	41.76
AV	14.01G	44.38	68.20	-23.82	37.47	3	Vertical	62	1.00	-	41.02	10.76	44.87
PK	14.01G	57.46	88.20	-30.74	50.55	3	Vertical	62	1.00	-	41.02	10.76	44.87

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.41	54.00	-13.59	32.83	3	Horizontal	29	1.00	-	39.09	9.67	41.18
PK	9.394G	53.55	74.00	-20.45	45.97	3	Horizontal	29	1.00	-	39.09	9.67	41.18
AV	10G	42.13	68.20	-26.07	34.86	3	Horizontal	41	1.93	-	39.10	9.93	41.76
PK	10G	54.45	88.20	-33.75	47.18	3	Horizontal	41	1.93	-	39.10	9.93	41.76
AV	14.17G	44.15	68.20	-24.05	36.86	3	Horizontal	69	1.00	-	41.48	10.82	45.01
PK	14.17G	57.86	88.20	-30.34	50.57	3	Horizontal	69	1.00	-	41.48	10.82	45.01

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.15	54.00	-13.85	32.57	3	Vertical	52	1.00	-	39.09	9.67	41.18
PK	9.394G	53.33	74.00	-20.67	45.75	3	Vertical	52	1.00	-	39.09	9.67	41.18
AV	10G	41.31	68.20	-26.89	34.04	3	Vertical	55	1.00	-	39.10	9.93	41.76
PK	10G	53.65	88.20	-34.55	46.38	3	Vertical	55	1.00	-	39.10	9.93	41.76
AV	14.17G	44.61	68.20	-23.59	37.32	3	Vertical	88	1.00	-	41.48	10.82	45.01
PK	14.17G	58.12	88.20	-30.08	50.83	3	Vertical	88	1.00	-	41.48	10.82	45.01

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.23	54.00	-13.77	32.65	3	Horizontal	25	1.00	-	39.09	9.67	41.18
PK	9.394G	53.60	74.00	-20.40	46.02	3	Horizontal	25	1.00	-	39.09	9.67	41.18
AV	10G	42.15	68.20	-26.05	34.88	3	Horizontal	41	1.96	-	39.10	9.93	41.76
PK	10G	56.78	88.20	-31.42	49.51	3	Horizontal	41	1.96	-	39.10	9.93	41.76
AV	11.97G	42.15	54.00	-11.85	35.49	3	Horizontal	77	1.00	-	39.18	10.23	42.75
PK	11.97G	54.56	74.00	-19.44	47.90	3	Horizontal	77	1.00	-	39.18	10.23	42.75

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.13	54.00	-13.87	32.55	3	Vertical	61	1.00	-	39.09	9.67	41.18
PK	9.394G	53.13	74.00	-20.87	45.55	3	Vertical	61	1.00	-	39.09	9.67	41.18
AV	10G	40.55	68.20	-27.65	33.28	3	Vertical	45	1.00	-	39.10	9.93	41.76
PK	10G	53.80	88.20	-34.40	46.53	3	Vertical	45	1.00	-	39.10	9.93	41.76
AV	11.97G	42.13	54.00	-11.87	35.47	3	Vertical	166	1.00	-	39.18	10.23	42.75
PK	11.97G	54.53	74.00	-19.47	47.87	3	Vertical	166	1.00	-	39.18	10.23	42.75



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.41	54.00	-13.59	32.83	3	Horizontal	22	1.00	-	39.09	9.67	41.18
PK	9.394G	53.43	74.00	-20.57	45.85	3	Horizontal	22	1.00	-	39.09	9.67	41.18
AV	10G	41.88	68.20	-26.32	34.61	3	Horizontal	43	1.93	-	39.10	9.93	41.76
PK	10G	54.62	88.20	-33.58	47.35	3	Horizontal	43	1.93	-	39.10	9.93	41.76
AV	12.29G	41.86	54.00	-12.14	35.14	3	Horizontal	89	1.00	-	39.48	10.29	43.05
PK	12.29G	54.02	74.00	-19.98	47.30	3	Horizontal	89	1.00	-	39.48	10.29	43.05



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.33	54.00	-13.67	32.75	3	Vertical	62	1.00	-	39.09	9.67	41.18
PK	9.394G	53.45	74.00	-20.55	45.87	3	Vertical	62	1.00	-	39.09	9.67	41.18
AV	10G	41.02	68.20	-27.18	33.75	3	Vertical	33	1.00	-	39.10	9.93	41.76
PK	10G	53.26	88.20	-34.94	45.99	3	Vertical	33	1.00	-	39.10	9.93	41.76
AV	12.29G	42.21	54.00	-11.79	35.49	3	Vertical	168	1.00	-	39.48	10.29	43.05
PK	12.29G	55.13	74.00	-18.87	48.41	3	Vertical	168	1.00	-	39.48	10.29	43.05

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.38	54.00	-13.62	32.80	3	Horizontal	26	1.00	-	39.09	9.67	41.18
PK	9.394G	53.65	74.00	-20.35	46.07	3	Horizontal	26	1.00	-	39.09	9.67	41.18
AV	10G	42.31	68.20	-25.89	35.04	3	Horizontal	44	1.96	-	39.10	9.93	41.76
PK	10G	54.62	88.20	-33.58	47.35	3	Horizontal	44	1.96	-	39.10	9.93	41.76
AV	12.77G	41.75	68.20	-26.45	35.44	3	Horizontal	68	1.00	-	39.42	10.43	43.54
PK	12.77G	55.13	88.20	-33.07	48.82	3	Horizontal	68	1.00	-	39.42	10.43	43.54



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.15	54.00	-13.85	32.57	3	Vertical	38	1.00	-	39.09	9.67	41.18
PK	9.394G	53.13	74.00	-20.87	45.55	3	Vertical	38	1.00	-	39.09	9.67	41.18
AV	10G	40.62	68.20	-27.58	33.35	3	Vertical	59	1.00	-	39.10	9.93	41.76
PK	10G	54.46	88.20	-33.74	47.19	3	Vertical	59	1.00	-	39.10	9.93	41.76
AV	12.77G	41.88	68.20	-26.32	35.57	3	Vertical	165	1.00	-	39.42	10.43	43.54
PK	12.77G	55.46	88.20	-32.74	49.15	3	Vertical	165	1.00	-	39.42	10.43	43.54

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.61	54.00	-13.39	33.03	3	Horizontal	42	1.00	-	39.09	9.67	41.18
PK	9.394G	53.78	74.00	-20.22	46.20	3	Horizontal	42	1.00	-	39.09	9.67	41.18
AV	10G	41.43	68.20	-26.77	34.16	3	Horizontal	44	1.95	-	39.10	9.93	41.76
PK	10G	54.62	88.20	-33.58	47.35	3	Horizontal	44	1.95	-	39.10	9.93	41.76
AV	12.93G	41.62	68.20	-26.58	35.08	3	Horizontal	79	1.00	-	39.76	10.49	43.71
PK	12.93G	55.42	88.20	-32.78	48.88	3	Horizontal	79	1.00	-	39.76	10.49	43.71

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.03	54.00	-13.97	32.45	3	Vertical	42	1.00	-	39.09	9.67	41.18
PK	9.394G	52.89	74.00	-21.11	45.31	3	Vertical	42	1.00	-	39.09	9.67	41.18
AV	10G	40.41	68.20	-27.79	33.14	3	Vertical	46	1.00	-	39.10	9.93	41.76
PK	10G	53.45	88.20	-34.75	46.18	3	Vertical	46	1.00	-	39.10	9.93	41.76
AV	12.93G	42.42	68.20	-25.78	35.88	3	Vertical	159	1.00	-	39.76	10.49	43.71
PK	12.93G	56.12	88.20	-32.08	49.58	3	Vertical	159	1.00	-	39.76	10.49	43.71

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	42.13	54.00	-11.87	34.55	3	Horizontal	31	1.00	-	39.09	9.67	41.18
PK	9.394G	53.42	74.00	-20.58	45.84	3	Horizontal	31	1.00	-	39.09	9.67	41.18
AV	10G	42.35	68.20	-25.85	35.08	3	Horizontal	42	1.95	-	39.10	9.93	41.76
PK	10G	54.42	88.20	-33.78	47.15	3	Horizontal	42	1.91	-	39.10	9.93	41.76
AV	13.09G	41.31	68.20	-26.89	35.26	3	Horizontal	65	1.00	-	39.42	10.53	43.90
PK	13.09G	54.26	88.20	-33.94	48.21	3	Horizontal	65	1.00	-	39.42	10.53	43.90

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.33	54.00	-13.67	32.75	3	Vertical	44	1.00	-	39.09	9.67	41.18
PK	9.394G	53.64	74.00	-20.36	46.06	3	Vertical	44	1.00	-	39.09	9.67	41.18
AV	10G	40.48	68.20	-27.72	33.21	3	Vertical	40	1.00	-	39.10	9.93	41.76
PK	10G	53.46	88.20	-34.74	46.19	3	Vertical	40	1.00	-	39.10	9.93	41.76
AV	13.09G	42.13	68.20	-26.07	36.08	3	Vertical	164	1.00	-	39.42	10.53	43.90
PK	13.09G	54.66	88.20	-33.54	48.61	3	Vertical	164	1.00	-	39.42	10.53	43.90



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.42	54.00	-13.58	32.84	3	Horizontal	29	1.00	-	39.09	9.67	41.18
PK	9.394G	53.64	74.00	-20.36	46.06	3	Horizontal	29	1.00	-	39.09	9.67	41.18
AV	10G	41.86	68.20	-26.34	34.59	3	Horizontal	45	1.91	-	39.10	9.93	41.76
PK	10G	54.54	88.20	-33.66	47.27	3	Horizontal	45	1.91	-	39.10	9.93	41.76
AV	13.25G	41.88	54.00	-12.12	35.83	3	Horizontal	88	1.00	-	39.60	10.57	44.12
PK	13.25G	55.43	74.00	-18.57	49.38	3	Horizontal	88	1.00	-	39.60	10.57	44.12



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.21	54.00	-13.79	32.63	3	Vertical	49	1.00	-	39.09	9.67	41.18
PK	9.394G	53.65	74.00	-20.35	46.07	3	Vertical	49	1.00	-	39.09	9.67	41.18
AV	10G	40.32	68.20	-27.88	33.05	3	Vertical	45	1.00	-	39.10	9.93	41.76
PK	10G	53.42	88.20	-34.78	46.15	3	Vertical	45	1.00	-	39.10	9.93	41.76
AV	13.25G	41.86	54.00	-12.14	35.81	3	Vertical	162	1.00	-	39.60	10.57	44.12
PK	13.25G	55.60	74.00	-18.40	49.55	3	Vertical	162	1.00	-	39.60	10.57	44.12



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.13	54.00	-13.87	32.55	3	Horizontal	28	1.00	-	39.09	9.67	41.18
PK	9.394G	53.13	74.00	-20.87	45.55	3	Horizontal	28	1.00	-	39.09	9.67	41.18
AV	10G	41.86	68.20	-26.34	34.59	3	Horizontal	45	1.96	-	39.10	9.93	41.76
PK	10G	54.42	88.20	-33.78	47.15	3	Horizontal	45	1.96	-	39.10	9.93	41.76
AV	13.41G	42.62	68.20	-25.58	36.40	3	Horizontal	68	1.00	-	39.94	10.61	44.33
PK	13.41G	56.65	88.20	-31.55	50.43	3	Horizontal	68	1.00	-	39.94	10.61	44.33



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.41	54.00	-13.59	32.83	3	Vertical	42	1.00	-	39.09	9.67	41.18
PK	9.394G	53.55	74.00	-20.45	45.97	3	Vertical	42	1.00	-	39.09	9.67	41.18
AV	10G	40.43	68.20	-27.77	33.16	3	Vertical	49	1.00	-	39.10	9.93	41.76
PK	10G	53.42	88.20	-34.78	46.15	3	Vertical	49	1.00	-	39.10	9.93	41.76
AV	13.41G	42.43	68.20	-25.77	36.21	3	Vertical	165	1.00	-	39.94	10.61	44.33
PK	13.41G	56.66	88.20	-31.54	50.44	3	Vertical	165	1.00	-	39.94	10.61	44.33



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.28	54.00	-13.72	32.70	3	Horizontal	28	1.00	-	39.09	9.67	41.18
PK	9.394G	53.64	74.00	-20.36	46.06	3	Horizontal	28	1.00	-	39.09	9.67	41.18
AV	10G	41.75	68.20	-26.45	34.48	3	Horizontal	42	1.92	-	39.10	9.93	41.76
PK	10G	54.53	88.20	-33.67	47.26	3	Horizontal	42	1.92	-	39.10	9.93	41.76
AV	13.57G	43.33	68.20	-24.87	36.83	3	Horizontal	60	1.00	-	40.36	10.65	44.51
PK	13.57G	56.48	88.20	-31.72	49.98	3	Horizontal	60	1.00	-	40.36	10.65	44.51

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.42	54.00	-13.58	32.84	3	Vertical	48	1.00	-	39.09	9.67	41.18
PK	9.394G	53.61	74.00	-20.39	46.03	3	Vertical	48	1.00	-	39.09	9.67	41.18
AV	10G	40.45	68.20	-27.75	33.18	3	Vertical	46	1.00	-	39.10	9.93	41.76
PK	10G	53.51	88.20	-34.69	46.24	3	Vertical	46	1.00	-	39.10	9.93	41.76
AV	13.57G	43.62	68.20	-24.58	37.12	3	Vertical	169	1.00	-	40.36	10.65	44.51
PK	13.57G	56.78	88.20	-31.42	50.28	3	Vertical	169	1.00	-	40.36	10.65	44.51

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.35	54.00	-13.65	32.77	3	Horizontal	25	1.00	-	39.09	9.67	41.18
PK	9.394G	53.46	74.00	-20.54	45.88	3	Horizontal	25	1.00	-	39.09	9.67	41.18
AV	10G	42.21	68.20	-25.99	34.94	3	Horizontal	44	1.93	-	39.10	9.93	41.76
PK	10G	54.42	88.20	-33.78	47.15	3	Horizontal	44	1.93	-	39.10	9.93	41.76
AV	13.73G	42.61	68.20	-25.59	36.26	3	Horizontal	78	1.00	-	40.30	10.69	44.64
PK	13.73G	56.70	88.20	-31.50	50.35	3	Horizontal	78	1.00	-	40.30	10.69	44.64

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.15	54.00	-13.85	32.57	3	Vertical	43	1.00	-	39.09	9.67	41.18
PK	9.394G	53.33	74.00	-20.67	45.75	3	Vertical	43	1.00	-	39.09	9.67	41.18
AV	10G	40.26	68.20	-27.94	32.99	3	Vertical	42	1.00	-	39.10	9.93	41.76
PK	10G	53.37	88.20	-34.83	46.10	3	Vertical	42	1.00	-	39.10	9.93	41.76
AV	13.73G	43.01	68.20	-25.19	36.66	3	Vertical	158	1.00	-	40.30	10.69	44.64
PK	13.73G	56.83	88.20	-31.37	50.48	3	Vertical	158	1.00	-	40.30	10.69	44.64



6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.54	54.00	-13.46	32.96	3	Horizontal	40	1.00	-	39.09	9.67	41.18
PK	9.394G	53.87	74.00	-20.13	46.29	3	Horizontal	40	1.00	-	39.09	9.67	41.18
AV	10G	42.02	68.20	-26.18	34.75	3	Horizontal	45	1.93	-	39.10	9.93	41.76
PK	10G	54.65	88.20	-33.55	47.38	3	Horizontal	45	1.93	-	39.10	9.93	41.76
AV	13.89G	43.41	68.20	-24.79	36.89	3	Horizontal	109	1.00	-	40.56	10.73	44.77
PK	13.89G	53.54	88.20	-34.66	47.02	3	Horizontal	109	1.00	-	40.56	10.73	44.77

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.13	54.00	-13.87	32.55	3	Vertical	62	1.00	-	39.09	9.67	41.18
PK	9.394G	53.32	74.00	-20.68	45.74	3	Vertical	62	1.00	-	39.09	9.67	41.18
AV	10G	40.54	68.20	-27.66	33.27	3	Vertical	45	1.00	-	39.10	9.93	41.76
PK	10G	53.52	88.20	-34.68	46.25	3	Vertical	45	1.00	-	39.10	9.93	41.76
AV	13.89G	43.18	68.20	-25.02	36.66	3	Vertical	148	1.00	-	40.56	10.73	44.77
PK	13.89G	56.64	88.20	-31.56	50.12	3	Vertical	148	1.00	-	40.56	10.73	44.77

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.44	54.00	-13.56	32.86	3	Horizontal	35	1.00	-	39.09	9.67	41.18
PK	9.394G	53.68	74.00	-20.32	46.10	3	Horizontal	35	1.00	-	39.09	9.67	41.18
AV	10G	42.03	68.20	-26.17	34.76	3	Horizontal	44	1.92	-	39.10	9.93	41.76
PK	10G	55.13	88.20	-33.07	47.86	3	Horizontal	44	1.92	-	39.10	9.93	41.76
AV	14.05G	44.48	68.20	-23.72	37.50	3	Horizontal	52	1.00	-	41.10	10.78	44.90
PK	14.05G	57.09	88.20	-31.11	50.11	3	Horizontal	52	1.00	-	41.10	10.78	44.90

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.18	54.00	-13.82	32.60	3	Vertical	55	1.00	-	39.09	9.67	41.18
PK	9.394G	53.64	74.00	-20.36	46.06	3	Vertical	55	1.00	-	39.09	9.67	41.18
AV	10G	40.15	68.20	-28.05	32.88	3	Vertical	46	1.00	-	39.10	9.93	41.76
PK	10G	53.16	88.20	-35.04	45.89	3	Vertical	46	1.00	-	39.10	9.93	41.76
AV	14.05G	44.12	68.20	-24.08	37.14	3	Vertical	49	1.00	-	41.10	10.78	44.90
PK	14.05G	57.22	88.20	-30.98	50.24	3	Vertical	49	1.00	-	41.10	10.78	44.90

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.42	54.00	-13.58	32.84	3	Horizontal	33	1.00	-	39.09	9.67	41.18
PK	9.394G	53.69	74.00	-20.31	46.11	3	Horizontal	33	1.00	-	39.09	9.67	41.18
AV	10G	42.28	68.20	-25.92	35.01	3	Horizontal	45	1.95	-	39.10	9.93	41.76
PK	10G	55.58	88.20	-32.62	48.31	3	Horizontal	45	1.95	-	39.10	9.93	41.76
AV	12.05G	42.05	54.00	-11.95	35.11	3	Horizontal	65	1.00	-	39.50	10.24	42.80
PK	12.05G	54.29	74.00	-19.71	47.35	3	Horizontal	65	1.00	-	39.50	10.24	42.80



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.02	54.00	-13.98	32.44	3	Vertical	58	1.00	-	39.09	9.67	41.18
PK	9.394G	53.12	74.00	-20.88	45.54	3	Vertical	58	1.00	-	39.09	9.67	41.18
AV	10G	40.32	68.20	-27.88	33.05	3	Vertical	42	1.00	-	39.10	9.93	41.76
PK	10G	53.66	88.20	-34.54	46.39	3	Vertical	42	1.00	-	39.10	9.93	41.76
AV	12.05G	42.02	54.00	-11.98	35.08	3	Vertical	165	1.00	-	39.50	10.24	42.80
PK	12.05G	54.33	74.00	-19.67	47.39	3	Vertical	165	1.00	-	39.50	10.24	42.80

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.38	54.00	-13.62	32.80	3	Horizontal	23	1.00	-	39.09	9.67	41.18
PK	9.394G	53.38	74.00	-20.62	45.80	3	Horizontal	23	1.00	-	39.09	9.67	41.18
AV	10G	41.84	68.20	-26.36	34.57	3	Horizontal	44	1.91	-	39.10	9.93	41.76
PK	10G	54.69	88.20	-33.51	47.42	3	Horizontal	44	1.91	-	39.10	9.93	41.76
AV	12.37G	42.13	54.00	-11.87	35.73	3	Horizontal	85	1.00	-	39.22	10.31	43.13
PK	12.37G	54.12	74.00	-19.88	47.72	3	Horizontal	85	1.00	-	39.22	10.31	43.13



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.42	54.00	-13.58	32.84	3	Vertical	65	1.00	-	39.09	9.67	41.18
PK	9.394G	53.59	74.00	-20.41	46.01	3	Vertical	65	1.00	-	39.09	9.67	41.18
AV	10G	41.13	68.20	-27.07	33.86	3	Vertical	59	1.00	-	39.10	9.93	41.76
PK	10G	53.45	88.20	-34.75	46.18	3	Vertical	59	1.00	-	39.10	9.93	41.76
AV	12.37G	42.43	54.00	-11.57	36.03	3	Vertical	163	1.00	-	39.22	10.31	43.13
PK	12.37G	53.18	74.00	-20.82	46.78	3	Vertical	163	1.00	-	39.22	10.31	43.13

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.45	54.00	-13.55	32.87	3	Horizontal	31	1.00	-	39.09	9.67	41.18
PK	9.394G	53.78	74.00	-20.22	46.20	3	Horizontal	31	1.00	-	39.09	9.67	41.18
AV	10G	42.43	68.20	-25.77	35.16	3	Horizontal	45	1.96	-	39.10	9.93	41.76
PK	10G	54.65	88.20	-33.55	47.38	3	Horizontal	45	1.96	-	39.10	9.93	41.76
AV	12.69G	41.89	54.00	-12.11	35.63	3	Horizontal	67	1.00	-	39.32	10.40	43.46
PK	12.69G	55.02	74.00	-18.98	48.76	3	Horizontal	67	1.00	-	39.32	10.40	43.46

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.02	54.00	-13.98	32.44	3	Vertical	48	1.00	-	39.09	9.67	41.18
PK	9.394G	53.10	74.00	-20.90	45.52	3	Vertical	48	1.00	-	39.09	9.67	41.18
AV	10G	40.56	68.20	-27.64	33.29	3	Vertical	59	1.00	-	39.10	9.93	41.76
PK	10G	54.44	88.20	-33.76	47.17	3	Vertical	59	1.00	-	39.10	9.93	41.76
AV	12.69G	42.12	54.00	-11.88	35.86	3	Vertical	165	1.00	-	39.32	10.40	43.46
PK	12.69G	55.12	74.00	-18.88	48.86	3	Vertical	165	1.00	-	39.32	10.40	43.46



6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.58	54.00	-13.42	33.00	3	Horizontal	55	1.00	-	39.09	9.67	41.18
PK	9.394G	54.02	74.00	-19.98	46.44	3	Horizontal	55	1.00	-	39.09	9.67	41.18
AV	10G	41.65	68.20	-26.55	34.38	3	Horizontal	41	1.93	-	39.10	9.93	41.76
PK	10G	54.62	88.20	-33.58	47.35	3	Horizontal	41	1.93	-	39.10	9.93	41.76
AV	13.01G	41.53	68.20	-26.67	35.15	3	Horizontal	66	1.00	-	39.66	10.51	43.79
PK	13.01G	55.56	88.20	-32.64	49.18	3	Horizontal	66	1.00	-	39.66	10.51	43.79

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.13	54.00	-13.87	32.55	3	Vertical	39	1.00	-	39.09	9.67	41.18
PK	9.394G	53.12	74.00	-20.88	45.54	3	Vertical	39	1.00	-	39.09	9.67	41.18
AV	10G	40.65	68.20	-27.55	33.38	3	Vertical	46	1.00	-	39.10	9.93	41.76
PK	10G	53.53	88.20	-34.67	46.26	3	Vertical	46	1.00	-	39.10	9.93	41.76
AV	13.01G	42.62	68.20	-25.58	36.24	3	Vertical	162	1.00	-	39.66	10.51	43.79
PK	13.01G	56.21	88.20	-31.99	49.83	3	Vertical	162	1.00	-	39.66	10.51	43.79



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.52	54.00	-13.48	32.94	3	Horizontal	33	1.00	-	39.09	9.67	41.18
PK	9.394G	53.42	74.00	-20.58	45.84	3	Horizontal	33	1.00	-	39.09	9.67	41.18
AV	10G	42.11	68.20	-26.09	34.84	3	Horizontal	46	1.92	-	39.10	9.93	41.76
PK	10G	54.23	88.20	-33.97	46.96	3	Horizontal	46	1.92	-	39.10	9.93	41.76
AV	13.33G	42.02	54.00	-11.98	35.93	3	Horizontal	82	1.00	-	39.72	10.59	44.22
PK	13.33G	55.61	74.00	-18.39	49.52	3	Horizontal	82	1.00	-	39.72	10.59	44.22



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.13	54.00	-13.87	32.55	3	Vertical	51	1.00	-	39.09	9.67	41.18
PK	9.394G	53.46	74.00	-20.54	45.88	3	Vertical	51	1.00	-	39.09	9.67	41.18
AV	10G	40.19	68.20	-28.01	32.92	3	Vertical	42	1.00	-	39.10	9.93	41.76
PK	10G	53.46	88.20	-34.74	46.19	3	Vertical	42	1.00	-	39.10	9.93	41.76
AV	13.33G	42.11	54.00	-11.89	36.02	3	Vertical	163	1.00	-	39.72	10.59	44.22
PK	13.33G	55.88	74.00	-18.12	49.79	3	Vertical	163	1.00	-	39.72	10.59	44.22



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.11	54.00	-13.89	32.53	3	Horizontal	33	1.00	-	39.09	9.67	41.18
PK	9.394G	53.46	74.00	-20.54	45.88	3	Horizontal	33	1.00	-	39.09	9.67	41.18
AV	10G	41.89	68.20	-26.31	34.62	3	Horizontal	39	1.90	-	39.10	9.93	41.76
PK	10G	54.65	88.20	-33.55	47.38	3	Horizontal	39	1.90	-	39.10	9.93	41.76
AV	13.65G	43.42	68.20	-24.78	37.12	3	Horizontal	55	1.00	-	40.20	10.67	44.57
PK	13.65G	56.62	88.20	-31.58	50.32	3	Horizontal	55	1.00	-	40.20	10.67	44.57

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.23	54.00	-13.77	32.65	3	Vertical	52	1.00	-	39.09	9.67	41.18
PK	9.394G	53.45	74.00	-20.55	45.87	3	Vertical	52	1.00	-	39.09	9.67	41.18
AV	10G	40.34	68.20	-27.86	33.07	3	Vertical	42	1.00	-	39.10	9.93	41.76
PK	10G	53.66	88.20	-34.54	46.39	3	Vertical	42	1.00	-	39.10	9.93	41.76
AV	13.65G	43.68	68.20	-24.52	37.38	3	Vertical	168	1.00	-	40.20	10.67	44.57
PK	13.65G	57.03	88.20	-31.17	50.73	3	Vertical	168	1.00	-	40.20	10.67	44.57



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	7.25G	47.74	54.00	-6.26	42.01	3	Horizontal	336	3.07	-	36.30	8.62	39.19
PK	7.25G	60.80	74.00	-13.20	55.07	3	Horizontal	336	3.07	-	36.30	8.62	39.19
AV	9.394G	40.01	54.00	-13.99	32.43	3	Horizontal	22	1.00	-	39.09	9.67	41.18
PK	9.394G	53.33	74.00	-20.67	45.75	3	Horizontal	22	1.00	-	39.09	9.67	41.18
AV	10G	41.75	68.20	-26.45	34.48	3	Horizontal	42	1.95	-	39.10	9.93	41.76
PK	10G	54.52	88.20	-33.68	47.25	3	Horizontal	42	1.95	-	39.10	9.93	41.76
AV	13.97G	43.89	68.20	-24.31	37.10	3	Horizontal	61	1.00	-	40.88	10.75	44.84
PK	13.97G	57.32	88.20	-30.88	50.53	3	Horizontal	61	1.00	-	40.88	10.75	44.84



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	7.25G	47.89	54.00	-6.11	42.16	3	Vertical	182	2.33	-	36.30	8.62	39.19
PK	7.25G	60.95	74.00	-13.05	55.22	3	Vertical	182	2.33	-	36.30	8.62	39.19
AV	9.394G	40.12	54.00	-13.88	32.54	3	Vertical	48	1.00	-	39.09	9.67	41.18
PK	9.394G	53.32	74.00	-20.68	45.74	3	Vertical	48	1.00	-	39.09	9.67	41.18
AV	10G	40.49	68.20	-27.71	33.22	3	Vertical	38	1.00	-	39.10	9.93	41.76
PK	10G	53.78	88.20	-34.42	46.51	3	Vertical	38	1.00	-	39.10	9.93	41.76
AV	13.97G	43.61	68.20	-24.59	36.82	3	Vertical	58	1.00	-	40.88	10.75	44.84
PK	13.97G	57.03	88.20	-31.17	50.24	3	Vertical	58	1.00	-	40.88	10.75	44.84

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.35	54.00	-13.65	32.77	3	Horizontal	31	1.00	-	39.09	9.67	41.18
PK	9.394G	53.51	74.00	-20.49	45.93	3	Horizontal	31	1.00	-	39.09	9.67	41.18
AV	10G	41.15	68.20	-27.05	33.88	3	Horizontal	38	1.90	-	39.10	9.93	41.76
PK	10G	55.02	88.20	-33.18	47.75	3	Horizontal	38	1.90	-	39.10	9.93	41.76
AV	12.21G	41.65	54.00	-12.35	34.85	3	Horizontal	78	1.00	-	39.48	10.28	42.96
PK	12.21G	54.12	74.00	-19.88	47.32	3	Horizontal	78	1.00	-	39.48	10.28	42.96

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.28	54.00	-13.72	32.70	3	Vertical	55	1.00	-	39.09	9.67	41.18
PK	9.394G	53.68	74.00	-20.32	46.10	3	Vertical	55	1.00	-	39.09	9.67	41.18
AV	10G	41.02	68.20	-27.18	33.75	3	Vertical	49	1.00	-	39.10	9.93	41.76
PK	10G	53.42	88.20	-34.78	46.15	3	Vertical	49	1.00	-	39.10	9.93	41.76
AV	12.21G	42.15	54.00	-11.85	35.35	3	Vertical	163	1.00	-	39.48	10.28	42.96
PK	12.21G	55.02	74.00	-18.98	48.22	3	Vertical	163	1.00	-	39.48	10.28	42.96

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.46	54.00	-13.54	32.88	3	Horizontal	28	1.00	-	39.09	9.67	41.18
PK	9.394G	53.42	74.00	-20.58	45.84	3	Horizontal	28	1.00	-	39.09	9.67	41.18
AV	10G	42.01	68.20	-26.19	34.74	3	Horizontal	42	1.91	-	39.10	9.93	41.76
PK	10G	54.46	88.20	-33.74	47.19	3	Horizontal	42	1.91	-	39.10	9.93	41.76
AV	12.53G	41.87	54.00	-12.13	35.77	3	Horizontal	106	1.00	-	39.04	10.35	43.29
PK	12.53G	54.62	74.00	-19.38	48.52	3	Horizontal	106	1.00	-	39.04	10.35	43.29



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.42	54.00	-13.58	32.84	3	Vertical	59	1.00	-	39.09	9.67	41.18
PK	9.394G	53.87	74.00	-20.13	46.29	3	Vertical	59	1.00	-	39.09	9.67	41.18
AV	10G	41.42	68.20	-26.78	34.15	3	Vertical	42	1.00	-	39.10	9.93	41.76
PK	10G	53.32	88.20	-34.88	46.05	3	Vertical	42	1.00	-	39.10	9.93	41.76
AV	12.53G	42.78	54.00	-11.22	36.68	3	Vertical	153	1.00	-	39.04	10.35	43.29
PK	12.53G	54.12	74.00	-19.88	48.02	3	Vertical	153	1.00	-	39.04	10.35	43.29



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz Straddle 5.925-6.425GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.48	54.00	-13.52	32.90	3	Horizontal	22	1.00	-	39.09	9.67	41.18
PK	9.394G	53.78	74.00	-20.22	46.20	3	Horizontal	22	1.00	-	39.09	9.67	41.18
AV	10G	42.45	68.20	-25.75	35.18	3	Horizontal	46	1.95	-	39.10	9.93	41.76
PK	10G	54.86	88.20	-33.34	47.59	3	Horizontal	46	1.95	-	39.10	9.93	41.76
AV	12.85G	42.02	68.20	-26.18	35.48	3	Horizontal	72	1.00	-	39.70	10.46	43.62
PK	12.85G	55.31	88.20	-32.89	48.77	3	Horizontal	72	1.00	-	39.70	10.46	43.62

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz Straddle 5.925-6.425GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.32	54.00	-13.68	32.74	3	Vertical	48	1.00	-	39.09	9.67	41.18
PK	9.394G	53.42	74.00	-20.58	45.84	3	Vertical	48	1.00	-	39.09	9.67	41.18
AV	10G	41.02	68.20	-27.18	33.75	3	Vertical	68	1.00	-	39.10	9.93	41.76
PK	10G	54.61	88.20	-33.59	47.34	3	Vertical	68	1.00	-	39.10	9.93	41.76
AV	12.85G	42.02	68.20	-26.18	35.48	3	Vertical	159	1.00	-	39.70	10.46	43.62
PK	12.85G	55.60	88.20	-32.60	49.06	3	Vertical	159	1.00	-	39.70	10.46	43.62

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.48	54.00	-13.52	32.90	3	Horizontal	40	1.00	-	39.09	9.67	41.18
PK	9.394G	53.71	74.00	-20.29	46.13	3	Horizontal	40	1.00	-	39.09	9.67	41.18
AV	10G	42.03	68.20	-26.17	34.76	3	Horizontal	44	1.88	-	39.10	9.93	41.76
PK	10G	54.46	88.20	-33.74	47.19	3	Horizontal	44	1.88	-	39.10	9.93	41.76
AV	13.17G	41.78	68.20	-26.42	35.58	3	Horizontal	76	1.00	-	39.66	10.55	44.01
PK	13.17G	55.53	88.20	-32.67	49.33	3	Horizontal	76	1.00	-	39.66	10.55	44.01

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	9.394G	40.12	54.00	-13.88	32.54	3	Vertical	52	1.00	-	39.09	9.67	41.18
PK	9.394G	53.88	74.00	-20.12	46.30	3	Vertical	52	1.00	-	39.09	9.67	41.18
AV	10G	40.43	68.20	-27.77	33.16	3	Vertical	44	1.00	-	39.10	9.93	41.76
PK	10G	53.65	88.20	-34.55	46.38	3	Vertical	44	1.00	-	39.10	9.93	41.76
AV	13.17G	42.15	68.20	-26.05	35.95	3	Vertical	160	1.00	-	39.66	10.55	44.01
PK	13.17G	55.82	88.20	-32.38	49.62	3	Vertical	160	1.00	-	39.66	10.55	44.01



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	7.25G	48.71	54.00	-5.29	42.98	3	Horizontal	333	3.20	-	36.30	8.62	39.19
PK	7.25G	61.98	74.00	-12.02	56.25	3	Horizontal	333	3.20	-	36.30	8.62	39.19
AV	9.394G	40.29	54.00	-13.71	32.71	3	Horizontal	35	1.00	-	39.09	9.67	41.18
PK	9.394G	53.67	74.00	-20.33	46.09	3	Horizontal	35	1.00	-	39.09	9.67	41.18
AV	10G	42.15	68.20	-26.05	34.88	3	Horizontal	45	1.92	-	39.10	9.93	41.76
PK	10G	55.13	88.20	-33.07	47.86	3	Horizontal	45	1.92	-	39.10	9.93	41.76
AV	13.49G	43.56	68.20	-24.64	37.27	3	Horizontal	115	1.00	-	40.10	10.63	44.44
PK	13.49G	55.31	88.20	-32.89	49.02	3	Horizontal	115	1.00	-	40.10	10.63	44.44



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	7.25G	53.48	54.00	-0.52	47.75	3	Vertical	351	1.73	-	36.30	8.62	39.19
PK	7.25G	66.24	74.00	-7.76	60.51	3	Vertical	351	1.73	-	36.30	8.62	39.19
AV	9.394G	40.15	54.00	-13.85	32.57	3	Vertical	61	1.00	-	39.09	9.67	41.18
PK	9.394G	53.45	74.00	-20.55	45.87	3	Vertical	61	1.00	-	39.09	9.67	41.18
AV	10G	41.29	68.20	-26.91	34.02	3	Vertical	55	1.00	-	39.10	9.93	41.76
PK	10G	53.56	88.20	-34.64	46.29	3	Vertical	55	1.00	-	39.10	9.93	41.76
AV	13.49G	44.12	68.20	-24.08	37.83	3	Vertical	143	1.00	-	40.10	10.63	44.44
PK	13.49G	55.86	88.20	-32.34	49.57	3	Vertical	143	1.00	-	40.10	10.63	44.44



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	7.25G	48.95	54.00	-5.05	43.22	3	Horizontal	306	2.99	-	36.30	8.62	39.19
PK	7.25G	62.69	74.00	-11.31	56.96	3	Horizontal	306	2.99	-	36.30	8.62	39.19
AV	9.394G	40.29	54.00	-13.71	32.71	3	Horizontal	26	1.00	-	39.09	9.67	41.18
PK	9.394G	53.12	74.00	-20.88	45.54	3	Horizontal	26	1.00	-	39.09	9.67	41.18
AV	10G	41.88	68.20	-26.32	34.61	3	Horizontal	44	1.91	-	39.10	9.93	41.76
PK	10G	55.12	88.20	-33.08	47.85	3	Horizontal	44	1.91	-	39.10	9.93	41.76
AV	13.81G	43.75	68.20	-24.45	37.34	3	Horizontal	49	1.00	-	40.40	10.71	44.70
PK	13.81G	56.65	88.20	-31.55	50.24	3	Horizontal	49	1.00	-	40.40	10.71	44.70



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	7.25G	53.55	54.00	-0.45	47.82	3	Vertical	350	1.20	-	36.30	8.62	39.19
PK	7.25G	67.10	74.00	-6.90	61.37	3	Vertical	350	1.20	-	36.30	8.62	39.19
AV	9.394G	40.32	54.00	-13.68	32.74	3	Vertical	55	1.00	-	39.09	9.67	41.18
PK	9.394G	53.85	74.00	-20.15	46.27	3	Vertical	55	1.00	-	39.09	9.67	41.18
AV	10G	41.09	68.20	-27.11	33.82	3	Vertical	48	1.00	-	39.10	9.93	41.76
PK	10G	53.23	88.20	-34.97	45.96	3	Vertical	48	1.00	-	39.10	9.93	41.76
AV	13.81G	43.54	68.20	-24.66	37.13	3	Vertical	60	1.00	-	40.40	10.71	44.70
PK	13.81G	56.42	88.20	-31.78	50.01	3	Vertical	60	1.00	-	40.40	10.71	44.70



Modulation	11a	Test Freq. (MHz)	5935																		
Polarization	Horizontal-Peak Value																				
<p>Test By :Roger Lu Temperature(°C):25 Humidity(%):65</p>																					
	<table border="1"> <thead> <tr> <th>Freq. MHz</th> <th>Emission level dBuV/m</th> <th>Limit dBuV/m</th> <th>Margin dB</th> <th>SA reading dBuV</th> <th>Factor dB/m</th> <th>Remark</th> <th>ANT High cm</th> <th>Turn Table deg</th> </tr> </thead> <tbody> <tr> <td>5924.82</td> <td>81.37</td> <td>88.20</td> <td>-6.83</td> <td>80.09</td> <td>1.28</td> <td>Peak</td> <td>113</td> <td>59</td> </tr> </tbody> </table>	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	5924.82	81.37	88.20	-6.83	80.09	1.28	Peak	113	59		
Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg													
5924.82	81.37	88.20	-6.83	80.09	1.28	Peak	113	59													



Modulation	11a	Test Freq. (MHz)	5935																			
Polarization	Horizontal-Average Value																					
<p>Test By :Roger Lu Temperature(°C):25 Humidity(%):65</p>																						
	<table border="1"> <thead> <tr> <th>Freq. MHz</th> <th>Emission level dBuV/m</th> <th>Limit dBuV/m</th> <th>Margin dB</th> <th>SA reading dBuV</th> <th>Factor dB/m</th> <th>Remark</th> <th>ANT High cm</th> <th>Turn Table deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.82</td> <td>54.36</td> <td>68.20</td> <td>-13.84</td> <td>53.08</td> <td>1.28</td> <td>Average</td> <td>113</td> <td>59</td> </tr> </tbody> </table>	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	5924.82	54.36	68.20	-13.84	53.08	1.28	Average	113	59		
Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg														
1	5924.82	54.36	68.20	-13.84	53.08	1.28	Average	113	59													



Modulation	11a	Test Freq. (MHz)	5935						
Polarization	Vertical-Peak Value								
Test By :Roger Lu		Temperature(°C):25			Humidity(%):65				
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5924.82	86.43	88.20	-1.77	85.15	1.28	Peak	112	172



Modulation	11a	Test Freq. (MHz)	5935																			
Polarization	Vertical -Average Value																					
<p>Test By :Roger Lu Temperature(°C):25 Humidity(%):65</p>																						
	<table border="1"> <thead> <tr> <th>Freq. MHz</th> <th>Emission level dBuV/m</th> <th>Limit dBuV/m</th> <th>Margin dB</th> <th>SA reading dBuV</th> <th>Factor dB/m</th> <th>Remark</th> <th>ANT High cm</th> <th>Turn Table deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.82</td> <td>58.04</td> <td>68.20</td> <td>-10.16</td> <td>56.76</td> <td>1.28</td> <td>Average</td> <td>112</td> <td>172</td> </tr> </tbody> </table>	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	5924.82	58.04	68.20	-10.16	56.76	1.28	Average	112	172		
Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg														
1	5924.82	58.04	68.20	-10.16	56.76	1.28	Average	112	172													



Modulation	11a	Test Freq. (MHz)	7115																												
Polarization	Horizontal-Peak Value																														
<p>Test By :Roger Lu Temperature(°C):25 Humidity(%):65</p>																															
	<table border="1"> <thead> <tr> <th>Freq.</th> <th>Emission level</th> <th>Limit</th> <th>Margin</th> <th>SA reading</th> <th>Factor</th> <th>Remark</th> <th>ANT High</th> <th>Turn Table</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>81.11</td> <td>88.20</td> <td>-7.09</td> <td>75.81</td> <td>5.30</td> <td>Peak</td> <td>100</td> <td>152</td> </tr> </tbody> </table>	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg	1	7125.00	81.11	88.20	-7.09	75.81	5.30	Peak	100	152		
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg																							
1	7125.00	81.11	88.20	-7.09	75.81	5.30	Peak	100	152																						



Modulation	11a	Test Freq. (MHz)	7115																			
Polarization	Horizontal-Average Value																					
<p>Test By :Roger Lu Temperature(°C):25 Humidity(%):65</p>																						
	<table border="1"> <thead> <tr> <th>Freq. MHz</th> <th>Emission level dBuV/m</th> <th>Limit dBuV/m</th> <th>Margin dB</th> <th>SA reading dBuV</th> <th>Factor dB/m</th> <th>Remark</th> <th>ANT High cm</th> <th>Turn Table deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>56.02</td> <td>68.20</td> <td>-12.18</td> <td>50.72</td> <td>5.30</td> <td>Average</td> <td>100</td> <td>152</td> </tr> </tbody> </table>	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	7125.00	56.02	68.20	-12.18	50.72	5.30	Average	100	152		
Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg														
1	7125.00	56.02	68.20	-12.18	50.72	5.30	Average	100	152													



Modulation	11a	Test Freq. (MHz)	7115																		
Polarization	Vertical-Peak Value																				
<p>Test By :Roger Lu Temperature(°C):25 Humidity(%):65</p>																					
	<table border="1"> <thead> <tr> <th>Freq. MHz</th> <th>Emission level dBuV/m</th> <th>Limit dBuV/m</th> <th>Margin dB</th> <th>SA reading dBuV</th> <th>Factor dB/m</th> <th>Remark</th> <th>ANT High cm</th> <th>Turn Table deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.13</td> <td>88.20</td> <td>-2.16</td> <td>80.75</td> <td>5.29</td> <td>Peak</td> <td>193</td> <td>167</td> </tr> </tbody> </table>	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	7125.13	88.20	-2.16	80.75	5.29	Peak	193	167		
Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg													
1	7125.13	88.20	-2.16	80.75	5.29	Peak	193	167													



Modulation	11a	Test Freq. (MHz)	7115																			
Polarization	Vertical -Average Value																					
<p>Test By :Roger Lu Temperature(°C):25 Humidity(%):65</p>																						
	<table border="1"> <thead> <tr> <th>Freq. MHz</th> <th>Emission level dBuV/m</th> <th>Limit dBuV/m</th> <th>Margin dB</th> <th>SA reading dBuV</th> <th>Factor dB/m</th> <th>Remark</th> <th>ANT High cm</th> <th>Turn Table deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>58.76</td> <td>68.20</td> <td>-9.44</td> <td>53.46</td> <td>5.30</td> <td>Average</td> <td>193</td> <td>167</td> </tr> </tbody> </table>	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	7125.00	58.76	68.20	-9.44	53.46	5.30	Average	193	167		
Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg														
1	7125.00	58.76	68.20	-9.44	53.46	5.30	Average	193	167													




Modulation	be EHT20	Test Freq. (MHz)	5935																			
Polarization	Horizontal-Peak Value																					
<p>Test By :Roger Lu Temperature(°C):25 Humidity(%):65</p>																						
	<table border="1"> <thead> <tr> <th>Freq. MHz</th> <th>Emission level dBuV/m</th> <th>Limit dBuV/m</th> <th>Margin dB</th> <th>SA reading dBuV</th> <th>Factor dB/m</th> <th>Remark</th> <th>ANT High cm</th> <th>Turn Table deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5925.00</td> <td>74.57</td> <td>88.20</td> <td>-13.63</td> <td>73.29</td> <td>1.28</td> <td>BP-PK</td> <td>101 328</td> </tr> </tbody> </table>	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	5925.00	74.57	88.20	-13.63	73.29	1.28	BP-PK	101 328			
Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg														
1	5925.00	74.57	88.20	-13.63	73.29	1.28	BP-PK	101 328														



Modulation	be EHT20	Test Freq. (MHz)	5935
Polarization	Horizontal-Average Value		

Test By :Roger Lu Temperature(°C):25 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5925.00	62.21	68.20	-5.99	60.93	1.28	BP-AV	1014	328




Modulation	be EHT20	Test Freq. (MHz)	5935						
Polarization	Vertical-Peak Value								
Test By :Roger Lu		Temperature(°C):25			Humidity(%):65				
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5925.00	80.01	88.20	-8.19	78.73	1.28	BP-PK	101	180



Modulation	be EHT20	Test Freq. (MHz)	5935
Polarization	Vertical -Average Value		

Test By :Roger Lu Temperature(°C):25 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5925.00	67.94	68.20	-0.26	66.66	1.28	BP-AV	101	180




Modulation	be EHT20	Test Freq. (MHz)	5955						
Polarization	Horizontal-Peak Value								
Test By :Roger Lu		Temperature(°C):25			Humidity(%):65				
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5900.62	56.95	88.20	-31.25	55.67	1.28	Peak	298	29



Modulation	be EHT20	Test Freq. (MHz)	5955
Polarization	Horizontal-Average Value		

Test By :Roger Lu Temperature(°C):25 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5924.59	44.92	68.20	-23.28	43.64	1.28	Average	298	29




Modulation	be EHT20	Test Freq. (MHz)	5955						
Polarization	Vertical-Peak Value								
Test By :Roger Lu		Temperature(°C):25			Humidity(%):65				
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5902.26	57.21	88.20	-30.99	55.93	1.28	Peak	226	228



Modulation	be EHT20	Test Freq. (MHz)	5955
Polarization	Vertical -Average Value		

Test By :Roger Lu Temperature(°C):25 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5924.12	45.05	68.20	-23.15	43.77	1.28	Average	226	228




Modulation	be EHT20	Test Freq. (MHz)	7095						
Polarization	Horizontal-Peak Value								
Test By :Roger Lu		Temperature(°C):25			Humidity(%):65				
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7140.23	57.34	88.20	-30.86	51.98	5.36	Peak	231	61



Modulation	be EHT20	Test Freq. (MHz)	7095
Polarization	Horizontal-Average Value		

Test By :Roger Lu Temperature(°C):25 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7142.23	46.62	68.20	-21.58	41.26	5.36	Average	231	61



Modulation	be EHT20	Test Freq. (MHz)	7095						
Polarization	Vertical-Peak Value								
<p>Test By :Roger Lu Temperature(°C):25 Humidity(%):65</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7138.81	57.77	88.20	-30.43	52.41	5.36	Peak	200	320



Modulation	be EHT20	Test Freq. (MHz)	7095						
Polarization	Vertical -Average Value								
Test By :Roger Lu		Temperature(°C):25			Humidity(%):65				
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7128.26	46.78	68.20	-21.42	41.48	5.30	Average	200	320




Modulation	be EHT20	Test Freq. (MHz)	7115																				
Polarization	Horizontal-Peak Value																						
<p>Test By :Akun Chung Temperature(°C):25 Humidity(%):66</p>																							
	<table border="1"> <thead> <tr> <th>Freq. MHz</th> <th>Emission level dBuV/m</th> <th>Limit dBuV/m</th> <th>Margin dB</th> <th>SA reading dBuV</th> <th>Factor dB/m</th> <th>Remark</th> <th>ANT High cm</th> <th>Turn Table deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>77.10</td> <td>88.20</td> <td>-11.10</td> <td>71.80</td> <td>5.30</td> <td>BP-PK</td> <td>222</td> <td>213</td> </tr> </tbody> </table>	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	7125.00	77.10	88.20	-11.10	71.80	5.30	BP-PK	222	213			
Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg															
1	7125.00	77.10	88.20	-11.10	71.80	5.30	BP-PK	222	213														



Modulation	be EHT20	Test Freq. (MHz)	7115
Polarization	Horizontal-Average Value		

Test By :Akun Chung Temperature(°C):25 Humidity(%):66



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7125.00	64.54	68.20	-3.66	59.24	5.30	BP-AV	222	213




Modulation	be EHT20	Test Freq. (MHz)	7115						
Polarization	Vertical-Peak Value								
<p>Test By :Akun Chung Temperature(°C):25 Humidity(%):66</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7125.00	81.09	88.20	-7.11	75.79	5.30	BP-PK	216	354



Modulation	be EHT20	Test Freq. (MHz)	7115
Polarization	Vertical -Average Value		

Test By :Akun Chung Temperature(°C):25 Humidity(%):66



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7125.00	67.96	68.20	-0.24	62.66	5.30	BP-AV	216	354




Modulation	be EHT40	Test Freq. (MHz)	5965						
Polarization	Horizontal-Peak Value								
Test By :Akun Chung		Temperature(°C):26			Humidity(%):64				
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5903.91	56.90	88.20	-31.30	55.62	1.28	Peak	285	84



Modulation	be EHT40	Test Freq. (MHz)	5965
Polarization	Horizontal-Average Value		

Test By :Akun Chung Temperature(°C):26 Humidity(%):64



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5895.21	44.82	68.20	-23.38	43.57	1.25	Average	285	84