Modulation	be EHT40	Test Freq. (MHz)	5965
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):64

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5923.65	57.49	88.20	-30.71	56.21	1.28	Peak	331	173

Modulation	be EHT40	Test Freq. (MHz)	5965
Polarization	Vertical -Average Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):64

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5923.88	44.70	68.20	-23.50	43.42	1.28	Average	331	173

Modulation	be EHT40	Test Freq. (MHz)	7085
Polarization	Horizontal-Peak Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):64

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7169.59	57.70	88.20	-30.50	52.23	5.47	Peak	221	6

Modulation	be EHT40	Test Freq. (MHz)	7085
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):64

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7128.26	46.95	68.20	-21.25	41.65	5.30	Average	221	6

Modulation	be EHT40	Test Freq. (MHz)	7085
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):64

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7169.87	58.18	88.20	-30.02	52.71	5.47	Peak	212	354

Modulation	be EHT40	Test Freq. (MHz)	7085
Polarization	Vertical -Average Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):64

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7125.13	47.35	68.20	-20.85	42.06	5.29	Average	212	354

Modulation	be EHT80	Test Freq. (MHz)	5985
Polarization	Horizontal-Peak Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):64

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5899.68	59.00	88.20	-29.20	57.73	1.27	Peak	332	331

Modulation	be EHT80	Test Freq. (MHz)	5985
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):64

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5922.00	45.59	68.20	-22.61	44.31	1.28	Average	332	331

Modulation	be EHT80	Test Freq. (MHz)	5985
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):64

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5922.94	62.25	88.20	-25.95	60.97	1.28	Peak	298	165

Modulation	be EHT80	Test Freq. (MHz)	5985
Polarization	Vertical -Average Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):64

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5920.83	45.94	68.20	-22.26	44.66	1.28	Average	298	165

Modulation	be EHT80	Test Freq. (MHz)	7025
Polarization	Horizontal-Peak Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):64

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7134.82	58.29	88.20	-29.91	52.96	5.33	Peak	258	48

Modulation	be EHT80	Test Freq. (MHz)	7025
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):64

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7128.26	47.17	68.20	-21.03	41.87	5.30	Average	258	48

Modulation	be EHT80	Test Freq. (MHz)	7025
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):64

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7148.50	58.84	88.20	-29.36	53.45	5.39	Peak	219	351

Modulation	be EHT80	Test Freq. (MHz)	7025
Polarization	Vertical -Average Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):64

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7129.12	47.93	68.20	-20.27	42.61	5.32	Average	219	351

Modulation	be EHT160	Test Freq. (MHz)	6025
Polarization	Horizontal-Peak Value		

Test By   :Akun Chung   Temperature(°C):25   Humidity(%):66

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5923.88	60.52	88.20	-27.68	59.24	1.28	Peak	188	171

Modulation	be EHT160	Test Freq. (MHz)	6025
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(℃):25   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5922.94	46.11	68.20	-22.09	44.83	1.28	Average	188	171

Modulation	be EHT160	Test Freq. (MHz)	6025
Polarization	Vertical-Peak Value		

Test By :Akun Chung   Temperature(℃):25   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5910.00	65.51	88.20	-22.69	64.23	1.28	Peak	221	182

Modulation	be EHT160	Test Freq. (MHz)	6025
Polarization	Vertical -Average Value		

Test By   :Akun Chung   Temperature(℃):25   Humidity(%):66

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5922.50	48.80	68.20	-19.40	47.52	1.28	Average	221	182

Modulation	be EHT160	Test Freq. (MHz)	6985
Polarization	Horizontal-Peak Value		

Test By   :Akun Chung   Temperature(℃):25   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7162.75	62.29	88.20	-25.91	56.85	5.44	Peak	258	60

Modulation	be EHT160	Test Freq. (MHz)	6985
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(℃):25   Humidity(%):66

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7137.95	48.67	68.20	-19.53	43.33	5.34	Average	258	60

Modulation	be EHT160	Test Freq. (MHz)	6985
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(℃):25   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7142.23	63.64	88.20	-24.56	58.28	5.36	Peak	147	186

Modulation	be EHT160	Test Freq. (MHz)	6985
Polarization	Vertical -Average Value		

Test By   :Akun Chung   Temperature(°C):25   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7127.12	48.88	68.20	-19.32	43.58	5.30	Average	147	186

Modulation	be EHT320	Test Freq. (MHz)	6105
Polarization	Horizontal-Peak Value		

Test By   :Akun Chung   Temperature(℃):25   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5918.50	71.13	88.20	-17.07	69.85	1.28	Peak	207	146

Modulation	be EHT320	Test Freq. (MHz)	6105
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(℃):25   Humidity(%):66

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5923.00	59.05	68.20	-9.15	57.77	1.28	Average	207	146

Modulation	be EHT320	Test Freq. (MHz)	6105
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(℃):25   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5920.50	73.33	88.20	-14.87	72.05	1.28	Peak	227	340

Modulation	be EHT320	Test Freq. (MHz)	6105
Polarization	Vertical -Average Value		

Test By   :Akun Chung   Temperature(℃):25   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5925.00	60.79	68.20	-7.41	59.51	1.28	Average	227	340

Modulation	be EHT320-OFDMA	Test Freq. (MHz)	6745
Polarization	Horizontal-Peak Value		

Test By   :Akun Chung   Temperature(℃):25   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7186.54	64.39	88.20	-23.81	58.85	5.54	Peak	231	76

Modulation	be EHT320	Test Freq. (MHz)	6745
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(℃):25   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7129.78	52.53	68.20	-15.67	47.21	5.32	Average	231	76

Modulation	be EHT320	Test Freq. (MHz)	6745
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(℃):25   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7186.54	70.18	88.20	-18.02	64.64	5.54	Peak	189	354

Modulation	be EHT320	Test Freq. (MHz)	6745
Polarization	Vertical -Average Value		

Test By   :Akun Chung   Temperature(℃):25   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7131.10	57.20	68.20	-11.00	51.88	5.32	Average	189	354

Modulation	be EHT320	Test Freq. (MHz)	6905
Polarization	Horizontal-Peak Value		

Test By   :Akun Chung   Temperature(°C):25   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7203.00	65.66	88.20	-22.54	60.07	5.59	Peak	227	62

Modulation	be EHT320	Test Freq. (MHz)	6905
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(°C):25   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7203.00	53.04	68.20	-15.16	47.45	5.59	Average	227	62

Modulation	be EHT320	Test Freq. (MHz)	6905
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(℃):25   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7180.50	67.81	88.20	-20.39	62.30	5.51	Peak	237	359

Modulation	be EHT320	Test Freq. (MHz)	6905
Polarization	Vertical -Average Value		

Test By   :Akun Chung   Temperature(℃):25   Humidity(%):66

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7139.50	53.66	68.20	-14.54	48.30	5.36	Average	237	359

Modulation	be EHT20	Test Freq. (MHz)	5935
Polarization	Horizontal-Peak Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):64

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5925.00	74.30	88.20	-13.90	73.02	1.28	BP-PK	138	314

Modulation	be EHT20	Test Freq. (MHz)	5935
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):64

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5925.00	61.80	68.20	-6.40	60.52	1.28	BP-AV	138	314

Modulation	be EHT20	Test Freq. (MHz)	5935
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):64

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5925.00	80.42	88.20	-7.78	79.14	1.28	BP-PK	131	183

Modulation	be EHT20	Test Freq. (MHz)	5935
Polarization	Vertical -Average Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):64

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5925.00	67.82	68.20	-0.38	66.54	1.28	BP-AV	131	183

Modulation	be EHT20	Test Freq. (MHz)	5955
Polarization	Horizontal-Peak Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):67

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5914.72	57.71	88.20	-30.49	56.43	1.28	Peak	222	233

Modulation	be EHT20	Test Freq. (MHz)	5955
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):67

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5907.20	44.57	68.20	-23.63	43.29	1.28	Average	222	233

Modulation	be EHT20	Test Freq. (MHz)	5955
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):67

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5878.29	57.12	88.20	-31.08	55.94	1.18	Peak	114	6

Modulation	be EHT20	Test Freq. (MHz)	5955
Polarization	Vertical -Average Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):67

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5922.47	44.56	68.20	-23.64	43.28	1.28	Average	114	6

Modulation	be EHT20	Test Freq. (MHz)	7095
Polarization	Horizontal-Peak Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):67

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7154.48	58.48	88.20	-29.72	53.07	5.41	Peak	229	31

Modulation	be EHT20	Test Freq. (MHz)	7095
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):67

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7129.40	47.56	68.20	-20.64	42.24	5.32	Average	229	31

Modulation	be EHT20	Test Freq. (MHz)	7095
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):67

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7149.35	58.50	88.20	-29.70	53.11	5.39	Peak	180	341

Modulation	be EHT20	Test Freq. (MHz)	7095
Polarization	Vertical -Average Value		

Test By :Akun Chung   Temperature(°C):26   Humidity(%):67

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7125.41	47.38	68.20	-20.82	42.09	5.29	Average	180	341

Modulation	be EHT20	Test Freq. (MHz)	7115
Polarization	Horizontal-Peak Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):64

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7125.00	75.39	88.20	-12.81	70.09	5.30	BP-PK	179	38

Modulation	be EHT20	Test Freq. (MHz)	7115
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):64

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7125.00	62.27	68.20	-5.93	56.97	5.30	BP-AV	179	38

Modulation	be EHT20	Test Freq. (MHz)	7115
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):64

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7125.00	80.75	88.20	-7.45	75.45	5.30	BP-PK	187	354

Modulation	be EHT20	Test Freq. (MHz)	7115
Polarization	Vertical -Average Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):64

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7125.00	67.84	68.20	-0.36	62.54	5.30	BP-AV	187	354

Modulation	be EHT40	**Test Freq. (MHz)**	5965
Polarization	Horizontal-Peak Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):67

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5906.73	56.89	88.20	-31.31	55.61	1.28	Peak	234	356

Modulation	be EHT40	Test Freq. (MHz)	5965
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):67

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5903.91	44.52	68.20	-23.68	43.24	1.28	Average	234	356

Modulation	be EHT40	Test Freq. (MHz)	5965
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):67

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5917.07	57.21	88.20	-30.99	55.93	1.28	Peak	127	177

Modulation	be EHT40	Test Freq. (MHz)	5965
Polarization	Vertical -Average Value		

Test By　　:Akun Chung　　　Temperature(°C):26　　　Humidity(%):67

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5916.13	44.77	68.20	-23.43	43.49	1.28	Average	127	177

Modulation	be EHT40	Test Freq. (MHz)	7085
Polarization	Horizontal-Peak Value		

Test By :Akun Chung   Temperature(°C):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7125.98	57.89	88.20	-30.31	52.60	5.29	Peak	228	74

Modulation	be EHT40	Test Freq. (MHz)	7085
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7128.26	47.00	68.20	-21.20	41.70	5.30	Average	228	74

Modulation	be EHT40	Test Freq. (MHz)	7085
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7164.17	58.09	88.20	-30.11	52.64	5.45	Peak	233	352

Modulation	be EHT40	Test Freq. (MHz)	7085
Polarization	Vertical -Average Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7141.37	46.56	68.20	-21.64	41.20	5.36	Average	233	352

Modulation	be EHT80	Test Freq. (MHz)	5985
Polarization	Horizontal-Peak Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5895.45	57.02	88.20	-31.18	55.77	1.25	Peak	293	234

Modulation	be EHT80	Test Freq. (MHz)	5985
Polarization	Horizontal-Average Value		

Test By :Akun Chung Temperature(°C):26 Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5900.38	44.37	68.20	-23.83	43.09	1.28	Average	293	234

Modulation	be EHT80	Test Freq. (MHz)	5985
Polarization	Vertical-Peak Value		

Test By :Akun Chung   Temperature(°C):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5922.00	57.08	88.20	-31.12	55.80	1.28	Peak	126	179

Modulation	be EHT80	**Test Freq. (MHz)**	5985
Polarization	Vertical -Average Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5915.89	45.28	68.20	-22.92	44.00	1.28	Average	126	179

Modulation	be EHT80	Test Freq. (MHz)	7025
Polarization	Horizontal-Peak Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7167.02	58.16	88.20	-30.04	52.70	5.46	Peak	210	32

Modulation	be EHT80	Test Freq. (MHz)	7025
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7132.25	46.61	68.20	-21.59	41.28	5.33	Average	210	32

Modulation	be EHT80	Test Freq. (MHz)	7025
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7173.86	57.85	88.20	-30.35	52.37	5.48	Peak	212	1

Modulation	be EHT80	Test Freq. (MHz)	7025
Polarization	Vertical -Average Value		

Test By :Akun Chung   Temperature(°C):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7127.41	47.25	68.20	-20.95	41.95	5.30	Average	212	1

Modulation	be EHT160	Test Freq. (MHz)	6025
Polarization	Horizontal-Peak Value		

Test By :Akun Chung   Temperature(℃):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5913.31	57.35	88.20	-30.85	56.07	1.28	Peak	216	234

Modulation	be EHT160	Test Freq. (MHz)	6025
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5881.35	44.49	68.20	-23.71	43.29	1.20	Average	216	234

Modulation	be EHT160	Test Freq. (MHz)	6025
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5918.95	59.13	88.20	-29.07	57.85	1.28	Peak	115	8

Modulation	be EHT160	Test Freq. (MHz)	6025
Polarization	Vertical -Average Value		

Test By :Akun Chung   Temperature(°C):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5920.83	45.89	68.20	-22.31	44.61	1.28	Average	115	8

Modulation	be EHT160	Test Freq. (MHz)	6985
Polarization	Horizontal-Peak Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7143.37	59.00	88.20	-29.20	53.64	5.36	Peak	307	336

Modulation	be EHT160	Test Freq. (MHz)	6985
Polarization	Horizontal-Average Value		

Test By :Akun Chung   Temperature(℃):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7135.10	47.26	68.20	-20.94	41.93	5.33	Average	307	336

Modulation	be EHT160	Test Freq. (MHz)	6985
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7157.05	59.66	88.20	-28.54	54.24	5.42	Peak	216	1

Modulation	be EHT160	Test Freq. (MHz)	6985
Polarization	Vertical -Average Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):66

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7130.54	48.35	68.20	-19.85	43.03	5.32	Average	216	1

Modulation	be EHT320	Test Freq. (MHz)	6105
Polarization	Horizontal-Peak Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5907.50	61.12	88.20	-27.08	59.84	1.28	Peak	308	333

Modulation	be EHT320	Test Freq. (MHz)	6105
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5920.50	49.44	68.20	-18.76	48.16	1.28	Average	308	333

Modulation	be EHT320	Test Freq. (MHz)	6105
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):66

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5920.50	70.06	88.20	-18.14	68.78	1.28	Peak	132	13

Modulation	be EHT320	Test Freq. (MHz)	6105
Polarization	Vertical -Average Value		

Test By　　:Akun Chung　　　　Temperature(°C):26　　　　Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5921.00	55.85	68.20	-12.35	54.57	1.28	Average	132	13

Modulation	be EHT320-OFDMA	Test Freq. (MHz)	6745
Polarization	Horizontal-Peak Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):66

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7131.76	66.89	88.20	-21.31	61.56	5.33	Peak	320	333

Modulation	be EHT320	Test Freq. (MHz)	6745
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(℃):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7135.06	53.51	68.20	-14.69	48.18	5.33	Average	320	333

Modulation	be EHT320	Test Freq. (MHz)	6745
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7146.94	68.18	88.20	-20.02	62.80	5.38	Peak	173	351

Modulation	be EHT320	Test Freq. (MHz)	6745
Polarization	Vertical -Average Value		

Test By   :Akun Chung   Temperature(°C):26   Humidity(%):66

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7127.80	56.03	68.20	-12.17	50.73	5.30	Average	173	351

Modulation	be EHT320	Test Freq. (MHz)	6905
Polarization	Horizontal-Peak Value		

Test By :Akun Chung   Temperature(℃):25   Humidity(%):65

	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7138.50	62.32	88.20	-25.88	56.97	5.35	Peak	297	59

Modulation	be EHT320	**Test Freq. (MHz)**	6905
Polarization	Horizontal-Average Value		

Test By   :Akun Chung   Temperature(°C):25   Humidity(%):65

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7230.00	49.25	68.20	-18.95	43.58	5.67	Average	297	59

Modulation	be EHT320	Test Freq. (MHz)	6905
Polarization	Vertical-Peak Value		

Test By   :Akun Chung   Temperature(°C):25   Humidity(%):65

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7136.00	64.51	88.20	-23.69	59.18	5.33	Peak	120	350

Modulation	be EHT320	**Test Freq. (MHz)**	6905
Polarization	Vertical -Average Value		

Test By   :Akun Chung   Temperature(°C):25   Humidity(%):65

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7233.00	52.31	68.20	-15.89	46.63	5.68	Average	120	350

Non-beamforming mode

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	6.4128G	-11.62	6.4523G	-59.41	-51.62	-7.79	2
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	5.9388G	-13.89	5.9677G	-60.17	-53.89	-6.28	2
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	5.97139G	-8.65	6.027G	-57.30	-48.65	-8.65	2
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.01377G	-5.61	6.1082G	-54.23	-45.61	-8.62	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.24734G	-2.05	6.4282G	-49.39	-41.59	-7.80	2
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.137G	1.76	6.601G	-40.71	-38.24	-2.47	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	6.50911G	-11.81	6.4791G	-59.26	-51.81	-7.45	2
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.4737G	-10.24	6.509G	-59.25	-50.24	-9.01	2
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.51981G	-8.23	6.4634G	-56.58	-48.23	-8.35	2
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.53621G	-4.10	6.385G	-52.45	-44.10	-8.35	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.44266G	-1.48	6.261G	-49.08	-41.15	-7.93	3
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.4491G	2.23	7.0842G	-40.38	-37.77	-2.61	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	6.8762G	-12.37	6.9154G	-58.59	-52.37	-6.22	3
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.8791G	-10.79	6.9163G	-58.56	-50.79	-7.77	2
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.89139G	-8.95	6.946G	-55.73	-48.95	-6.78	2
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.85221G	-5.91	6.9874G	-51.95	-45.86	-6.09	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.68978G	-1.94	6.9922G	-48.95	-41.94	-7.01	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.9386G	-0.49	7.497G	-44.66	-40.49	-4.17	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	6.89G	-12.43	6.9445G	-58.38	-52.43	-5.95	2
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	7.10741G	-14.71	7.162G	-58.87	-54.71	-4.16	1
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	7.07901G	-9.88	6.9948G	-55.95	-49.88	-6.07	1
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	7.03619G	-5.84	7.185G	-52.33	-45.84	-6.49	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	7.00898G	-1.99	7.2314G	-49.09	-41.89	-7.20	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5935MHz	Pass	5.94009G	-11.37	5.9677G	-59.92	-51.37	-8.55	1
5935MHz	Pass	5.9381G	-11.31	5.9698G	-59.86	-51.31	-8.55	2
5935MHz	Pass	5.9363G	-11.10	5.9707G	-59.85	-51.10	-8.75	3
5935MHz	Pass	5.9384G	-10.89	5.9768G	-59.84	-50.89	-8.95	4
5955MHz	Pass	5.9587G	-9.58	5.9898G	-59.79	-49.58	-10.21	1
5955MHz	Pass	5.96059G	-10.00	5.9907G	-59.88	-50.00	-9.88	2
5955MHz	Pass	5.9599G	-9.41	5.9956G	-59.76	-49.41	-10.35	3
5955MHz	Pass	5.9581G	-9.83	5.9876G	-59.75	-49.83	-9.92	4
6175MHz	Pass	6.1787G	-10.06	6.2093G	-59.70	-50.06	-9.64	1
6175MHz	Pass	6.1787G	-10.60	6.2171G	-59.79	-50.60	-9.19	2
6175MHz	Pass	6.1713G	-9.73	6.2097G	-59.56	-49.73	-9.83	3
6175MHz	Pass	6.1781G	-10.26	6.2137G	-59.59	-50.26	-9.33	4
6415MHz	Pass	6.4106G	-10.65	6.4507G	-59.31	-50.65	-8.66	1
6415MHz	Pass	6.4128G	-11.62	6.4523G	-59.41	-51.62	-7.79	2
6415MHz	Pass	6.414G	-10.41	6.4481G	-59.32	-50.41	-8.91	3
6415MHz	Pass	6.4156G	-10.99	6.4516G	-59.31	-50.99	-8.32	4
6435MHz	Pass	6.434G	-10.07	6.4676G	-59.09	-50.07	-9.02	1
6435MHz	Pass	6.4381G	-11.00	6.4782G	-59.33	-51.00	-8.33	2
6435MHz	Pass	6.4328G	-9.69	6.4731G	-59.24	-49.69	-9.55	3
6435MHz	Pass	6.4325G	-9.93	6.4727G	-59.16	-49.93	-9.23	4
6475MHz	Pass	6.4737G	-10.27	6.5096G	-59.05	-50.27	-8.78	1
6475MHz	Pass	6.4726G	-11.42	6.5081G	-59.01	-51.42	-7.59	2
6475MHz	Pass	6.4725G	-10.12	6.5092G	-59.05	-50.12	-8.93	3
6475MHz	Pass	6.4775G	-10.24	6.5091G	-59.08	-50.24	-8.84	4
6515MHz	Pass	6.5165G	-10.68	6.4803G	-59.09	-50.68	-8.41	1
6515MHz	Pass	6.50911G	-11.81	6.4791G	-59.26	-51.81	-7.45	2
6515MHz	Pass	6.5128G	-10.64	6.4798G	-59.12	-50.64	-8.48	3
6515MHz	Pass	6.5122G	-10.59	6.4789G	-59.12	-50.59	-8.53	4
6535MHz	Pass	6.5358G	-10.67	6.5016G	-59.12	-50.67	-8.45	1
6535MHz	Pass	6.52861G	-11.76	6.5012G	-59.15	-51.76	-7.39	2
6535MHz	Pass	6.53G	-10.68	6.5003G	-59.14	-50.68	-8.46	3
6535MHz	Pass	6.5378G	-10.76	6.5G	-59.09	-50.76	-8.33	4
6715MHz	Pass	6.7156G	-10.76	6.7538G	-60.01	-50.76	-9.25	1
6715MHz	Pass	6.71G	-10.49	6.7521G	-60.11	-50.49	-9.62	2
6715MHz	Pass	6.7131G	-10.43	6.7474G	-60.00	-50.43	-9.57	3
6715MHz	Pass	6.7163G	-10.55	6.748G	-60.00	-50.55	-9.45	4
6855MHz	Pass	6.86129G	-11.88	6.8923G	-58.75	-51.88	-6.87	1
6855MHz	Pass	6.85G	-12.36	6.9029G	-58.85	-52.36	-6.49	2
6855MHz	Pass	6.8587G	-11.61	6.8885G	-58.73	-51.61	-7.12	3
6855MHz	Pass	6.86129G	-11.04	6.8927G	-58.76	-51.04	-7.72	4
6875MHz Straddle 6.525-6.875GHz	Pass	6.8784G	-11.93	6.9179G	-58.59	-51.93	-6.66	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6875MHz Straddle 6.525-6.875GHz	Pass	6.8725G	-12.31	6.9103G	-58.61	-52.31	-6.30	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.8762G	-12.37	6.9154G	-58.59	-52.37	-6.22	3
6875MHz Straddle 6.525-6.875GHz	Pass	6.8781G	-11.71	6.9171G	-58.61	-51.71	-6.90	4
6895MHz	Pass	6.8988G	-11.74	6.9378G	-58.39	-51.74	-6.65	1
6895MHz	Pass	6.89G	-12.43	6.9445G	-58.38	-52.43	-5.95	2
6895MHz	Pass	6.8972G	-12.22	6.9339G	-58.47	-52.22	-6.25	3
6895MHz	Pass	6.90029G	-11.57	6.9403G	-58.39	-51.57	-6.82	4
7015MHz	Pass	7.0131G	-11.67	6.9819G	-58.12	-51.67	-6.45	1
7015MHz	Pass	7.0137G	-12.24	6.9812G	-58.21	-52.24	-5.97	2
7015MHz	Pass	7.0122G	-11.66	6.9824G	-58.15	-51.66	-6.49	3
7015MHz	Pass	7.0137G	-11.95	6.9804G	-58.23	-51.95	-6.28	4
7095MHz	Pass	7.0962G	-12.42	7.1432G	-58.92	-52.42	-6.50	1
7095MHz	Pass	7.094G	-12.83	7.1431G	-58.93	-52.83	-6.10	2
7095MHz	Pass	7.0935G	-12.42	7.1438G	-58.88	-52.42	-6.46	3
7095MHz	Pass	7.0907G	-12.29	7.1428G	-58.97	-52.29	-6.68	4
7115MHz	Pass	7.1118G	-12.50	7.1584G	-58.73	-52.50	-6.23	1
7115MHz	Pass	7.1187G	-12.35	7.1583G	-58.64	-52.35	-6.29	2
7115MHz	Pass	7.1128G	-12.40	7.1584G	-58.66	-52.40	-6.26	3
7115MHz	Pass	7.1137G	-12.45	7.1585G	-58.70	-52.45	-6.25	4
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5935MHz	Pass	5.94259G	-13.75	5.9745G	-60.22	-53.75	-6.47	1
5935MHz	Pass	5.9388G	-13.89	5.9677G	-60.17	-53.89	-6.28	2
5935MHz	Pass	5.94G	-13.06	5.9793G	-60.19	-53.06	-7.13	3
5935MHz	Pass	5.94G	-13.33	5.9674G	-60.08	-53.33	-6.75	4
5955MHz	Pass	5.9587G	-9.55	5.9924G	-59.92	-49.55	-10.37	1
5955MHz	Pass	5.96129G	-9.88	5.9887G	-60.04	-49.88	-10.16	2
5955MHz	Pass	5.9597G	-9.52	5.9879G	-59.94	-49.52	-10.42	3
5955MHz	Pass	5.96109G	-9.45	5.9878G	-59.66	-49.45	-10.21	4
6175MHz	Pass	6.1701G	-9.78	6.2094G	-59.63	-49.78	-9.85	1
6175MHz	Pass	6.1787G	-10.11	6.2098G	-59.76	-50.11	-9.65	2
6175MHz	Pass	6.176G	-9.96	6.216G	-59.72	-49.96	-9.76	3
6175MHz	Pass	6.1738G	-9.57	6.2082G	-59.58	-49.57	-10.01	4
6415MHz	Pass	6.4126G	-9.51	6.4501G	-59.27	-49.51	-9.76	1
6415MHz	Pass	6.4163G	-10.32	6.4491G	-59.40	-50.32	-9.08	2
6415MHz	Pass	6.4187G	-9.60	6.4479G	-59.22	-49.60	-9.62	3
6415MHz	Pass	6.4163G	-9.75	6.4486G	-59.24	-49.75	-9.49	4
6435MHz	Pass	6.4325G	-9.64	6.4706G	-59.13	-49.64	-9.49	1
6435MHz	Pass	6.44129G	-9.86	6.4687G	-59.30	-49.86	-9.44	2
6435MHz	Pass	6.42871G	-9.13	6.468G	-59.21	-49.13	-10.08	3
6435MHz	Pass	6.4363G	-9.39	6.475G	-59.14	-49.39	-9.75	4
6475MHz	Pass	6.46751G	-9.80	6.5085G	-59.19	-49.80	-9.39	1
6475MHz	Pass	6.4737G	-10.24	6.509G	-59.25	-50.24	-9.01	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6475MHz	Pass	6.4705G	-9.67	6.5085G	-59.09	-49.67	-9.42	3
6475MHz	Pass	6.4762G	-9.79	6.5082G	-59.19	-49.79	-9.40	4
6515MHz	Pass	6.5124G	-9.87	6.4794G	-59.26	-49.87	-9.39	1
6515MHz	Pass	6.5187G	-10.17	6.4736G	-59.26	-50.17	-9.09	2
6515MHz	Pass	6.5137G	-9.70	6.4773G	-59.14	-49.70	-9.44	3
6515MHz	Pass	6.5176G	-9.75	6.4785G	-59.21	-49.75	-9.46	4
6535MHz	Pass	6.53G	-9.75	6.4923G	-59.10	-49.75	-9.35	1
6535MHz	Pass	6.5388G	-10.57	6.4941G	-59.30	-50.57	-8.73	2
6535MHz	Pass	6.52761G	-9.66	6.5017G	-59.14	-49.66	-9.48	3
6535MHz	Pass	6.5303G	-9.73	6.5G	-59.16	-49.73	-9.43	4
6715MHz	Pass	6.71G	-9.54	6.748G	-60.07	-49.54	-10.53	1
6715MHz	Pass	6.7187G	-9.54	6.7501G	-59.98	-49.54	-10.44	2
6715MHz	Pass	6.71G	-8.89	6.7544G	-59.91	-48.89	-11.02	3
6715MHz	Pass	6.7101G	-9.64	6.7503G	-60.07	-49.64	-10.43	4
6855MHz	Pass	6.8526G	-9.81	6.8984G	-58.71	-49.81	-8.90	1
6855MHz	Pass	6.8539G	-10.48	6.8956G	-58.81	-50.48	-8.33	2
6855MHz	Pass	6.85G	-9.77	6.8887G	-58.63	-49.77	-8.86	3
6855MHz	Pass	6.8536G	-9.23	6.9019G	-58.63	-49.23	-9.40	4
6875MHz Straddle 6.525-6.875GHz	Pass	6.8779G	-10.34	6.9171G	-58.46	-50.34	-8.12	1
6875MHz Straddle 6.525-6.875GHz	Pass	6.8791G	-10.79	6.9163G	-58.56	-50.79	-7.77	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.8787G	-10.35	6.9231G	-58.53	-50.35	-8.18	3
6875MHz Straddle 6.525-6.875GHz	Pass	6.8788G	-10.12	6.9087G	-58.48	-50.12	-8.36	4
6895MHz	Pass	6.8925G	-10.30	6.929G	-58.36	-50.30	-8.06	1
6895MHz	Pass	6.8988G	-10.73	6.9418G	-58.49	-50.73	-7.76	2
6895MHz	Pass	6.8925G	-10.30	6.9404G	-58.43	-50.30	-8.13	3
6895MHz	Pass	6.8976G	-10.01	6.9316G	-58.34	-50.01	-8.33	4
7015MHz	Pass	7.02G	-11.34	6.9726G	-58.26	-51.34	-6.92	1
7015MHz	Pass	7.0173G	-11.45	6.9804G	-58.27	-51.45	-6.82	2
7015MHz	Pass	7.0125G	-11.03	6.9823G	-58.32	-51.03	-7.29	3
7015MHz	Pass	7.00881G	-11.41	6.981G	-58.24	-51.41	-6.83	4
7095MHz	Pass	7.08741G	-11.74	7.1447G	-59.04	-51.74	-7.30	1
7095MHz	Pass	7.09G	-11.90	7.1446G	-59.00	-51.90	-7.10	2
7095MHz	Pass	7.08881G	-11.11	7.1424G	-58.89	-51.11	-7.78	3
7095MHz	Pass	7.08991G	-11.56	7.1384G	-59.10	-51.56	-7.54	4
7115MHz	Pass	7.10741G	-14.71	7.162G	-58.87	-54.71	-4.16	1
7115MHz	Pass	7.11G	-14.73	7.1581G	-58.92	-54.73	-4.19	2
7115MHz	Pass	7.10751G	-14.26	7.1576G	-58.80	-54.26	-4.54	3
7115MHz	Pass	7.1137G	-14.58	7.1574G	-58.97	-54.58	-4.39	4
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97859G	-8.15	6.0268G	-57.03	-48.15	-8.88	1
5965MHz	Pass	5.97139G	-8.65	6.027G	-57.30	-48.65	-8.65	2
5965MHz	Pass	5.97379G	-8.17	6.0264G	-57.14	-48.17	-8.97	3

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.9686G	-8.01	6.0266G	-57.26	-48.01	-9.25	4
6165MHz	Pass	6.1602G	-7.27	6.2262G	-56.76	-47.27	-9.49	1
6165MHz	Pass	6.1688G	-7.74	6.2262G	-56.96	-47.74	-9.22	2
6165MHz	Pass	6.17019G	-7.53	6.226G	-56.87	-47.53	-9.34	3
6165MHz	Pass	6.1688G	-7.83	6.227G	-56.98	-47.83	-9.15	4
6405MHz	Pass	6.4074G	-7.05	6.4664G	-56.25	-47.05	-9.20	1
6405MHz	Pass	6.41G	-7.75	6.4664G	-56.58	-47.75	-8.83	2
6405MHz	Pass	6.4086G	-7.14	6.4664G	-56.32	-47.14	-9.18	3
6405MHz	Pass	6.4088G	-7.44	6.3432G	-56.55	-47.44	-9.11	4
6445MHz	Pass	6.44G	-7.07	6.507G	-56.32	-47.07	-9.25	1
6445MHz	Pass	6.43981G	-7.56	6.5062G	-56.37	-47.56	-8.81	2
6445MHz	Pass	6.4402G	-7.30	6.5062G	-56.42	-47.30	-9.12	3
6445MHz	Pass	6.43981G	-7.11	6.5068G	-56.31	-47.01	-9.30	4
6485MHz	Pass	6.48G	-7.54	6.4238G	-56.46	-47.54	-8.92	1
6485MHz	Pass	6.47861G	-7.89	6.4236G	-56.71	-47.89	-8.82	2
6485MHz	Pass	6.4806G	-7.83	6.4234G	-56.35	-47.83	-8.52	3
6485MHz	Pass	6.4804G	-7.51	6.4232G	-56.51	-47.51	-9.00	4
6525MHz Straddle 6.425-6.525GHz	Pass	6.51881G	-7.82	6.4638G	-56.48	-47.82	-8.66	1
6525MHz Straddle 6.425-6.525GHz	Pass	6.51981G	-8.23	6.4634G	-56.58	-48.23	-8.35	2
6525MHz Straddle 6.425-6.525GHz	Pass	6.51981G	-8.07	6.4632G	-56.52	-48.07	-8.45	3
6525MHz Straddle 6.425-6.525GHz	Pass	6.51901G	-7.76	6.4628G	-56.55	-47.76	-8.79	4
6565MHz	Pass	6.5698G	-7.84	6.5036G	-56.15	-47.84	-8.31	1
6565MHz	Pass	6.55861G	-8.30	6.5036G	-56.65	-48.30	-8.35	2
6565MHz	Pass	6.55981G	-8.25	6.5036G	-56.31	-48.25	-8.06	3
6565MHz	Pass	6.56G	-7.89	6.5032G	-56.37	-47.79	-8.58	4
6725MHz	Pass	6.73G	-7.52	6.7862G	-56.79	-47.52	-9.27	1
6725MHz	Pass	6.71941G	-8.02	6.786G	-57.08	-48.02	-9.06	2
6725MHz	Pass	6.73119G	-7.74	6.7866G	-56.71	-47.74	-8.97	3
6725MHz	Pass	6.7298G	-7.65	6.7864G	-56.76	-47.43	-9.33	4
6845MHz	Pass	6.83761G	-8.30	6.9064G	-56.03	-48.30	-7.73	1
6845MHz	Pass	6.849G	-8.91	6.9434G	-56.05	-48.91	-7.14	2
6845MHz	Pass	6.85239G	-8.33	6.939G	-56.07	-48.33	-7.74	3
6845MHz	Pass	6.85119G	-8.09	6.9068G	-55.98	-48.09	-7.89	4
6885MHz Straddle 6.525-6.875GHz	Pass	6.8878G	-8.32	6.9778G	-55.76	-48.32	-7.44	1
6885MHz Straddle 6.525-6.875GHz	Pass	6.89139G	-8.95	6.946G	-55.73	-48.95	-6.78	2
6885MHz Straddle 6.525-6.875GHz	Pass	6.89119G	-8.17	6.9462G	-55.53	-48.17	-7.36	3
6885MHz Straddle 6.525-6.875GHz	Pass	6.89119G	-8.05	6.9468G	-55.64	-47.98	-7.66	4
6925MHz	Pass	6.93259G	-8.34	6.9862G	-55.55	-48.34	-7.21	1
6925MHz	Pass	6.9296G	-8.63	6.9866G	-55.66	-48.63	-7.03	2
6925MHz	Pass	6.93G	-8.45	6.993G	-55.59	-48.45	-7.14	3
6925MHz	Pass	6.9288G	-8.12	6.9876G	-55.65	-48.12	-7.53	4
7005MHz	Pass	7.01259G	-8.88	6.9408G	-56.07	-48.88	-7.19	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7005MHz	Pass	7.0088G	-9.34	6.943G	-56.30	-49.34	-6.96	2
7005MHz	Pass	7.0088G	-8.84	6.9422G	-56.17	-48.84	-7.33	3
7005MHz	Pass	7.01019G	-8.67	6.9432G	-56.18	-48.67	-7.51	4
7085MHz	Pass	7.07901G	-9.88	6.9948G	-55.95	-49.88	-6.07	1
7085MHz	Pass	7.08G	-9.79	7.0086G	-55.92	-49.79	-6.13	2
7085MHz	Pass	7.07741G	-9.35	7.0062G	-55.97	-49.35	-6.62	3
7085MHz	Pass	7.07761G	-9.35	7.001G	-56.00	-49.35	-6.65	4
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.99979G	-4.19	6.1074G	-53.51	-43.97	-9.54	1
5985MHz	Pass	6.01377G	-5.61	6.1082G	-54.23	-45.61	-8.62	2
5985MHz	Pass	5.99419G	-4.11	6.107G	-53.54	-44.00	-9.54	3
5985MHz	Pass	5.99739G	-4.11	6.1098G	-53.75	-44.11	-9.64	4
6145MHz	Pass	6.15739G	-3.74	6.2678G	-52.99	-43.64	-9.35	1
6145MHz	Pass	6.13381G	-4.77	6.2682G	-53.64	-44.77	-8.87	2
6145MHz	Pass	6.15739G	-3.85	6.2674G	-52.93	-43.74	-9.19	3
6145MHz	Pass	6.15779G	-4.19	6.2686G	-53.30	-44.19	-9.11	4
6385MHz	Pass	6.37221G	-3.99	6.5078G	-52.81	-43.99	-8.82	1
6385MHz	Pass	6.37221G	-4.09	6.5082G	-52.76	-44.09	-8.67	2
6385MHz	Pass	6.37381G	-3.92	6.5078G	-52.88	-43.92	-8.96	3
6385MHz	Pass	6.37141G	-4.15	6.509G	-52.93	-44.15	-8.78	4
6465MHz	Pass	6.45221G	-3.48	6.3422G	-52.67	-43.48	-9.19	1
6465MHz	Pass	6.45141G	-4.02	6.3418G	-53.03	-44.02	-9.01	2
6465MHz	Pass	6.45341G	-3.55	6.3426G	-52.55	-43.44	-9.11	3
6465MHz	Pass	6.45261G	-3.37	6.3046G	-52.43	-43.37	-9.06	4
6545MHz Straddle 6.425-6.525GHz	Pass	6.53661G	-4.36	6.4218G	-52.78	-44.36	-8.42	1
6545MHz Straddle 6.425-6.525GHz	Pass	6.53261G	-4.41	6.4218G	-52.78	-44.41	-8.37	2
6545MHz Straddle 6.425-6.525GHz	Pass	6.53101G	-4.21	6.4214G	-52.73	-44.21	-8.52	3
6545MHz Straddle 6.425-6.525GHz	Pass	6.53621G	-4.10	6.385G	-52.45	-44.10	-8.35	4
6625MHz	Pass	6.61381G	-4.45	6.5018G	-52.65	-44.45	-8.20	1
6625MHz	Pass	6.63979G	-5.08	6.5026G	-52.75	-44.97	-7.78	2
6625MHz	Pass	6.63979G	-4.71	6.5018G	-52.71	-44.71	-8.00	3
6625MHz	Pass	6.61101G	-4.22	6.4646G	-52.27	-44.22	-8.05	4
6705MHz	Pass	6.69461G	-3.86	6.8942G	-52.48	-43.86	-8.62	1
6705MHz	Pass	6.69381G	-4.63	6.893G	-52.69	-44.63	-8.06	2
6705MHz	Pass	6.69301G	-4.15	6.8282G	-52.46	-44.15	-8.31	3
6705MHz	Pass	6.69301G	-3.63	6.8654G	-51.95	-43.63	-8.32	4
6785MHz	Pass	6.79819G	-3.99	6.9082G	-51.83	-43.99	-7.84	1
6785MHz	Pass	6.79939G	-4.68	6.9738G	-52.01	-44.68	-7.33	2
6785MHz	Pass	6.79619G	-4.04	6.983G	-51.87	-44.04	-7.83	3
6785MHz	Pass	6.79739G	-4.08	6.945G	-51.20	-44.08	-7.12	4
6865MHz Straddle 6.525-6.875GHz	Pass	6.87659G	-5.33	6.9882G	-51.87	-45.33	-6.54	1
6865MHz Straddle 6.525-6.875GHz	Pass	6.85221G	-5.91	6.9874G	-51.95	-45.86	-6.09	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6865MHz Straddle 6.525-6.875GHz	Pass	6.87779G	-5.18	6.9882G	-51.86	-45.18	-6.68	3
6865MHz Straddle 6.525-6.875GHz	Pass	6.87659G	-5.06	6.9898G	-51.83	-45.06	-6.77	4
6945MHz	Pass	6.95979G	-5.49	7.137G	-53.05	-45.49	-7.56	1
6945MHz	Pass	6.95619G	-5.80	7.1398G	-53.19	-45.80	-7.39	2
6945MHz	Pass	6.95419G	-5.63	7.1326G	-53.13	-45.63	-7.50	3
6945MHz	Pass	6.95779G	-5.38	7.105G	-52.76	-45.38	-7.38	4
7025MHz	Pass	7.03699G	-5.81	7.2158G	-52.67	-45.81	-6.86	1
7025MHz	Pass	7.03859G	-5.99	7.2058G	-52.66	-45.99	-6.67	2
7025MHz	Pass	7.03779G	-6.06	7.211G	-52.58	-46.06	-6.52	3
7025MHz	Pass	7.03619G	-5.84	7.185G	-52.33	-45.84	-6.49	4
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04978G	-1.57	6.269G	-49.21	-41.23	-7.98	1
6025MHz	Pass	6.05377G	-2.06	6.2682G	-49.42	-41.60	-7.82	2
6025MHz	Pass	6.05057G	-1.33	6.2682G	-48.78	-40.87	-7.91	3
6025MHz	Pass	6.04898G	-1.61	6.269G	-49.30	-41.27	-8.03	4
6185MHz	Pass	6.21217G	-1.10	6.429G	-49.22	-40.65	-8.57	1
6185MHz	Pass	6.24734G	-2.05	6.4282G	-49.39	-41.59	-7.80	2
6185MHz	Pass	6.20818G	-1.20	6.4282G	-49.06	-40.74	-8.32	3
6185MHz	Pass	6.21377G	-1.39	6.429G	-49.52	-40.94	-8.58	4
6345MHz	Pass	6.37137G	-1.44	6.101G	-49.95	-40.99	-8.96	1
6345MHz	Pass	6.36818G	-1.53	6.101G	-50.12	-41.19	-8.93	2
6345MHz	Pass	6.31943G	-1.14	6.1018G	-49.67	-40.57	-9.10	3
6345MHz	Pass	6.28266G	-1.66	6.101G	-50.02	-40.98	-9.04	4
6505MHz Straddle 6.425-6.525GHz	Pass	6.44266G	-1.38	6.9042G	-49.74	-41.38	-8.36	1
6505MHz Straddle 6.425-6.525GHz	Pass	6.42908G	-1.68	6.9042G	-49.92	-41.68	-8.24	2
6505MHz Straddle 6.425-6.525GHz	Pass	6.44266G	-1.48	6.261G	-49.08	-41.15	-7.93	3
6505MHz Straddle 6.425-6.525GHz	Pass	6.42908G	-1.50	6.2618G	-49.01	-40.95	-8.06	4
6665MHz	Pass	6.69137G	-1.62	6.909G	-48.57	-41.28	-7.29	1
6665MHz	Pass	6.68898G	-1.87	7.0066G	-48.95	-41.87	-7.08	2
6665MHz	Pass	6.69057G	-1.58	7.009G	-48.98	-41.58	-7.40	3
6665MHz	Pass	6.68978G	-1.94	6.9922G	-48.95	-41.94	-7.01	4
6825MHz Straddle 6.525-6.875GHz	Pass	6.80182G	-0.97	7.069G	-48.86	-40.49	-8.37	1
6825MHz Straddle 6.525-6.875GHz	Pass	6.84978G	-1.79	7.0698G	-49.28	-41.48	-7.80	2
6825MHz Straddle 6.525-6.875GHz	Pass	6.84818G	-1.41	7.2138G	-49.51	-41.41	-8.10	3
6825MHz Straddle 6.525-6.875GHz	Pass	6.85137G	-1.13	7.2186G	-49.55	-41.13	-8.42	4
6985MHz	Pass	7.00818G	-1.56	7.229G	-48.66	-41.22	-7.44	1
6985MHz	Pass	7.00898G	-1.99	7.2314G	-49.09	-41.89	-7.20	2
6985MHz	Pass	7.00978G	-1.61	7.229G	-48.82	-41.39	-7.43	3
6985MHz	Pass	7.00738G	-1.61	7.2314G	-49.12	-41.61	-7.51	4
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1498G	2.59	6.6314G	-43.09	-37.41	-5.68	1
6105MHz	Pass	6.137G	1.76	6.601G	-40.71	-38.24	-2.47	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6105MHz	Pass	6.2073G	2.66	6.5978G	-42.40	-37.12	-5.28	3
6105MHz	Pass	6.1402G	2.61	6.5978G	-42.29	-37.17	-5.12	4
6265MHz	Pass	6.233G	1.24	7.0058G	-45.20	-38.76	-6.44	1
6265MHz	Pass	6.3002G	1.64	6.9994G	-45.07	-38.36	-6.71	2
6265MHz	Pass	6.2298G	2.47	6.7594G	-44.29	-37.53	-6.76	3
6265MHz	Pass	6.2314G	2.37	6.7754G	-44.16	-37.63	-6.53	4
6425MHz Straddle 6.425-6.525GHz	Pass	6.393G	2.59	6.921G	-42.65	-37.41	-5.24	1
6425MHz Straddle 6.425-6.525GHz	Pass	6.3898G	2.64	6.921G	-41.06	-37.36	-3.70	2
6425MHz Straddle 6.425-6.525GHz	Pass	6.3898G	2.77	6.9258G	-41.79	-37.23	-4.56	3
6425MHz Straddle 6.425-6.525GHz	Pass	6.3275G	2.36	6.921G	-42.54	-37.64	-4.90	4
6585MHz Straddle 6.425-6.525GHz	Pass	6.4443G	1.43	7.0858G	-44.69	-38.57	-6.12	1
6585MHz Straddle 6.425-6.525GHz	Pass	6.4491G	2.23	7.0842G	-40.38	-37.77	-2.61	2
6585MHz Straddle 6.425-6.525GHz	Pass	6.4459G	2.51	7.081G	-40.76	-37.39	-3.37	3
6585MHz Straddle 6.425-6.525GHz	Pass	6.4795G	2.17	7.0794G	-41.70	-37.73	-3.97	4
6745MHz Straddle 6.525-6.875GHz	Pass	6.7114G	2.04	7.2442G	-42.72	-37.96	-4.76	1
6745MHz Straddle 6.525-6.875GHz	Pass	6.6986G	1.47	7.2394G	-42.73	-38.43	-4.30	2
6745MHz Straddle 6.525-6.875GHz	Pass	6.7898G	1.67	7.2458G	-43.33	-38.33	-5.00	3
6745MHz Straddle 6.525-6.875GHz	Pass	6.8441G	1.73	7.2426G	-43.29	-38.27	-5.02	4
6905MHz Straddle 6.525-6.875GHz	Pass	6.9386G	-0.49	7.497G	-44.66	-40.49	-4.17	1
6905MHz Straddle 6.525-6.875GHz	Pass	6.9498G	0.22	7.4986G	-44.54	-39.78	-4.76	2
6905MHz Straddle 6.525-6.875GHz	Pass	6.9402G	0.56	7.489G	-44.51	-39.44	-5.07	3
6905MHz Straddle 6.525-6.875GHz	Pass	6.9418G	0.51	7.4954G	-44.61	-39.49	-5.12	4

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX **MASK**

5935MHz_TX

CF (Hz)
5.935G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.94009G	-11.37	5.9677G	-59.92	-51.37	-8.55	1
5.9381G	-11.31	5.9698G	-59.86	-51.31	-8.55	2
5.9363G	-11.10	5.9707G	-59.85	-51.10	-8.75	3
5.9384G	-10.89	5.9768G	-59.84	-50.89	-8.95	4

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX **MASK**

5955MHz_TX

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9587G	-9.58	5.9898G	-59.79	-49.58	-10.21	1
5.96059G	-10.00	5.9907G	-59.88	-50.00	-9.88	2
5.9599G	-9.41	5.9956G	-59.76	-49.41	-10.35	3
5.9581G	-9.83	5.9876G	-59.75	-49.83	-9.92	4

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX   **MASK**

6175MHz_TX

CF (Hz)
6.175G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS

Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1787G	-10.06	6.2093G	-59.70	-50.06	-9.64	1
6.1787G	-10.60	6.2171G	-59.79	-50.60	-9.19	2
6.1713G	-9.73	6.2097G	-59.56	-49.73	-9.83	3
6.1781G	-10.26	6.2137G	-59.59	-50.26	-9.33	4

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX   **MASK**

6415MHz_TX

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS

Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4106G	-10.65	6.4507G	-59.31	-50.65	-8.66	1
6.4128G	-11.62	6.4523G	-59.41	-51.62	-7.79	2
6.414G	-10.41	6.4481G	-59.32	-50.41	-8.91	3
6.4156G	-10.99	6.4516G	-59.31	-50.99	-8.32	4

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX   **MASK**

6435MHz_TX

CF (Hz)
6.435G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.434G	-10.07	6.4676G	-59.09	-50.07	-9.02	1
6.4381G	-11.00	6.4782G	-59.33	-51.00	-8.33	2
6.4328G	-9.69	6.4731G	-59.24	-49.69	-9.55	3
6.4325G	-9.93	6.4727G	-59.16	-49.93	-9.23	4

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX   **MASK**

6475MHz_TX

CF (Hz)
6.475G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4737G	-10.27	6.5096G	-59.05	-50.27	-8.78	1
6.4726G	-11.42	6.5081G	-59.01	-51.42	-7.59	2
6.4725G	-10.12	6.5092G	-59.05	-50.12	-8.93	3
6.4775G	-10.24	6.5091G	-59.08	-50.24	-8.84	4

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX   MASK

6515MHz_TX

CF (Hz)
6.515G

Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5165G	-10.68	6.4803G	-59.09	-50.68	-8.41	1
6.50911G	-11.81	6.4791G	-59.26	-51.81	-7.45	2
6.5128G	-10.64	6.4798G	-59.12	-50.64	-8.48	3
6.5122G	-10.59	6.4789G	-59.12	-50.59	-8.53	4

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX   MASK

6535MHz_TX

CF (Hz)
6.535G

Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5358G	-10.67	6.5016G	-59.12	-50.67	-8.45	1
6.52861G	-11.76	6.5012G	-59.15	-51.76	-7.39	2
6.53G	-10.68	6.5003G	-59.14	-50.68	-8.46	3
6.5378G	-10.76	6.5G	-59.09	-50.76	-8.33	4

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX   **MASK**

6715MHz_TX

| CF (Hz) |
| 6.715G |
| Span (Hz) |
| 100M |
| RBW (Hz) |
| 300k |
| VBW (Hz) |
| 1M |
| Sweep Time (s) |
| 20m |
| Detector Type |
| RMS |

Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7156G	-10.76	6.7538G	-60.01	-50.76	-9.25	1
6.71G	-10.49	6.7521G	-60.11	-50.49	-9.62	2
6.7131G	-10.43	6.7474G	-60.00	-50.43	-9.57	3
6.7163G	-10.55	6.748G	-60.00	-50.55	-9.45	4

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX   **MASK**

6855MHz_TX

| CF (Hz) |
| 6.855G |
| Span (Hz) |
| 100M |
| RBW (Hz) |
| 300k |
| VBW (Hz) |
| 1M |
| Sweep Time (s) |
| 20m |
| Detector Type |
| RMS |

Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86129G	-11.88	6.8923G	-58.75	-51.88	-6.87	1
6.85G	-12.36	6.9029G	-58.85	-52.36	-6.49	2
6.8587G	-11.61	6.8885G	-58.73	-51.61	-7.12	3
6.86129G	-11.04	6.8927G	-58.76	-51.04	-7.72	4

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX **MASK**

6875MHz Straddle 6.525-6.875GHz_TX

CF (Hz)
6.875G

Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8784G	-11.93	6.9179G	-58.59	-51.93	-6.66	1
6.8725G	-12.31	6.9103G	-58.61	-52.31	-6.30	2
6.8762G	-12.37	6.9154G	-58.59	-52.37	-6.22	3
6.8781G	-11.71	6.9171G	-58.61	-51.71	-6.90	4

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX **MASK**

6895MHz_TX

CF (Hz)
6.895G

Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8988G	-11.74	6.9378G	-58.39	-51.74	-6.65	1
6.89G	-12.43	6.9445G	-58.38	-52.43	-5.95	2
6.8972G	-12.22	6.9339G	-58.47	-52.22	-6.25	3
6.90029G	-11.57	6.9403G	-58.39	-51.57	-6.82	4

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX   **MASK**

7015MHz_TX

CF (Hz)
7.015G

Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS

Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0131G	-11.67	6.9819G	-58.12	-51.67	-6.45	1
7.0137G	-12.24	6.9812G	-58.21	-52.24	-5.97	2
7.0122G	-11.66	6.9824G	-58.15	-51.66	-6.49	3
7.0137G	-11.95	6.9804G	-58.23	-51.95	-6.28	4

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX   **MASK**

7095MHz_TX

CF (Hz)
7.095G

Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS

Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0962G	-12.42	7.1432G	-58.92	-52.42	-6.50	1
7.094G	-12.83	7.1431G	-58.93	-52.83	-6.10	2
7.0935G	-12.42	7.1438G	-58.88	-52.42	-6.46	3
7.0907G	-12.29	7.1428G	-58.97	-52.29	-6.68	4

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX **MASK**

7115MHz_TX

CF (Hz)
7.115G

Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS

Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.1118G	-12.50	7.1584G	-58.73	-52.50	-6.23	1
7.1187G	-12.35	7.1583G	-58.64	-52.35	-6.29	2
7.1128G	-12.40	7.1584G	-58.66	-52.40	-6.26	3
7.1137G	-12.45	7.1585G	-58.70	-52.45	-6.25	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX **MASK**

5935MHz_TX

CF (Hz)
5.935G

Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS

Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.94259G	-13.75	5.9745G	-60.22	-53.75	-6.47	1
5.9388G	-13.89	5.9677G	-60.17	-53.89	-6.28	2
5.94G	-13.06	5.9793G	-60.19	-53.06	-7.13	3
5.94G	-13.33	5.9674G	-60.08	-53.33	-6.75	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX   **MASK**

5955MHz_TX

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9587G	-9.55	5.9924G	-59.92	-49.55	-10.37	1
5.96129G	-9.88	5.9887G	-60.04	-49.88	-10.16	2
5.9597G	-9.52	5.9879G	-59.94	-49.52	-10.42	3
5.96109G	-9.45	5.9878G	-59.66	-49.45	-10.21	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX   **MASK**

6175MHz_TX

CF (Hz)
6.175G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1701G	-9.78	6.2094G	-59.63	-49.78	-9.85	1
6.1787G	-10.11	6.2098G	-59.76	-50.11	-9.65	2
6.176G	-9.96	6.216G	-59.72	-49.96	-9.76	3
6.1738G	-9.57	6.2082G	-59.58	-49.57	-10.01	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX   **MASK**

6415MHz_TX

| CF (Hz) |
| 6.415G |
| Span (Hz) |
| 100M |
| RBW (Hz) |
| 300k |
| VBW (Hz) |
| 1M |
| Sweep Time (s) |
| 20m |
| Detector Type |
| RMS |

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4126G	-9.51	6.4501G	-59.27	-49.51	-9.76	1
6.4163G	-10.32	6.4491G	-59.40	-50.32	-9.08	2
6.4187G	-9.60	6.4479G	-59.22	-49.60	-9.62	3
6.4163G	-9.75	6.4486G	-59.24	-49.75	-9.49	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX   **MASK**

6435MHz_TX

| CF (Hz) |
| 6.435G |
| Span (Hz) |
| 100M |
| RBW (Hz) |
| 300k |
| VBW (Hz) |
| 1M |
| Sweep Time (s) |
| 20m |
| Detector Type |
| RMS |

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4325G	-9.64	6.4706G	-59.13	-49.64	-9.49	1
6.44129G	-9.86	6.4687G	-59.30	-49.86	-9.44	2
6.42871G	-9.13	6.468G	-59.21	-49.13	-10.08	3
6.4363G	-9.39	6.475G	-59.14	-49.39	-9.75	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX   **MASK**

6475MHz_TX

CF (Hz)
6.475G

Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS

Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46751G	-9.80	6.5085G	-59.19	-49.80	-9.39	1
6.4737G	-10.24	6.509G	-59.25	-50.24	-9.01	2
6.4705G	-9.67	6.5085G	-59.09	-49.67	-9.42	3
6.4762G	-9.79	6.5082G	-59.19	-49.79	-9.40	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX   **MASK**

6515MHz_TX

CF (Hz)
6.515G

Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS

Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5124G	-9.87	6.4794G	-59.26	-49.87	-9.39	1
6.5187G	-10.17	6.4736G	-59.26	-50.17	-9.09	2
6.5137G	-9.70	6.4773G	-59.14	-49.70	-9.44	3
6.5176G	-9.75	6.4785G	-59.21	-49.75	-9.46	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX   **MASK**

6535MHz_TX

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53G	-9.75	6.4923G	-59.10	-49.75	-9.35	1
6.5388G	-10.57	6.4941G	-59.30	-50.57	-8.73	2
6.52761G	-9.66	6.5017G	-59.14	-49.66	-9.48	3
6.5303G	-9.73	6.5G	-59.16	-49.73	-9.43	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX   **MASK**

6715MHz_TX

CF (Hz)
6.715G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71G	-9.54	6.748G	-60.07	-49.54	-10.53	1
6.7187G	-9.54	6.7501G	-59.98	-49.54	-10.44	2
6.71G	-8.89	6.7544G	-59.91	-48.89	-11.02	3
6.7101G	-9.64	6.7503G	-60.07	-49.64	-10.43	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX   **MASK**

6855MHz_TX

CF (Hz)
6.855G

Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS

Port 1, Port 2, Port 3, Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8526G	-9.81	6.8984G	-58.71	-49.81	-8.90	1
6.8539G	-10.48	6.8956G	-58.81	-50.48	-8.33	2
6.85G	-9.77	6.8887G	-58.63	-49.77	-8.86	3
6.8536G	-9.23	6.9019G	-58.63	-49.23	-9.40	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX   **MASK**

6875MHz Straddle 6.525-6.875GHz_TX

CF (Hz)
6.875G

Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS

Port 1, Port 2, Port 3, Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8779G	-10.34	6.9171G	-58.46	-50.34	-8.12	1
6.8791G	-10.79	6.9163G	-58.56	-50.79	-7.77	2
6.8787G	-10.35	6.9231G	-58.53	-50.35	-8.18	3
6.8788G	-10.12	6.9087G	-58.48	-50.12	-8.36	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX   **MASK**

6895MHz_TX

CF (Hz)
6.895G

Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8925G	-10.30	6.929G	-58.36	-50.30	-8.06	1
6.8988G	-10.73	6.9418G	-58.49	-50.73	-7.76	2
6.8925G	-10.30	6.9404G	-58.43	-50.30	-8.13	3
6.8976G	-10.01	6.9316G	-58.34	-50.01	-8.33	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX   **MASK**

7015MHz_TX

CF (Hz)
7.015G

Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.02G	-11.34	6.9726G	-58.26	-51.34	-6.92	1
7.0173G	-11.45	6.9804G	-58.27	-51.45	-6.82	2
7.0125G	-11.03	6.9823G	-58.32	-51.03	-7.29	3
7.00881G	-11.41	6.981G	-58.24	-51.41	-6.83	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX   **MASK**

7095MHz_TX

CF (Hz)
7.095G

Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS

Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08741G	-11.74	7.1447G	-59.04	-51.74	-7.30	1
7.09G	-11.90	7.1446G	-59.00	-51.90	-7.10	2
7.08881G	-11.11	7.1424G	-58.89	-51.11	-7.78	3
7.08991G	-11.56	7.1384G	-59.10	-51.56	-7.54	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX   **MASK**

7115MHz_TX

CF (Hz)
7.115G

Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS

Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.10741G	-14.71	7.162G	-58.87	-54.71	-4.16	1
7.11G	-14.73	7.1581G	-58.92	-54.73	-4.19	2
7.10751G	-14.26	7.1576G	-58.80	-54.26	-4.54	3
7.1137G	-14.58	7.1574G	-58.97	-54.58	-4.39	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX   **MASK**

5965MHz_TX

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97859G	-8.15	6.0268G	-57.03	-48.15	-8.88	1
5.97139G	-8.65	6.027G	-57.30	-48.65	-8.65	2
5.97379G	-8.17	6.0264G	-57.14	-48.17	-8.97	3
5.9686G	-8.01	6.0266G	-57.26	-48.01	-9.25	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX   **MASK**

6165MHz_TX

CF (Hz)
6.165G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1602G	-7.27	6.2262G	-56.76	-47.27	-9.49	1
6.1688G	-7.74	6.2262G	-56.96	-47.74	-9.22	2
6.17019G	-7.53	6.226G	-56.87	-47.53	-9.34	3
6.1688G	-7.83	6.227G	-56.98	-47.83	-9.15	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

CF (Hz)
6.405G

Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS

Port 1, Port 2, Port 3, Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4074G	-7.05	6.4664G	-56.25	-47.05	-9.20	1
6.41G	-7.75	6.4664G	-56.58	-47.75	-8.83	2
6.4086G	-7.14	6.4664G	-56.32	-47.14	-9.18	3
6.4088G	-7.44	6.3432G	-56.55	-47.44	-9.11	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

CF (Hz)
6.445G

Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS

Port 1, Port 2, Port 3, Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44G	-7.07	6.507G	-56.32	-47.07	-9.25	1
6.43981G	-7.56	6.5062G	-56.37	-47.56	-8.81	2
6.4402G	-7.30	6.5062G	-56.42	-47.30	-9.12	3
6.43981G	-7.11	6.5068G	-56.31	-47.01	-9.30	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX **MASK**

6485MHz_TX

CF (Hz)
6.485G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48G	-7.54	6.4238G	-56.46	-47.54	-8.92	1
6.47861G	-7.89	6.4236G	-56.71	-47.89	-8.82	2
6.4806G	-7.83	6.4234G	-56.35	-47.83	-8.52	3
6.4804G	-7.51	6.4232G	-56.51	-47.51	-9.00	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX **MASK**

6525MHz Straddle 6.425-6.525GHz_TX

CF (Hz)
6.525G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.51881G	-7.82	6.4638G	-56.48	-47.82	-8.66	1
6.51981G	-8.23	6.4634G	-56.58	-48.23	-8.35	2
6.51981G	-8.07	6.4632G	-56.52	-48.07	-8.45	3
6.51901G	-7.76	6.4628G	-56.55	-47.76	-8.79	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX   **MASK**

6565MHz_TX

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5698G	-7.84	6.5036G	-56.15	-47.84	-8.31	1
6.55861G	-8.30	6.5036G	-56.65	-48.30	-8.35	2
6.55981G	-8.25	6.5036G	-56.31	-48.25	-8.06	3
6.56G	-7.89	6.5032G	-56.37	-47.79	-8.58	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX   **MASK**

6725MHz_TX

CF (Hz)
6.725G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.73G	-7.52	6.7862G	-56.79	-47.52	-9.27	1
6.71941G	-8.02	6.786G	-57.08	-48.02	-9.06	2
6.73119G	-7.74	6.7866G	-56.71	-47.74	-8.97	3
6.7298G	-7.65	6.7864G	-56.76	-47.43	-9.33	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX **MASK**

6845MHz_TX

CF (Hz)					
6.845G					
Span (Hz)					
200M					
RBW (Hz)					
500k					
VBW (Hz)					
2M					
Sweep Time (s)					
20m					
Detector Type					
RMS					

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83761G	-8.30	6.9064G	-56.03	-48.30	-7.73	1
6.849G	-8.91	6.9434G	-56.05	-48.91	-7.14	2
6.85239G	-8.33	6.939G	-56.07	-48.33	-7.74	3
6.85119G	-8.09	6.9068G	-55.98	-48.09	-7.89	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX **MASK**

6885MHz Straddle 6.525-6.875GHz_TX

CF (Hz)					
6.885G					
Span (Hz)					
200M					
RBW (Hz)					
500k					
VBW (Hz)					
2M					
Sweep Time (s)					
20m					
Detector Type					
RMS					

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8878G	-8.32	6.9778G	-55.76	-48.32	-7.44	1
6.89139G	-8.95	6.946G	-55.73	-48.95	-6.78	2
6.89119G	-8.17	6.9462G	-55.53	-48.17	-7.36	3
6.89119G	-8.05	6.9468G	-55.64	-47.98	-7.66	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX   **MASK**

6925MHz_TX

CF (Hz)
6.925G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93259G	-8.34	6.9862G	-55.55	-48.34	-7.21	1
6.9296G	-8.63	6.9866G	-55.66	-48.63	-7.03	2
6.93G	-8.45	6.993G	-55.59	-48.45	-7.14	3
6.9288G	-8.12	6.9876G	-55.65	-48.12	-7.53	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX   **MASK**

7005MHz_TX

CF (Hz)
7.005G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01259G	-8.88	6.9408G	-56.07	-48.88	-7.19	1
7.0088G	-9.34	6.943G	-56.30	-49.34	-6.96	2
7.0088G	-8.84	6.9422G	-56.17	-48.84	-7.33	3
7.01019G	-8.67	6.9432G	-56.18	-48.67	-7.51	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX   **MASK**

7085MHz_TX

CF (Hz)
7.085G

Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS

Port 1 / Port 2 / Port 3 / Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07901G	-9.88	6.9948G	-55.95	-49.88	-6.07	1
7.08G	-9.79	7.0086G	-55.92	-49.79	-6.13	2
7.07741G	-9.35	7.0062G	-55.97	-49.35	-6.62	3
7.07761G	-9.35	7.001G	-56.00	-49.35	-6.65	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX   **MASK**

5985MHz_TX

CF (Hz)
5.985G

Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS

Port 1 / Port 2 / Port 3 / Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99979G	-4.19	6.1074G	-53.51	-43.97	-9.54	1
6.01377G	-5.61	6.1082G	-54.23	-45.61	-8.62	2
5.99419G	-4.11	6.107G	-53.54	-44.00	-9.54	3
5.99739G	-4.11	6.1098G	-53.75	-44.11	-9.64	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX   **MASK**

6145MHz_TX

CF (Hz)
6.145G

Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15739G	-3.74	6.2678G	-52.99	-43.64	-9.35	1
6.13381G	-4.77	6.2682G	-53.64	-44.77	-8.87	2
6.15739G	-3.85	6.2674G	-52.93	-43.74	-9.19	3
6.15779G	-4.19	6.2686G	-53.30	-44.19	-9.11	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX   **MASK**

6385MHz_TX

CF (Hz)
6.385G

Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37221G	-3.99	6.5078G	-52.81	-43.99	-8.82	1
6.37221G	-4.09	6.5082G	-52.76	-44.09	-8.67	2
6.37381G	-3.92	6.5078G	-52.88	-43.92	-8.96	3
6.37141G	-4.15	6.509G	-52.93	-44.15	-8.78	4

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX MASK

6465MHz_TX

CF (Hz)
6.465G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45221G	-3.48	6.3422G	-52.67	-43.48	-9.19	1
6.45141G	-4.02	6.3418G	-53.03	-44.02	-9.01	2
6.45341G	-3.55	6.3426G	-52.55	-43.44	-9.11	3
6.45261G	-3.37	6.3046G	-52.43	-43.37	-9.06	4

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX MASK

6545MHz Straddle 6.425-6.525GHz_TX

CF (Hz)
6.545G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53661G	-4.36	6.4218G	-52.78	-44.36	-8.42	1
6.53261G	-4.41	6.4218G	-52.78	-44.41	-8.37	2
6.53101G	-4.21	6.4214G	-52.73	-44.21	-8.52	3
6.53621G	-4.10	6.385G	-52.45	-44.10	-8.35	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX   **MASK**

6625MHz_TX

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS

Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61381G	-4.45	6.5018G	-52.65	-44.45	-8.20	1
6.63979G	-5.08	6.5026G	-52.75	-44.97	-7.78	2
6.63979G	-4.71	6.5018G	-52.71	-44.71	-8.00	3
6.61101G	-4.22	6.4646G	-52.27	-44.22	-8.05	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX   **MASK**

6705MHz_TX

CF (Hz)
6.705G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS

Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69461G	-3.86	6.8942G	-52.48	-43.86	-8.62	1
6.69381G	-4.63	6.893G	-52.69	-44.63	-8.06	2
6.69301G	-4.15	6.8282G	-52.46	-44.15	-8.31	3
6.69301G	-3.63	6.8654G	-51.95	-43.63	-8.32	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX   **MASK**

6785MHz_TX

| CF (Hz) |
| 6.785G |
| Span (Hz) |
| 400M |
| RBW (Hz) |
| 1M |
| VBW (Hz) |
| 3M |
| Sweep Time (s) |
| 20m |
| Detector Type |
| RMS |

| Port 1 |
| Port 2 |
| Port 3 |
| Port 4 |

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79819G	-3.99	6.9082G	-51.83	-43.99	-7.84	1
6.79939G	-4.68	6.9738G	-52.01	-44.68	-7.33	2
6.79619G	-4.04	6.983G	-51.87	-44.04	-7.83	3
6.79739G	-4.08	6.945G	-51.20	-44.08	-7.12	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX   **MASK**

6865MHz Straddle 6.525-6.875GHz_TX

| CF (Hz) |
| 6.865G |
| Span (Hz) |
| 400M |
| RBW (Hz) |
| 1M |
| VBW (Hz) |
| 3M |
| Sweep Time (s) |
| 20m |
| Detector Type |
| RMS |

| Port 1 |
| Port 2 |
| Port 3 |
| Port 4 |

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87659G	-5.33	6.9882G	-51.87	-45.33	-6.54	1
6.85221G	-5.91	6.9874G	-51.95	-45.86	-6.09	2
6.87779G	-5.18	6.9882G	-51.86	-45.18	-6.68	3
6.87659G	-5.06	6.9898G	-51.83	-45.06	-6.77	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX   **MASK**

6945MHz_TX

CF (Hz)
6.945G

Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95979G	-5.49	7.137G	-53.05	-45.49	-7.56	1
6.95619G	-5.80	7.1398G	-53.19	-45.80	-7.39	2
6.95419G	-5.63	7.1326G	-53.13	-45.63	-7.50	3
6.95779G	-5.38	7.105G	-52.76	-45.38	-7.38	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX   **MASK**

7025MHz_TX

CF (Hz)
7.025G

Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.03699G	-5.81	7.2158G	-52.67	-45.81	-6.86	1
7.03859G	-5.99	7.2058G	-52.66	-45.99	-6.67	2
7.03779G	-6.06	7.211G	-52.58	-46.06	-6.52	3
7.03619G	-5.84	7.185G	-52.33	-45.84	-6.49	4