



Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	26.334M	16.439M	16M4D1D	21.978M	16.38M
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	21.78M	18.921M	18M9D1D	19.8M	18.831M
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	39.6M	37.569M	37M6D1D	39.336M	37.451M
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	80.256M	76.762M	76M8D1D	79.992M	76.762M
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	80.32M	77.688M	77M7D1D	80.16M	77.53M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	24.948M	16.386M	16M4D1D	18.216M	16.307M
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	19.932M	18.861M	18M9D1D	19.734M	18.801M
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	39.468M	37.601M	37M6D1D	39.336M	37.481M
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	80.256M	76.882M	76M9D1D	80.256M	76.762M
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	80.64M	77.595M	77M6D1D	80.08M	77.425M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	24.354M	16.413M	16M4D1D	14.22M	13.17M
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	19.998M	18.891M	18M9D1D	14.97M	14.414M
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	39.732M	37.661M	37M7D1D	34.72M	33.569M
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	80.784M	76.762M	76M8D1D	75M	72.614M
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	163.152M	156.162M	156MD1D	162.624M	155.922M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	16.302M	23.352M	23M4D1D	3.1M	3.29M
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	18.81M	23.688M	23M7D1D	4.4M	4.486M
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	36.564M	38.201M	38M2D1D	3.92M	4.028M
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	74.976M	77.001M	77M0D1D	3.88M	4.041M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Minimum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11a_Nss1,(6Mbps)_4TX										
5180MHz	Pass	Inf	26.334M	16.386M	24.882M	16.439M	24.156M	16.386M	21.978M	16.386M
5200MHz	Pass	Inf	25.41M	16.439M	26.202M	16.413M	25.542M	16.413M	23.892M	16.413M
5240MHz	Pass	Inf	24.684M	16.397M	23.562M	16.38M	23.298M	16.38M	23.628M	16.403M
5260MHz	Pass	Inf	18.282M	16.333M	18.348M	16.307M	18.216M	16.333M	18.282M	16.307M
5300MHz	Pass	Inf	21.054M	16.386M	24.222M	16.386M	22.374M	16.386M	22.242M	16.386M
5320MHz	Pass	Inf	22.638M	16.386M	23.1M	16.386M	24.948M	16.386M	22.638M	16.386M
5500MHz	Pass	Inf	21.78M	16.386M	24.354M	16.413M	22.242M	16.413M	22.176M	16.386M
5580MHz	Pass	Inf	18.282M	16.333M	18.282M	16.333M	18.348M	16.333M	18.216M	16.307M
5700MHz	Pass	Inf	24.024M	16.386M	22.308M	16.386M	21.978M	16.36M	22.44M	16.386M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	14.22M	13.184M	14.235M	13.17M	14.235M	13.191M	14.22M	13.198M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.1M	3.294M	3.1M	3.319M	3.1M	3.311M	3.1M	3.29M
5745MHz	Pass	500k	15.972M	16.808M	16.302M	16.914M	16.038M	16.65M	16.302M	16.861M
5785MHz	Pass	500k	16.302M	17.837M	16.302M	17.31M	16.302M	16.835M	16.302M	18.471M
5825MHz	Pass	500k	15.378M	20.74M	14.256M	23.352M	15.642M	21.241M	16.302M	22.825M
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA										
5180MHz	Pass	Inf	20.13M	18.861M	19.866M	18.861M	19.866M	18.831M	20.262M	18.861M
5200MHz	Pass	Inf	20.13M	18.921M	21.78M	18.861M	21.054M	18.891M	20.46M	18.891M
5240MHz	Pass	Inf	19.8M	18.833M	19.8M	18.859M	19.866M	18.864M	20.064M	18.867M
5260MHz	Pass	Inf	19.866M	18.801M	19.8M	18.861M	19.8M	18.801M	19.734M	18.831M
5300MHz	Pass	Inf	19.866M	18.861M	19.734M	18.861M	19.8M	18.861M	19.866M	18.861M
5320MHz	Pass	Inf	19.8M	18.831M	19.932M	18.861M	19.8M	18.831M	19.866M	18.831M
5500MHz	Pass	Inf	19.866M	18.861M	19.998M	18.861M	19.932M	18.861M	19.932M	18.861M
5580MHz	Pass	Inf	19.8M	18.801M	19.8M	18.801M	19.866M	18.831M	19.866M	18.831M
5700MHz	Pass	Inf	19.866M	18.831M	19.8M	18.861M	19.8M	18.831M	19.8M	18.891M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	14.97M	14.414M	15M	14.431M	14.985M	14.433M	15.06M	14.435M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.44M	4.488M	4.42M	4.486M	4.48M	4.486M	4.4M	4.489M
5745MHz	Pass	500k	18.81M	18.981M	18.612M	19.01M	18.612M	18.921M	18.348M	18.981M
5785MHz	Pass	500k	18.612M	19.1M	18.48M	19.04M	18.216M	18.981M	18.546M	19.13M
5825MHz	Pass	500k	18.744M	19.85M	18.15M	23.688M	18.678M	20.66M	17.952M	20.66M
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA										
5190MHz	Pass	Inf	39.336M	37.541M	39.6M	37.481M	39.468M	37.481M	39.6M	37.541M
5230MHz	Pass	Inf	39.6M	37.501M	39.468M	37.451M	39.6M	37.553M	39.468M	37.569M
5270MHz	Pass	Inf	39.468M	37.541M	39.336M	37.541M	39.468M	37.601M	39.468M	37.541M
5310MHz	Pass	Inf	39.468M	37.481M	39.468M	37.481M	39.468M	37.481M	39.468M	37.481M
5510MHz	Pass	Inf	39.468M	37.541M	39.468M	37.481M	39.6M	37.541M	39.336M	37.541M
5590MHz	Pass	Inf	39.468M	37.481M	39.468M	37.481M	39.6M	37.601M	39.336M	37.541M
5670MHz	Pass	Inf	39.468M	37.661M	39.6M	37.601M	39.6M	37.541M	39.732M	37.601M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	34.86M	33.569M	34.72M	33.632M	34.79M	33.704M	34.755M	33.684M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.92M	4.036M	3.96M	4.029M	3.92M	4.028M	3.96M	4.034M



Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
5755MHz	Pass	500k	35.772M	37.901M	32.472M	37.781M	35.112M	37.781M	33.792M	37.901M
5795MHz	Pass	500k	33.528M	38.201M	34.848M	37.841M	33.792M	37.841M	36.564M	38.201M
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA										
5210MHz	Pass	Inf	79.992M	76.762M	80.256M	76.762M	79.992M	76.762M	79.992M	76.762M
5290MHz	Pass	Inf	80.256M	76.882M	80.256M	76.882M	80.256M	76.762M	80.256M	76.762M
5530MHz	Pass	Inf	80.52M	76.762M	80.784M	76.762M	80.256M	76.762M	80.256M	76.762M
5610MHz	Pass	Inf	79.992M	76.402M	79.992M	76.522M	79.992M	76.402M	79.992M	76.402M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	75M	72.675M	75.075M	72.706M	75.075M	72.614M	75M	72.643M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.96M	4.045M	3.88M	4.048M	3.94M	4.041M	3.96M	4.05M
5775MHz	Pass	500k	70.224M	76.882M	73.92M	76.762M	72.864M	76.762M	74.976M	77.001M
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA										
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80.24M	77.53M	80.16M	77.582M	80.24M	77.688M	80.32M	77.625M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	80.16M	77.425M	80.64M	77.514M	80.16M	77.595M	80.08M	77.497M
5570MHz	Pass	Inf	162.624M	155.922M	163.152M	156.162M	162.624M	156.162M	162.624M	156.162M



Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
 Port X-OBW = Port X 99% occupied bandwidth



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

EBW



5180MHz



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5200MHz





5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5240MHz

CF (Hz)
5.24G


Span (Hz)
132M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.24G


Span (Hz)
52.8M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
24.684M	5.227724G	5.252408G	16.397M	5.231773G	5.248169G	Inf	1
23.562M	5.22878G	5.252342G	16.38M	5.23179G	5.248171G	Inf	2
23.298M	5.229176G	5.252474G	16.38M	5.231793G	5.248173G	Inf	3
23.628M	5.228846G	5.252474G	16.403M	5.231782G	5.248184G	Inf	4

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5260MHz

CF (Hz)
5.26G


Span (Hz)
132M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.26G


Span (Hz)
52.8M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.282M	5.250826G	5.269108G	16.333M	5.251794G	5.268127G	Inf	1
18.348M	5.25076G	5.269108G	16.307M	5.251794G	5.268101G	Inf	2
18.216M	5.250892G	5.269108G	16.333M	5.251794G	5.268127G	Inf	3
18.282M	5.250826G	5.269108G	16.307M	5.251794G	5.268101G	Inf	4




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5300MHz

CF (Hz)
5.3G
Span (Hz)
132M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
5.3G
Span (Hz)
52.8M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
100m
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.054M	5.289704G	5.310758G	16.386M	5.291767G	5.308154G	Inf	1
24.222M	5.28779G	5.312012G	16.386M	5.291767G	5.308154G	Inf	2
22.374M	5.28779G	5.310164G	16.386M	5.291767G	5.308154G	Inf	3
22.242M	5.28746G	5.309702G	16.386M	5.291767G	5.308154G	Inf	4

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5320MHz

CF (Hz)
5.32G
Span (Hz)
132M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
5.32G
Span (Hz)
52.8M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
100m
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
22.638M	5.309572G	5.33221G	16.386M	5.311767G	5.328154G	Inf	1
23.1M	5.307196G	5.330296G	16.386M	5.311767G	5.328154G	Inf	2
24.948M	5.307262G	5.33221G	16.386M	5.311767G	5.328154G	Inf	3
22.638M	5.30812G	5.330758G	16.386M	5.311767G	5.328154G	Inf	4




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5500MHz

CF (Hz)
5.5G
Span (Hz)
132M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
5.5G
Span (Hz)
52.8M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
100m
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.78M	5.488978G	5.510758G	16.386M	5.491767G	5.508154G	Inf	1
24.354M	5.487526G	5.51188G	16.413M	5.491767G	5.50818G	Inf	2
22.242M	5.488912G	5.511154G	16.413M	5.491767G	5.50818G	Inf	3
22.176M	5.488318G	5.510494G	16.386M	5.491767G	5.508154G	Inf	4

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5580MHz

CF (Hz)
5.58G
Span (Hz)
132M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
5.58G
Span (Hz)
52.8M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
100m
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.282M	5.570826G	5.589108G	16.333M	5.571794G	5.588127G	Inf	1
18.282M	5.570826G	5.589108G	16.333M	5.571794G	5.588127G	Inf	2
18.348M	5.57076G	5.589108G	16.333M	5.571794G	5.588127G	Inf	3
18.216M	5.570826G	5.589042G	16.307M	5.57182G	5.588127G	Inf	4



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5700MHz

CF (Hz)
5.7G


Span (Hz)
132M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.7G


Span (Hz)
52.8M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
24.024M	5.687328G	5.711352G	16.386M	5.691767G	5.708154G	Inf	1
22.308M	5.689176G	5.711484G	16.386M	5.691767G	5.708154G	Inf	2
21.978M	5.688912G	5.71089G	16.36M	5.691767G	5.708127G	Inf	3
22.44M	5.689374G	5.711814G	16.386M	5.691767G	5.708154G	Inf	4

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5720MHz Straddle 5.47-5.725GHz

CF (Hz)
5.71G


Span (Hz)
30M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.71G


Span (Hz)
30M

RBW (Hz)
200k


VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
14.22M	5.71078G	5.725G	13.184M	5.711749G	5.724934G	Inf	1
14.235M	5.710765G	5.725G	13.17M	5.711766G	5.72493G	Inf	2
14.235M	5.710765G	5.725G	13.191M	5.711752G	5.724943G	Inf	3
14.22M	5.71078G	5.725G	13.198M	5.711751G	5.724949G	Inf	4






5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5785MHz

CF (Hz)
5.785G
Span (Hz)
132M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
5.785G
Span (Hz)
52.8M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
100m
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.302M	5.776816G	5.793118G	17.837M	5.776213G	5.794051G	500k	1
16.302M	5.776816G	5.793118G	17.311M	5.776424G	5.793734G	500k	2
16.302M	5.776816G	5.793118G	16.835M	5.77653G	5.793365G	500k	3
16.302M	5.776816G	5.793118G	18.471M	5.775923G	5.794394G	500k	4

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


EBW

5825MHz

CF (Hz)
5.825G
Span (Hz)
132M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
5.825G
Span (Hz)
52.8M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
100m
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
15.378M	5.81708G	5.832458G	20.74M	5.813865G	5.834605G	500k	1
14.256M	5.817542G	5.831798G	23.352M	5.812836G	5.836188G	500k	2
15.642M	5.816816G	5.832458G	21.241M	5.814023G	5.835264G	500k	3
16.302M	5.816816G	5.833118G	22.825M	5.8131G	5.835924G	500k	4



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5180MHz

CF (Hz)
5.18G


Span (Hz)
132M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.18G


Span (Hz)
60M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



Port 1

Port 2

Port 3

Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.13M	5.16977G	5.1899G	18.861M	5.170525G	5.189385G	Inf	1
19.866M	5.170034G	5.1899G	18.861M	5.170525G	5.189385G	Inf	2
19.866M	5.170034G	5.1899G	18.831M	5.170555G	5.189385G	Inf	3
20.262M	5.169704G	5.189966G	18.861M	5.170525G	5.189385G	Inf	4

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5200MHz

CF (Hz)
5.2G


Span (Hz)
132M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.2G


Span (Hz)
60M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



Port 1

Port 2

Port 3

Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
20.13M	5.189836G	5.209966G	18.921M	5.190495G	5.209415G	Inf	1
21.78M	5.189902G	5.211682G	18.861M	5.190525G	5.209385G	Inf	2
21.054M	5.189968G	5.211022G	18.891M	5.190525G	5.209415G	Inf	3
20.46M	5.189572G	5.210032G	18.891M	5.190525G	5.209415G	Inf	4



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5240MHz

CF (Hz)
5.24G


Span (Hz)
132M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.24G


Span (Hz)
60M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



Port 1

Port 2

Port 3

Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.8M	5.230034G	5.249834G	18.833M	5.230544G	5.249377G	Inf	1
19.8M	5.230034G	5.249834G	18.859M	5.230534G	5.249392G	Inf	2
19.866M	5.230034G	5.2499G	18.864M	5.23054G	5.249403G	Inf	3
20.064M	5.229836G	5.2499G	18.867M	5.230522G	5.249388G	Inf	4

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5260MHz

CF (Hz)
5.26G


Span (Hz)
132M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.26G


Span (Hz)
60M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



Port 1

Port 2

Port 3

Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.866M	5.250034G	5.2699G	18.801M	5.250555G	5.269355G	Inf	1
19.8M	5.250034G	5.269834G	18.861M	5.250525G	5.269385G	Inf	2
19.8M	5.250034G	5.269834G	18.801M	5.250555G	5.269355G	Inf	3
19.734M	5.2501G	5.269834G	18.831M	5.250555G	5.269385G	Inf	4



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5300MHz

CF (Hz)
5.3G


Span (Hz)
132M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.3G


Span (Hz)
60M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.866M	5.290034G	5.3099G	18.861M	5.290525G	5.309385G	Inf	1
19.734M	5.2901G	5.309834G	18.861M	5.290525G	5.309385G	Inf	2
19.8M	5.2901G	5.3099G	18.861M	5.290525G	5.309385G	Inf	3
19.866M	5.290034G	5.3099G	18.861M	5.290525G	5.309385G	Inf	4

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5320MHz

CF (Hz)
5.32G


Span (Hz)
132M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.32G


Span (Hz)
60M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.8M	5.310034G	5.329834G	18.831M	5.310525G	5.329355G	Inf	1
19.932M	5.309902G	5.329834G	18.861M	5.310525G	5.329385G	Inf	2
19.8M	5.310034G	5.329834G	18.831M	5.310555G	5.329385G	Inf	3
19.866M	5.310034G	5.3299G	18.831M	5.310525G	5.329355G	Inf	4



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5500MHz

CF (Hz)
5.5G


Span (Hz)
132M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.5G


Span (Hz)
60M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.866M	5.490034G	5.5099G	18.861M	5.490525G	5.509385G	Inf	1
19.998M	5.489968G	5.509966G	18.861M	5.490525G	5.509385G	Inf	2
19.932M	5.490034G	5.509966G	18.861M	5.490525G	5.509385G	Inf	3
19.932M	5.489968G	5.5099G	18.861M	5.490525G	5.509385G	Inf	4

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5580MHz

CF (Hz)
5.58G


Span (Hz)
132M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.58G


Span (Hz)
60M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.8M	5.5701G	5.5899G	18.801M	5.570555G	5.589355G	Inf	1
19.8M	5.5701G	5.5899G	18.801M	5.570555G	5.589355G	Inf	2
19.866M	5.570034G	5.5899G	18.831M	5.570525G	5.589355G	Inf	3
19.866M	5.570034G	5.5899G	18.831M	5.570555G	5.589385G	Inf	4



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5700MHz

CF (Hz)
5.7G


Span (Hz)
132M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.7G


Span (Hz)
60M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
19.866M	5.690034G	5.7099G	18.831M	5.690525G	5.709355G	Inf	1
19.8M	5.690034G	5.709834G	18.861M	5.690525G	5.709385G	Inf	2
19.8M	5.690034G	5.709834G	18.831M	5.690525G	5.709355G	Inf	3
19.8M	5.690034G	5.709834G	18.891M	5.690495G	5.709385G	Inf	4

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5720MHz Straddle 5.47-5.725GHz

CF (Hz)
5.71G


Span (Hz)
30M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.71G


Span (Hz)
30M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
14.97M	5.71003G	5.725G	14.414M	5.710504G	5.724918G	Inf	1
15M	5.71G	5.725G	14.431M	5.71049G	5.724921G	Inf	2
14.985M	5.710015G	5.725G	14.433M	5.710499G	5.724931G	Inf	3
15.06M	5.70994G	5.725G	14.435M	5.710493G	5.724928G	Inf	4



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW


5720MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5745MHz






5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5785MHz

CF (Hz)
5.785G
Span (Hz)
132M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
5.785G
Span (Hz)
60M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
100m
Detector Type
Peak




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.612M	5.775694G	5.794306G	19.1M	5.775405G	5.794505G	500k	1
18.48M	5.775628G	5.794108G	19.04M	5.775435G	5.794475G	500k	2
18.216M	5.775694G	5.79391G	18.981M	5.775465G	5.794445G	500k	3
18.546M	5.775496G	5.794042G	19.13M	5.775405G	5.794535G	500k	4

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


EBW

5825MHz

CF (Hz)
5.825G
Span (Hz)
132M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
5.825G
Span (Hz)
60M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
100m
Detector Type
Peak



6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.744M	5.815562G	5.834306G	19.85M	5.814715G	5.834565G	500k	1
18.15M	5.815892G	5.834042G	23.688M	5.812226G	5.835915G	500k	2
18.678M	5.815496G	5.834174G	20.66M	5.813996G	5.834655G	500k	3
17.952M	5.816024G	5.833976G	20.66M	5.814055G	5.834715G	500k	4




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5190MHz

CF (Hz)
5.19G
Span (Hz)
264M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
5.19G
Span (Hz)
120M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
100m
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4


26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.336M	5.170332G	5.209668G	37.541M	5.171229G	5.208771G	Inf	1
39.6M	5.1702G	5.2098G	37.481M	5.171229G	5.208711G	Inf	2
39.468M	5.1702G	5.209668G	37.481M	5.171229G	5.208711G	Inf	3
39.6M	5.1702G	5.2098G	37.541M	5.171169G	5.208711G	Inf	4

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5230MHz

CF (Hz)
5.23G
Span (Hz)
264M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
5.23G
Span (Hz)
120M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
100m
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.6M	5.2102G	5.2498G	37.501M	5.211234G	5.248734G	Inf	1
39.468M	5.210332G	5.2498G	37.451M	5.211257G	5.248708G	Inf	2
39.6M	5.2102G	5.2498G	37.553M	5.211226G	5.248779G	Inf	3
39.468M	5.2102G	5.249668G	37.569M	5.211194G	5.248764G	Inf	4



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5270MHz

CF (Hz)
5.27G


Span (Hz)
264M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.27G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
100m

Detector Type
Peak



Port 1

Port 2

Port 3

Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.468M	5.250332G	5.2898G	37.541M	5.251229G	5.288771G	Inf	1
39.336M	5.250332G	5.289668G	37.541M	5.251229G	5.288771G	Inf	2
39.468M	5.2502G	5.289668G	37.601M	5.251169G	5.288771G	Inf	3
39.468M	5.2502G	5.289668G	37.541M	5.251169G	5.288711G	Inf	4

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5310MHz

CF (Hz)
5.31G


Span (Hz)
264M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.31G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
100m

Detector Type
Peak



Port 1

Port 2

Port 3

Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.468M	5.2902G	5.329668G	37.481M	5.291229G	5.328711G	Inf	1
39.468M	5.2902G	5.329668G	37.481M	5.291229G	5.328711G	Inf	2
39.468M	5.2902G	5.329668G	37.481M	5.291229G	5.328711G	Inf	3
39.468M	5.2902G	5.329668G	37.481M	5.291229G	5.328711G	Inf	4



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5510MHz

CF (Hz)
5.51G


Span (Hz)
264M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.51G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
100m

Detector Type
Peak



Port 1

Port 2

Port 3

Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.468M	5.4902G	5.529668G	37.541M	5.491169G	5.528711G	Inf	1
39.468M	5.4902G	5.529668G	37.481M	5.491169G	5.528651G	Inf	2
39.6M	5.490068G	5.529668G	37.541M	5.491169G	5.528711G	Inf	3
39.336M	5.490332G	5.529668G	37.541M	5.491169G	5.528711G	Inf	4

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5590MHz

CF (Hz)
5.59G


Span (Hz)
264M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.59G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
100m

Detector Type
Peak



Port 1

Port 2

Port 3

Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.468M	5.5702G	5.609668G	37.481M	5.571169G	5.608651G	Inf	1
39.468M	5.5702G	5.609668G	37.481M	5.571169G	5.608651G	Inf	2
39.6M	5.5702G	5.6098G	37.601M	5.571109G	5.608711G	Inf	3
39.336M	5.570332G	5.609668G	37.541M	5.571169G	5.608711G	Inf	4




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5670MHz

CF (Hz)
5.67G
Span (Hz)
264M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
5.67G
Span (Hz)
120M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
100m
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
39.468M	5.6502G	5.689668G	37.661M	5.651109G	5.688771G	Inf	1
39.6M	5.6502G	5.6898G	37.601M	5.651169G	5.688771G	Inf	2
39.6M	5.6502G	5.6898G	37.541M	5.651169G	5.688771G	Inf	3
39.732M	5.6502G	5.689932G	37.601M	5.651169G	5.688771G	Inf	4

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5710MHz Straddle 5.47-5.725GHz

CF (Hz)
5.69G
Span (Hz)
70M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
5.69G
Span (Hz)
70M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
100m
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
34.86M	5.69014G	5.725G	33.569M	5.691176G	5.724745G	Inf	1
34.72M	5.69028G	5.725G	33.632M	5.69116G	5.724792G	Inf	2
34.79M	5.69021G	5.725G	33.704M	5.691138G	5.724841G	Inf	3
34.755M	5.690245G	5.725G	33.684M	5.691157G	5.724841G	Inf	4



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW


5710MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5755MHz






5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


EBW

5795MHz

CF (Hz)
5.795G
Span (Hz)
264M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
5.795G
Span (Hz)
120M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
100m
Detector Type
Peak




6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
33.528M	5.778896G	5.812424G	38.201M	5.77581G	5.81401G	500k	1
34.848M	5.777708G	5.812556G	37.841M	5.77599G	5.813831G	500k	2
33.792M	5.776124G	5.809916G	37.841M	5.77599G	5.813831G	500k	3
36.564M	5.776916G	5.81348G	38.201M	5.77587G	5.81407G	500k	4

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

5210MHz

CF (Hz)
5.21G
Span (Hz)
528M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
5.21G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
100m
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
79.992M	5.169872G	5.249864G	76.762M	5.171739G	5.248501G	Inf	1
80.256M	5.169872G	5.250128G	76.762M	5.171739G	5.248501G	Inf	2
79.992M	5.169872G	5.249864G	76.762M	5.171739G	5.248501G	Inf	3
79.992M	5.169872G	5.249864G	76.762M	5.171739G	5.248501G	Inf	4



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5290MHz

CF (Hz)
5.29G


Span (Hz)
528M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.29G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
100m

Detector Type
Peak



Port 1

Port 2

Port 3

Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.256M	5.249872G	5.330128G	76.882M	5.251499G	5.328381G	Inf	1
80.256M	5.249872G	5.330128G	76.882M	5.251379G	5.328261G	Inf	2
80.256M	5.249872G	5.330128G	76.762M	5.251499G	5.328261G	Inf	3
80.256M	5.249872G	5.330128G	76.762M	5.251379G	5.328141G	Inf	4

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5530MHz

CF (Hz)
5.53G


Span (Hz)
528M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.53G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
100m

Detector Type
Peak



Port 1

Port 2

Port 3

Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
80.52M	5.489872G	5.570392G	76.762M	5.491499G	5.568261G	Inf	1
80.784M	5.489872G	5.570656G	76.762M	5.491499G	5.568261G	Inf	2
80.256M	5.489872G	5.570128G	76.762M	5.491499G	5.568261G	Inf	3
80.256M	5.489872G	5.570128G	76.762M	5.491499G	5.568261G	Inf	4




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

5610MHz

CF (Hz)
5.61G
Span (Hz)
528M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
5.61G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
100m
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
79.992M	5.569872G	5.6498864G	76.402M	5.571739G	5.648141G	Inf	1
79.992M	5.569872G	5.6498864G	76.522M	5.571619G	5.648141G	Inf	2
79.992M	5.569872G	5.6498864G	76.402M	5.571739G	5.648141G	Inf	3
79.992M	5.569872G	5.6498864G	76.402M	5.571739G	5.648141G	Inf	4

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


EBW

5690MHz Straddle 5.47-5.725GHz

CF (Hz)
5.65G
Span (Hz)
150M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
100m
Detector Type
Peak



CF (Hz)
5.65G
Span (Hz)
150M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
100m
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
75M	5.65G	5.725G	72.675M	5.651695G	5.72437G	Inf	1
75.075M	5.649925G	5.725G	72.706M	5.651645G	5.724351G	Inf	2
75.075M	5.649925G	5.725G	72.614M	5.651679G	5.724293G	Inf	3
75M	5.65G	5.725G	72.643M	5.651718G	5.724361G	Inf	4



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW


5690MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5775MHz






5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW


5250MHz Straddle 5.15-5.25GHz



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

5250MHz Straddle 5.25-5.35GHz





5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

5570MHz

CF (Hz)
5.57G


Span (Hz)
1.056G

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
100m

Detector Type
Peak



CF (Hz)
5.57G


Span (Hz)
480M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
100m

Detector Type
Peak



Port 1

Port 2

Port 3

Port 4

26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
162.624M	5.488688G	5.651312G	155.922M	5.492039G	5.647961G	Inf	1
163.152M	5.48816G	5.651312G	156.162M	5.491799G	5.647961G	Inf	2
162.624M	5.488688G	5.651312G	156.162M	5.491799G	5.647961G	Inf	3
162.624M	5.488688G	5.651312G	156.162M	5.492039G	5.648201G	Inf	4



Non-beamforming mode

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	28.84	0.76560	31.76	1.49968
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	29.23	0.83753	32.15	1.64059
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	28.32	0.67920	31.24	1.33045
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	24.81	0.30269	27.73	0.59293
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	19.91	0.09795	22.83	0.19187
5.25-5.35GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	23.26	0.21184	25.97	0.39537
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	23.59	0.22856	26.30	0.42658
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	23.43	0.22029	26.14	0.41115
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	23.61	0.22961	26.32	0.42855
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	20.41	0.10990	23.12	0.20512
5.47-5.725GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	23.10	0.20417	25.19	0.33037
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	23.71	0.23496	25.80	0.38019
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	23.67	0.23281	25.76	0.37670
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	23.78	0.23878	25.87	0.38637
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	22.58	0.18113	24.67	0.29309
5.725-5.85GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	29.57	0.90573	31.78	1.50661
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	29.35	0.86099	31.56	1.43219
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	29.25	0.84140	31.46	1.39959
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	28.12	0.64863	30.33	1.07895



Conducted Output Power(Average)

Appendix B

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	2.92	21.5	21.25	21.74	22.07	27.67	30.00	30.59	36.00
5200MHz	Pass	2.92	22.69	22.77	22.72	23.08	28.84	30.00	31.76	36.00
5240MHz	Pass	2.92	22.79	22.43	23.1	22.67	28.77	30.00	31.69	36.00
5260MHz	Pass	2.71	16.64	16.7	17.25	17.19	22.97	23.60	25.68	29.60
5300MHz	Pass	2.71	17.02	17.01	17.62	17.27	23.26	24.00	25.97	30.00
5320MHz	Pass	2.71	16.92	16.98	17.62	17.19	23.21	24.00	25.92	30.00
5500MHz	Pass	2.09	16.71	16.69	17.54	17.13	23.05	24.00	25.14	30.00
5580MHz	Pass	2.09	16.91	17.13	17.04	17.23	23.10	23.60	25.19	29.60
5700MHz	Pass	2.09	16.83	16.96	17.02	16.97	22.97	24.00	25.06	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	2.09	16.06	16.14	16.18	16.1	22.14	22.53	24.23	28.53
5720MHz Straddle 5.725-5.85GHz	Pass	2.21	9.75	9.1	9.6	9.89	15.62	30.00	17.83	36.00
5745MHz	Pass	2.21	23.61	23.59	23.43	23.55	29.57	30.00	31.78	36.00
5785MHz	Pass	2.21	23.21	23.15	23.12	23.36	29.23	30.00	31.44	36.00
5825MHz	Pass	2.21	23.01	23.78	23.42	23.29	29.40	30.00	31.61	36.00
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	2.92	21.07	21.17	21.32	21.79	27.37	30.00	30.29	36.00
5200MHz	Pass	2.92	23.08	22.84	22.87	23.36	29.06	30.00	31.98	36.00
5240MHz	Pass	2.92	23.22	23.05	23.4	23.14	29.23	30.00	32.15	36.00
5260MHz	Pass	2.71	17.3	17.32	17.84	17.8	23.59	23.95	26.30	29.95
5300MHz	Pass	2.71	17.24	17.33	17.87	17.66	23.55	23.95	26.26	29.95
5320MHz	Pass	2.71	17.21	17.24	17.92	17.52	23.50	23.97	26.21	29.97
5500MHz	Pass	2.09	17.28	17.22	18.03	17.55	23.55	23.98	25.64	29.98
5580MHz	Pass	2.09	17.59	17.69	17.62	17.85	23.71	23.97	25.80	29.97
5700MHz	Pass	2.09	17.43	17.63	17.81	17.62	23.65	23.97	25.74	29.97
5720MHz Straddle 5.47-5.725GHz	Pass	2.09	16.13	15.89	15.84	16.11	22.02	22.75	24.11	28.75
5720MHz Straddle 5.725-5.85GHz	Pass	2.21	10.19	10.02	9.97	10.28	16.14	30.00	18.35	36.00
5745MHz	Pass	2.21	23.55	23.34	23.17	23.24	29.35	30.00	31.56	36.00
5785MHz	Pass	2.21	23.1	23.03	23.01	23.23	29.11	30.00	31.32	36.00
5825MHz	Pass	2.21	22.99	23.41	23.18	23.1	29.19	30.00	31.40	36.00
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	2.92	19.14	19.01	19.02	19.57	25.21	30.00	28.13	36.00
5230MHz	Pass	2.92	22.17	22.28	22.15	22.58	28.32	30.00	31.24	36.00
5270MHz	Pass	2.71	17.02	17.12	17.53	17.51	23.32	24.00	26.03	30.00
5310MHz	Pass	2.71	17.09	17.21	17.74	17.56	23.43	24.00	26.14	30.00
5510MHz	Pass	2.09	17.02	16.95	17.52	17.51	23.28	24.00	25.37	30.00
5590MHz	Pass	2.09	17.62	17.62	17.53	17.81	23.67	24.00	25.76	30.00
5670MHz	Pass	2.09	16.94	17.32	17.43	16.98	23.19	24.00	25.28	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	2.09	17.15	17.16	17.21	17.17	23.19	24.00	25.28	30.00






Conducted Output Power(Average)

Appendix B

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5710MHz Straddle 5.725-5.85GHz	Pass	2.21	5.55	5.6	5.71	5.83	11.69	30.00	13.90	36.00
5755MHz	Pass	2.21	23.28	23.18	22.98	23.16	29.17	30.00	31.38	36.00
5795MHz	Pass	2.21	23.37	22.95	23.07	23.52	29.25	30.00	31.46	36.00
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	2.92	18.75	18.71	18.75	18.93	24.81	30.00	27.73	36.00
5290MHz	Pass	2.71	17.25	17.41	17.91	17.74	23.61	24.00	26.32	30.00
5530MHz	Pass	2.09	17.57	17.29	18.24	17.78	23.75	24.00	25.84	30.00
5610MHz	Pass	2.09	17.77	17.63	17.64	17.97	23.78	24.00	25.87	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	2.09	17.42	17.58	17.66	17.34	23.52	24.00	25.61	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	2.21	2.33	2.35	2.18	2.15	8.27	30.00	10.48	36.00
5775MHz	Pass	2.21	22.39	21.74	21.99	22.26	28.12	30.00	30.33	36.00
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	2.92	13.89	13.75	13.82	14.1	19.91	30.00	22.83	36.00
5250MHz Straddle 5.25-5.35GHz	Pass	2.71	14.58	14.36	14.42	14.17	20.41	24.00	23.12	30.00
5570MHz	Pass	2.09	16.48	16.11	16.92	16.67	22.58	24.00	24.67	30.00

DG = Directional Gain; Port X = Port X output power





5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX

CF (Hz)
5.735G

Span (Hz)
40M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.01m

Detector Type
RMS

CP BW (Hz)
20M

Port 1

Port 2

Port 3

Port 4

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
16.14	10.19	10.02	9.97	10.28




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

AV Power

5710MHz Straddle 5.47-5.725GHz_TX

CF (Hz)
5.69G
Span (Hz)
140M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
70M



Port 1
Port 2
Port 3
Port 4

Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
23.19	17.15	17.16	17.21	17.17

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

AV Power

5710MHz Straddle 5.725-5.85GHz_TX

CF (Hz)
5.735G
Span (Hz)
40M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
20M



Port 1
Port 2
Port 3
Port 4

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
11.69	5.55	5.60	5.71	5.83




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

AV Power

5690MHz Straddle 5.47-5.725GHz_TX

CF (Hz)
5.65G
Span (Hz)
300M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
150M



Port 1
Port 2
Port 3
Port 4

Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
23.52	17.42	17.58	17.66	17.34

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX


CF (Hz)
5.735G
Span (Hz)
40M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
20M



Port 1
Port 2
Port 3
Port 4

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
8.27	2.33	2.35	2.18	2.15



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX

AV Power

CF (Hz)
5.33G

Span (Hz)
320M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.01m

Detector Type
RMS

CP BW (Hz)
160M

Port 1

Port 2

Port 3

Port 4

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
20.41	14.58	14.36	14.42	14.17



Beamforming mode

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX-OFDMA	29.17	0.82604	35.52	3.56451
802.11be EHT40-BF_Nss1,(MCS0)_4TX-OFDMA	28.09	0.64417	34.44	2.77971
802.11be EHT80-BF_Nss1,(MCS0)_4TX-OFDMA	24.63	0.29040	30.98	1.25314
802.11be EHT160-BF_Nss1,(MCS0)_4TX-OFDMA	19.74	0.09419	26.09	0.40644
5.25-5.35GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX-OFDMA	23.55	0.22646	29.69	0.93111
802.11be EHT40-BF_Nss1,(MCS0)_4TX-OFDMA	23.41	0.21928	29.55	0.90157
802.11be EHT80-BF_Nss1,(MCS0)_4TX-OFDMA	23.56	0.22699	29.70	0.93325
802.11be EHT160-BF_Nss1,(MCS0)_4TX-OFDMA	20.23	0.10544	26.37	0.43351
5.47-5.725GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX-OFDMA	23.68	0.23335	29.31	0.85310
802.11be EHT40-BF_Nss1,(MCS0)_4TX-OFDMA	23.58	0.22803	29.21	0.83368
802.11be EHT80-BF_Nss1,(MCS0)_4TX-OFDMA	23.72	0.23550	29.35	0.86099
802.11be EHT160-BF_Nss1,(MCS0)_4TX-OFDMA	22.54	0.17947	28.17	0.65615
5.725-5.85GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX-OFDMA	29.24	0.83946	34.98	3.14775
802.11be EHT40-BF_Nss1,(MCS0)_4TX-OFDMA	29.21	0.83368	34.95	3.12608
802.11be EHT80-BF_Nss1,(MCS0)_4TX-OFDMA	27.97	0.62661	33.71	2.34963



Conducted Output Power(Average)



Appendix B

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_4TX-OFDMA										
5180MHz	Pass	6.35	21.29	21.23	21.04	21.62	27.32	29.65	33.67	36.00
5200MHz	Pass	6.35	22.68	22.56	22.94	23.33	28.91	29.65	35.26	36.00
5240MHz	Pass	6.35	23.02	22.88	23.25	23.41	29.17	29.65	35.52	36.00
5260MHz	Pass	6.14	17.02	17.41	17.91	17.71	23.55	23.81	29.69	29.95
5300MHz	Pass	6.14	17.41	16.99	17.92	17.51	23.49	23.81	29.63	29.95
5320MHz	Pass	6.14	16.96	17.09	18.02	17.48	23.43	23.83	29.57	29.97
5500MHz	Pass	5.63	17.52	17.01	17.66	17.51	23.45	23.98	29.08	29.98
5580MHz	Pass	5.63	17.82	17.96	17.25	17.58	23.68	23.97	29.31	29.97
5700MHz	Pass	5.63	17.31	17.72	17.42	17.61	23.54	23.97	29.17	29.97
5720MHz Straddle 5.47-5.725GHz	Pass	5.63	15.61	15.88	15.94	15.98	21.88	22.75	27.51	28.75
5720MHz Straddle 5.725-5.85GHz	Pass	5.74	9.76	10.11	10.02	10.16	16.04	30.00	21.78	36.00
5745MHz	Pass	5.74	23.51	23.22	22.63	23.45	29.24	30.00	34.98	36.00
5785MHz	Pass	5.74	23.05	22.98	22.95	23.12	29.05	30.00	34.79	36.00
5825MHz	Pass	5.74	23.04	23.32	22.58	23.52	29.15	30.00	34.89	36.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX-OFDMA										
5190MHz	Pass	6.35	18.92	18.61	19.21	19.34	25.05	29.65	31.40	36.00
5230MHz	Pass	6.35	22.34	21.99	21.48	22.39	28.09	29.65	34.44	36.00
5270MHz	Pass	6.14	16.94	17.22	17.48	17.31	23.26	23.86	29.40	30.00
5310MHz	Pass	6.14	17.36	17.48	17.59	17.12	23.41	23.86	29.55	30.00
5510MHz	Pass	5.63	16.95	16.84	17.41	17.4	23.18	24.00	28.81	30.00
5590MHz	Pass	5.63	17.38	17.61	17.79	17.46	23.58	24.00	29.21	30.00
5670MHz	Pass	5.63	16.82	17.43	17.22	16.68	23.07	24.00	28.70	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.63	17.04	17.11	17.08	17.06	23.09	24.00	28.72	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.74	5.46	5.64	5.72	5.69	11.65	30.00	17.39	36.00
5755MHz	Pass	5.74	23.24	22.96	22.75	23.51	29.15	30.00	34.89	36.00
5795MHz	Pass	5.74	23.64	22.83	22.89	23.36	29.21	30.00	34.95	36.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX-OFDMA										
5210MHz	Pass	6.35	18.59	18.49	18.58	18.76	24.63	29.65	30.98	36.00
5290MHz	Pass	6.14	17.59	17.16	17.62	17.77	23.56	23.86	29.70	30.00
5530MHz	Pass	5.63	17.44	17.31	18.12	17.65	23.66	24.00	29.29	30.00
5610MHz	Pass	5.63	17.55	17.96	17.45	17.82	23.72	24.00	29.35	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.63	17.16	17.31	17.39	17.3	23.31	24.00	28.94	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.74	1.84	1.97	1.8	2.05	7.94	30.00	13.68	36.00
5775MHz	Pass	5.74	22.31	21.42	21.63	22.36	27.97	30.00	33.71	36.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX-OFDMA										
5250MHz Straddle 5.15-5.25GHz	Pass	6.35	13.65	13.68	13.62	13.94	19.74	29.65	26.09	36.00
5250MHz Straddle 5.25-5.35GHz	Pass	6.14	14.25	14.19	14.27	14.12	20.23	23.86	26.37	30.00
5570MHz	Pass	5.63	16.26	16.05	16.92	16.79	22.54	24.00	28.17	30.00

DG = Directional Gain; Port X = Port X output power
Refers to antenna document for DG Gain.








5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

AV Power

5690MHz Straddle 5.47-5.725GHz_TX

CF (Hz)
5.65G
Span (Hz)
300M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
150M



Port 1
Port 2
Port 3
Port 4

Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
23.31	17.16	17.31	17.39	17.30

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX


CF (Hz)
5.735G
Span (Hz)
40M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
RMS
CP BW (Hz)
20M



Port 1
Port 2
Port 3
Port 4

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
7.94	1.84	1.97	1.80	2.05





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	16.31	22.66
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	16.50	22.85
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	13.23	19.58
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	6.54	12.89
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	1.93	8.28
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	10.74	16.88
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	10.57	16.71
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	8.47	14.61
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	5.48	11.62
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	1.94	8.08
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	10.76	16.39
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	10.75	16.38
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	8.80	14.43
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	5.75	11.38
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	1.38	7.01
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	15.35	21.09
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	14.77	20.51
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	12.64	18.38
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	8.53	14.27

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;




Result


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX										
5180MHz	Pass	6.35	8.92	8.91	9.15	10.00	15.19	16.65	21.54	23.00
5200MHz	Pass	6.35	9.93	10.31	10.07	10.59	16.15	16.65	22.50	23.00
5240MHz	Pass	6.35	10.49	10.39	10.08	10.77	16.31	16.65	22.66	23.00
5260MHz	Pass	6.14	4.26	4.34	4.84	4.94	10.54	10.86	16.68	17.00
5300MHz	Pass	6.14	4.23	4.51	4.99	4.76	10.54	10.86	16.68	17.00
5320MHz	Pass	6.14	4.60	4.52	5.29	4.79	10.74	10.86	16.88	17.00
5500MHz	Pass	5.63	4.54	4.58	5.22	4.86	10.76	11.00	16.39	17.00
5580MHz	Pass	5.63	4.70	4.88	4.85	4.95	10.73	11.00	16.36	17.00
5700MHz	Pass	5.63	4.64	4.86	4.82	4.89	10.73	11.00	16.36	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.63	4.48	4.57	4.55	4.86	10.56	11.00	16.19	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.74	1.96	1.51	2.06	2.13	7.84	30.00	13.58	36.00
5745MHz	Pass	5.74	9.46	8.98	9.24	9.69	15.29	30.00	21.03	36.00
5785MHz	Pass	5.74	9.25	9.01	9.41	9.87	15.18	30.00	20.92	36.00
5825MHz	Pass	5.74	9.07	9.66	9.48	9.91	15.35	30.00	21.09	36.00
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA										
5180MHz	Pass	6.35	8.75	8.61	8.49	9.17	14.63	16.65	20.98	23.00
5200MHz	Pass	6.35	10.14	10.11	10.25	10.77	16.30	16.65	22.65	23.00
5240MHz	Pass	6.35	10.48	10.38	10.66	10.79	16.50	16.65	22.85	23.00
5260MHz	Pass	6.14	4.29	4.34	4.87	5.02	10.57	10.86	16.71	17.00
5300MHz	Pass	6.14	4.35	4.48	4.99	4.73	10.57	10.86	16.71	17.00
5320MHz	Pass	6.14	4.26	4.19	4.96	4.60	10.44	10.86	16.58	17.00
5500MHz	Pass	5.63	4.30	4.32	5.25	4.82	10.63	11.00	16.26	17.00
5580MHz	Pass	5.63	4.73	4.87	4.80	5.00	10.75	11.00	16.38	17.00
5700MHz	Pass	5.63	4.60	5.09	5.08	4.73	10.72	11.00	16.35	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.63	4.26	4.04	3.74	4.13	9.92	11.00	15.55	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.74	1.48	1.48	1.26	1.75	7.49	30.00	13.23	36.00
5745MHz	Pass	5.74	8.68	8.82	8.44	9.00	14.52	30.00	20.26	36.00
5785MHz	Pass	5.74	8.97	8.72	8.48	9.09	14.62	30.00	20.36	36.00
5825MHz	Pass	5.74	8.89	9.50	9.14	8.91	14.77	30.00	20.51	36.00
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA										
5190MHz	Pass	6.35	4.07	4.02	3.95	4.43	9.99	16.65	16.34	23.00
5230MHz	Pass	6.35	7.54	6.92	7.16	7.81	13.23	16.65	19.58	23.00
5270MHz	Pass	6.14	2.05	2.36	2.79	2.89	8.44	10.86	14.58	17.00
5310MHz	Pass	6.14	2.24	2.37	2.83	2.65	8.47	10.86	14.61	17.00
5510MHz	Pass	5.63	1.66	1.82	2.55	2.07	7.99	11.00	13.62	17.00
5590MHz	Pass	5.63	2.79	2.92	2.81	2.93	8.80	11.00	14.43	17.00
5670MHz	Pass	5.63	2.06	2.37	2.46	2.04	8.11	11.00	13.74	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.63	2.44	2.81	2.65	2.71	8.52	11.00	14.15	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.74	-2.65	-2.76	-2.50	-2.29	3.36	30.00	9.10	36.00




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5755MHz	Pass	5.74	6.87	6.78	6.42	6.91	12.52	30.00	18.26	36.00
5795MHz	Pass	5.74	7.08	6.44	6.56	7.22	12.64	30.00	18.38	36.00
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA										
5210MHz	Pass	6.35	0.34	0.62	0.45	1.08	6.54	16.65	12.89	23.00
5290MHz	Pass	6.14	-0.81	-0.72	-0.05	-0.27	5.48	10.86	11.62	17.00
5530MHz	Pass	5.63	-0.51	-0.52	0.26	-0.21	5.66	11.00	11.29	17.00
5610MHz	Pass	5.63	-0.26	-0.25	-0.25	0.13	5.75	11.00	11.38	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.63	-0.20	-0.06	0.11	-0.37	5.73	11.00	11.36	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.74	-5.95	-5.81	-5.93	-5.99	0.01	30.00	5.75	36.00
5775MHz	Pass	5.74	2.85	2.63	2.48	3.04	8.53	30.00	14.27	36.00
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA										
5250MHz Straddle 5.15-5.25GHz	Pass	6.35	-3.92	-3.89	-4.09	-3.82	1.93	16.65	8.28	23.00
5250MHz Straddle 5.25-5.35GHz	Pass	6.14	-3.94	-4.02	-3.89	-3.84	1.94	10.86	8.08	17.00
5570MHz	Pass	5.63	-4.67	-5.09	-4.06	-4.22	1.38	11.00	7.01	17.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Refers to antenna document for DG Gain.







































































Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	44.95M	36.58	40.00	-3.42	Vertical
Mode 2	Pass	QP	45.68M	36.72	40.00	-3.28	Vertical




Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
PK	97.45M	27.76	43.50	-15.74	-13.58	3	Horizontal	-	-	-	41.34	13.64	1.01	28.23
PK	148.29M	28.31	43.50	-15.19	-8.78	3	Horizontal	-	-	-	37.09	18.27	1.20	28.25
PK	170.21M	30.25	43.50	-13.25	-9.17	3	Horizontal	-	-	-	39.42	17.80	1.30	28.27
PK	195.61M	29.46	43.50	-14.04	-11.38	3	Horizontal	-	-	-	40.84	15.50	1.40	28.28
PK	249.93M	39.28	46.00	-6.72	-9.79	3	Horizontal	-	-	-	49.07	16.90	1.57	28.26
PK	499.75M	34.02	46.00	-11.98	-3.36	3	Horizontal	-	-	-	37.38	22.80	2.04	28.20




Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
QP	44.95M	36.58	40.00	-3.42	-8.53	3	Vertical	239	1.00	-	45.11	18.98	0.61	28.12
PK	97.27M	29.44	43.50	-14.06	-13.59	3	Vertical	-	-	-	43.03	13.63	1.01	28.23
PK	143.58M	30.39	43.50	-13.11	-8.91	3	Vertical	-	-	-	39.30	18.16	1.18	28.25
PK	208.46M	29.53	43.50	-13.97	-11.78	3	Vertical	-	-	-	41.31	15.06	1.44	28.28
PK	250.41M	36.65	46.00	-9.35	-9.76	3	Vertical	-	-	-	46.41	16.92	1.57	28.25
PK	282.32M	28.59	46.00	-17.41	-8.28	3	Vertical	-	-	-	36.87	18.25	1.71	28.24




Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
PK	97.21M	27.96	43.50	-15.54	-13.59	3	Horizontal	-	-	-	41.55	13.62	1.01	28.22
PK	148.39M	28.42	43.50	-15.08	-8.79	3	Horizontal	-	-	-	37.21	18.26	1.20	28.25
PK	169.77M	29.65	43.50	-13.85	-9.14	3	Horizontal	-	-	-	38.79	17.82	1.30	28.26
PK	195.42M	30.17	43.50	-13.33	-11.38	3	Horizontal	-	-	-	41.55	15.50	1.40	28.28
PK	249.96M	40.24	46.00	-5.76	-9.79	3	Horizontal	-	-	-	50.03	16.90	1.57	28.26
PK	499.78M	34.12	46.00	-11.88	-3.36	3	Horizontal	-	-	-	37.48	22.80	2.04	28.20



Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
QP	45.68M	36.72	40.00	-3.28	-8.44	3	Vertical	248	1.00	-	45.16	19.07	0.62	28.13
PK	97.52M	29.86	43.50	-13.64	-13.56	3	Vertical	-	-	-	43.42	13.65	1.02	28.23
PK	143.58M	30.51	43.50	-12.99	-8.91	3	Vertical	-	-	-	39.42	18.16	1.18	28.25
PK	208.46M	29.59	43.50	-13.91	-11.78	3	Vertical	-	-	-	41.37	15.06	1.44	28.28
PK	250.29M	36.74	46.00	-9.26	-9.77	3	Vertical	-	-	-	46.51	16.91	1.57	28.25
PK	282.42M	28.97	46.00	-17.03	-8.28	3	Vertical	-	-	-	37.25	18.25	1.71	28.24




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	15.72G	41.59	54	-12.41	3	Vertical	25	1.00	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	15.6G	42.13	54	-11.87	3	Horizontal	215	1.00	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	15.57G	41.59	54	-12.41	3	Horizontal	241	1.00	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	15.63G	42.08	54	-11.92	3	Horizontal	221	1.00	-
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	15.75G	41.98	54	-12.02	3	Horizontal	229	1.00	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	15.9G	42.78	54	-11.22	3	Vertical	54	1.00	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	15.78G	42.81	54	-11.19	3	Vertical	77	1.00	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	15.81G	42.58	54	-11.42	3	Vertical	85	1.00	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	15.87G	42.33	54	-11.67	3	Horizontal	238	1.00	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	16.74G	59.05	68.2	-9.15	3	Horizontal	36	1.00	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	16.74G	59.48	68.2	-8.72	3	Horizontal	46	1.00	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	PK	16.77G	59.35	68.2	-8.85	3	Horizontal	64	1.00	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	16.83G	59.51	68.2	-8.69	3	Horizontal	52	1.00	-
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	PK	16.71G	59.22	68.20	-8.98	3	Horizontal	57	1.00	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	17.355G	61.96	68.2	-6.24	3	Horizontal	190	1.00	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	17.355G	60.88	68.2	-7.32	3	Horizontal	16	2.50	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	PK	17.385G	59.39	68.2	-8.81	3	Vertical	232	1.00	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	17.325G	58.95	68.2	-9.25	3	Horizontal	116	1.00	-



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.36G	55.25	68.20	-12.95	47.62	3	Horizontal	63	1.00	-	39.72	9.99	42.08
AV	15.54G	41.46	54.00	-12.54	37.21	3	Horizontal	302	1.00	-	38.52	11.40	45.67
PK	15.54G	55.59	74.00	-18.41	51.34	3	Horizontal	302	1.00	-	38.52	11.40	45.67



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.36G	54.12	68.20	-14.08	46.49	3	Vertical	93	1.00	-	39.72	9.99	42.08
AV	15.54G	41.36	54.00	-12.64	37.11	3	Vertical	26	1.00	-	38.52	11.40	45.67
PK	15.54G	56.19	74.00	-17.81	51.94	3	Vertical	26	1.00	-	38.52	11.40	45.67



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.4G	55.19	68.20	-13.01	47.50	3	Horizontal	56	1.22	-	39.80	10.00	42.11
AV	15.6G	41.25	54.00	-12.75	37.24	3	Horizontal	296	1.26	-	38.20	11.45	45.64
PK	15.6G	54.81	74.00	-19.19	50.80	3	Horizontal	296	1.26	-	38.20	11.45	45.64



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.4G	54.25	68.20	-13.95	46.56	3	Vertical	84	1.00	-	39.80	10.00	42.11
AV	15.6G	41.31	54.00	-12.69	37.30	3	Vertical	29	1.00	-	38.20	11.45	45.64
PK	15.6G	56.01	74.00	-17.99	52.00	3	Vertical	29	1.00	-	38.20	11.45	45.64



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.48G	55.01	68.20	-13.19	47.32	3	Horizontal	54	1.00	-	39.84	10.02	42.17
AV	15.72G	41.56	54.00	-12.44	37.31	3	Horizontal	298	1.00	-	38.28	11.55	45.58
PK	15.72G	54.88	74.00	-19.12	50.63	3	Horizontal	298	1.00	-	38.28	11.55	45.58



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.48G	54.41	68.20	-13.79	46.72	3	Vertical	87	1.00	-	39.84	10.02	42.17
AV	15.72G	41.59	54.00	-12.41	37.34	3	Vertical	25	1.00	-	38.28	11.55	45.58
PK	15.72G	56.32	74.00	-17.68	52.07	3	Vertical	25	1.00	-	38.28	11.55	45.58