




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.52G	54.66	68.20	-13.54	46.99	3	Horizontal	101	1.00	-	39.84	10.02	42.19
AV	15.78G	41.91	54.00	-12.09	37.62	3	Horizontal	22	1.00	-	38.22	11.61	45.54
PK	15.78G	55.67	74.00	-18.33	51.38	3	Horizontal	22	1.00	-	38.22	11.61	45.54



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.52G	54.69	68.20	-13.51	47.02	3	Vertical	20	1.00	-	39.84	10.02	42.19
AV	15.78G	42.70	54.00	-11.30	38.41	3	Vertical	69	1.00	-	38.22	11.61	45.54
PK	15.78G	55.90	74.00	-18.10	51.61	3	Vertical	69	1.00	-	38.22	11.61	45.54



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	10.6G	41.02	54.00	-12.98	33.23	3	Horizontal	96	1.00	-	40.00	10.04	42.25
PK	10.6G	54.75	74.00	-19.25	46.96	3	Horizontal	96	1.00	-	40.00	10.04	42.25
AV	15.9G	42.01	54.00	-11.99	37.58	3	Horizontal	16	1.00	-	38.20	11.71	45.48
PK	15.9G	55.66	74.00	-18.34	51.23	3	Horizontal	16	1.00	-	38.20	11.71	45.48



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	10.6G	41.00	54.00	-13.00	33.21	3	Vertical	18	1.00	-	40.00	10.04	42.25
PK	10.6G	54.70	74.00	-19.30	46.91	3	Vertical	18	1.00	-	40.00	10.04	42.25
AV	15.9G	42.78	54.00	-11.22	38.35	3	Vertical	54	1.00	-	38.20	11.71	45.48
PK	15.9G	56.00	74.00	-18.00	51.57	3	Vertical	54	1.00	-	38.20	11.71	45.48



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	10.64G	40.92	54.00	-13.08	33.15	3	Horizontal	99	1.00	-	40.00	10.05	42.28
PK	10.64G	54.63	74.00	-19.37	46.86	3	Horizontal	99	1.00	-	40.00	10.05	42.28
AV	15.96G	41.90	54.00	-12.10	37.63	3	Horizontal	11	1.00	-	37.96	11.76	45.45
PK	15.96G	55.61	74.00	-18.39	51.34	3	Horizontal	11	1.00	-	37.96	11.76	45.45



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	10.64G	41.21	54.00	-12.79	33.44	3	Vertical	23	1.00	-	40.00	10.05	42.28
PK	10.64G	54.64	74.00	-19.36	46.87	3	Vertical	23	1.00	-	40.00	10.05	42.28
AV	15.96G	42.74	54.00	-11.26	38.47	3	Vertical	67	1.00	-	37.96	11.76	45.45
PK	15.96G	55.67	74.00	-18.33	51.40	3	Vertical	67	1.00	-	37.96	11.76	45.45



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11G	42.91	54.00	-11.09	34.95	3	Horizontal	330	1.26	-	40.40	10.11	42.55
PK	11G	57.55	74.00	-16.45	49.59	3	Horizontal	330	1.26	-	40.40	10.11	42.55
PK	16.5G	58.49	68.20	-9.71	51.73	3	Horizontal	40	1.00	-	40.30	12.12	45.66



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11G	42.42	54.00	-11.58	34.46	3	Vertical	206	1.00	-	40.40	10.11	42.55
PK	11G	56.21	74.00	-17.79	48.25	3	Vertical	206	1.00	-	40.40	10.11	42.55
PK	16.5G	58.13	68.20	-10.07	51.37	3	Vertical	74	1.00	-	40.30	12.12	45.66



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.16G	42.92	54.00	-11.08	35.83	3	Horizontal	327	1.29	-	39.58	10.14	42.63
PK	11.16G	56.95	74.00	-17.05	49.86	3	Horizontal	327	1.29	-	39.58	10.14	42.63
PK	16.74G	59.05	68.20	-9.15	51.90	3	Horizontal	36	1.00	-	41.04	12.20	46.09



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.16G	41.66	54.00	-12.34	34.57	3	Vertical	199	1.00	-	39.58	10.14	42.63
PK	11.16G	55.22	74.00	-18.78	48.13	3	Vertical	199	1.00	-	39.58	10.14	42.63
PK	16.74G	58.38	68.20	-9.82	51.23	3	Vertical	81	1.00	-	41.04	12.20	46.09



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.4G	43.09	54.00	-10.91	35.76	3	Horizontal	321	1.32	-	39.90	10.17	42.74
PK	11.4G	57.03	74.00	-16.97	49.70	3	Horizontal	321	1.32	-	39.90	10.17	42.74
PK	17.1G	58.15	68.20	-10.05	51.56	3	Horizontal	43	1.00	-	41.00	12.34	46.75



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.4G	41.95	54.00	-12.05	34.62	3	Vertical	198	1.00	-	39.90	10.17	42.74
PK	11.4G	55.59	74.00	-18.41	48.26	3	Vertical	198	1.00	-	39.90	10.17	42.74
PK	17.1G	57.88	68.20	-10.32	51.29	3	Vertical	75	1.00	-	41.00	12.34	46.75



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.44G	42.80	54.00	-11.20	35.48	3	Horizontal	174	1.00	-	39.90	10.18	42.76
PK	11.44G	56.18	74.00	-17.82	48.86	3	Horizontal	174	1.00	-	39.90	10.18	42.76
PK	17.16G	58.73	68.20	-9.47	52.31	3	Horizontal	203	1.00	-	40.92	12.37	46.87



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.44G	42.86	54.00	-11.14	35.54	3	Vertical	54	1.00	-	39.90	10.18	42.76
PK	11.44G	56.33	74.00	-17.67	49.01	3	Vertical	54	1.00	-	39.90	10.18	42.76
PK	17.16G	58.70	68.20	-9.50	52.28	3	Vertical	177	1.00	-	40.92	12.37	46.87



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.49G	42.89	54.00	-11.11	35.43	3	Horizontal	56	1.72	-	40.06	10.19	42.79
PK	11.49G	56.09	74.00	-17.91	48.63	3	Horizontal	56	1.72	-	40.06	10.19	42.79
PK	17.235G	59.03	68.20	-9.17	52.56	3	Horizontal	188	1.00	-	41.07	12.41	47.01



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.49G	41.54	54.00	-12.46	34.08	3	Vertical	55	1.00	-	40.06	10.19	42.79
PK	11.49G	55.69	74.00	-18.31	48.23	3	Vertical	55	1.00	-	40.06	10.19	42.79
PK	17.235G	58.81	68.20	-9.39	52.34	3	Vertical	188	3.14	-	41.07	12.41	47.01



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.57G	42.62	54.00	-11.38	35.35	3	Horizontal	47	1.78	-	39.88	10.20	42.81
PK	11.57G	55.78	74.00	-18.22	48.51	3	Horizontal	47	1.78	-	39.88	10.20	42.81
PK	17.355G	61.96	68.20	-6.24	55.29	3	Horizontal	190	1.00	-	41.44	12.47	47.24



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.57G	41.27	54.00	-12.73	34.00	3	Vertical	48	1.00	-	39.88	10.20	42.81
PK	11.57G	55.39	74.00	-18.61	48.12	3	Vertical	48	1.00	-	39.88	10.20	42.81
PK	17.355G	60.27	68.20	-7.93	53.60	3	Vertical	191	3.09	-	41.44	12.47	47.24



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.65G	42.41	54.00	-11.59	35.54	3	Horizontal	56	1.82	-	39.50	10.20	42.83
PK	11.65G	55.51	74.00	-18.49	48.64	3	Horizontal	56	1.82	-	39.50	10.20	42.83
PK	17.475G	59.77	68.20	-8.43	52.71	3	Horizontal	196	1.00	-	42.00	12.53	47.47



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.65G	41.00	54.00	-13.00	34.13	3	Vertical	41	1.00	-	39.50	10.20	42.83
PK	11.65G	55.09	74.00	-18.91	48.22	3	Vertical	41	1.00	-	39.50	10.20	42.83
PK	17.475G	59.60	68.20	-8.60	52.54	3	Vertical	193	2.97	-	42.00	12.53	47.47

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.36G	55.16	68.20	-13.04	47.53	3	Horizontal	79	1.00	-	39.72	9.99	42.08
AV	15.54G	41.58	54.00	-12.42	37.33	3	Horizontal	254	1.00	-	38.52	11.40	45.67
PK	15.54G	55.77	74.00	-18.23	51.52	3	Horizontal	254	1.00	-	38.52	11.40	45.67



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.36G	53.96	68.20	-14.24	46.33	3	Vertical	66	1.00	-	39.72	9.99	42.08
AV	15.54G	41.51	54.00	-12.49	37.26	3	Vertical	21	1.00	-	38.52	11.40	45.67
PK	15.54G	56.08	74.00	-17.92	51.83	3	Vertical	21	1.00	-	38.52	11.40	45.67

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.4G	55.81	68.20	-12.39	48.12	3	Horizontal	175	1.00	-	39.80	10.00	42.11
AV	15.6G	42.13	54.00	-11.87	38.12	3	Horizontal	215	1.00	-	38.20	11.45	45.64
PK	15.6G	55.28	74.00	-18.72	51.27	3	Horizontal	215	1.00	-	38.20	11.45	45.64



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.4G	55.71	68.20	-12.49	48.02	3	Vertical	123	1.00	-	39.80	10.00	42.11
AV	15.6G	42.11	54.00	-11.89	38.10	3	Vertical	245	1.00	-	38.20	11.45	45.64
PK	15.6G	54.66	74.00	-19.34	50.65	3	Vertical	245	1.00	-	38.20	11.45	45.64

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.48G	54.90	68.20	-13.30	47.21	3	Horizontal	37	1.00	-	39.84	10.02	42.17
AV	15.72G	41.78	54.00	-12.22	37.53	3	Horizontal	266	1.00	-	38.28	11.55	45.58
PK	15.72G	54.77	74.00	-19.23	50.52	3	Horizontal	266	1.00	-	38.28	11.55	45.58



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.48G	54.32	68.20	-13.88	46.63	3	Vertical	113	1.00	-	39.84	10.02	42.17
AV	15.72G	41.70	54.00	-12.30	37.45	3	Vertical	31	1.00	-	38.28	11.55	45.58
PK	15.72G	56.22	74.00	-17.78	51.97	3	Vertical	31	1.00	-	38.28	11.55	45.58



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.52G	54.53	68.20	-13.67	46.86	3	Horizontal	93	1.00	-	39.84	10.02	42.19
AV	15.78G	41.82	54.00	-12.18	37.53	3	Horizontal	35	1.00	-	38.22	11.61	45.54
PK	15.78G	55.75	74.00	-18.25	51.46	3	Horizontal	35	1.00	-	38.22	11.61	45.54



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.52G	54.81	68.20	-13.39	47.14	3	Vertical	8	1.00	-	39.84	10.02	42.19
AV	15.78G	42.81	54.00	-11.19	38.52	3	Vertical	77	1.00	-	38.22	11.61	45.54
PK	15.78G	55.86	74.00	-18.14	51.57	3	Vertical	77	1.00	-	38.22	11.61	45.54



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	10.6G	40.62	54.00	-13.38	32.83	3	Horizontal	86	1.00	-	40.00	10.04	42.25
PK	10.6G	54.90	74.00	-19.10	47.11	3	Horizontal	86	1.00	-	40.00	10.04	42.25
AV	15.9G	41.98	54.00	-12.02	37.55	3	Horizontal	123	1.00	-	38.20	11.71	45.48
PK	15.9G	55.60	74.00	-18.40	51.17	3	Horizontal	123	1.00	-	38.20	11.71	45.48



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	10.6G	40.67	54.00	-13.33	32.88	3	Vertical	27	1.00	-	40.00	10.04	42.25
PK	10.6G	54.91	74.00	-19.09	47.12	3	Vertical	27	1.00	-	40.00	10.04	42.25
AV	15.9G	42.77	54.00	-11.23	38.34	3	Vertical	102	1.00	-	38.20	11.71	45.48
PK	15.9G	55.86	74.00	-18.14	51.43	3	Vertical	102	1.00	-	38.20	11.71	45.48



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	10.64G	41.01	54.00	-12.99	33.24	3	Horizontal	132	1.00	-	40.00	10.05	42.28
PK	10.64G	54.49	74.00	-19.51	46.72	3	Horizontal	132	1.00	-	40.00	10.05	42.28
AV	15.96G	41.85	54.00	-12.15	37.58	3	Horizontal	13	1.00	-	37.96	11.76	45.45
PK	15.96G	55.77	74.00	-18.23	51.50	3	Horizontal	13	1.00	-	37.96	11.76	45.45



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	10.64G	41.26	54.00	-12.74	33.49	3	Vertical	31	1.00	-	40.00	10.05	42.28
PK	10.64G	54.68	74.00	-19.32	46.91	3	Vertical	31	1.00	-	40.00	10.05	42.28
AV	15.96G	42.80	54.00	-11.20	38.53	3	Vertical	75	1.00	-	37.96	11.76	45.45
PK	15.96G	55.69	74.00	-18.31	51.42	3	Vertical	75	1.00	-	37.96	11.76	45.45



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11G	42.83	54.00	-11.17	34.87	3	Horizontal	325	1.31	-	40.40	10.11	42.55
PK	11G	57.59	74.00	-16.41	49.63	3	Horizontal	325	1.31	-	40.40	10.11	42.55
PK	16.5G	58.60	68.20	-9.60	51.84	3	Horizontal	42	1.00	-	40.30	12.12	45.66



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11G	42.51	54.00	-11.49	34.55	3	Vertical	214	1.00	-	40.40	10.11	42.55
PK	11G	56.26	74.00	-17.74	48.30	3	Vertical	214	1.00	-	40.40	10.11	42.55
PK	16.5G	58.00	68.20	-10.20	51.24	3	Vertical	83	1.00	-	40.30	12.12	45.66



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.16G	42.76	54.00	-11.24	35.67	3	Horizontal	331	1.00	-	39.58	10.14	42.63
PK	11.16G	56.76	74.00	-17.24	49.67	3	Horizontal	331	1.00	-	39.58	10.14	42.63
PK	16.74G	59.48	68.20	-8.72	52.33	3	Horizontal	46	1.00	-	41.04	12.20	46.09



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.16G	41.65	54.00	-12.35	34.56	3	Vertical	128	1.00	-	39.58	10.14	42.63
PK	11.16G	55.32	74.00	-18.68	48.23	3	Vertical	128	1.00	-	39.58	10.14	42.63
PK	16.74G	58.58	68.20	-9.62	51.43	3	Vertical	236	1.00	-	41.04	12.20	46.09



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.4G	43.19	54.00	-10.81	35.86	3	Horizontal	324	1.40	-	39.90	10.17	42.74
PK	11.4G	56.95	74.00	-17.05	49.62	3	Horizontal	324	1.40	-	39.90	10.17	42.74
PK	17.1G	58.65	68.20	-9.55	52.06	3	Horizontal	54	1.00	-	41.00	12.34	46.75



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.4G	41.90	54.00	-12.10	34.57	3	Vertical	206	1.00	-	39.90	10.17	42.74
PK	11.4G	55.64	74.00	-18.36	48.31	3	Vertical	206	1.00	-	39.90	10.17	42.74
PK	17.1G	57.81	68.20	-10.39	51.22	3	Vertical	68	1.00	-	41.00	12.34	46.75



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.44G	42.98	54.00	-11.02	35.66	3	Horizontal	173	1.00	-	39.90	10.18	42.76
PK	11.44G	57.07	74.00	-16.93	49.75	3	Horizontal	173	1.00	-	39.90	10.18	42.76
PK	17.16G	58.55	68.20	-9.65	52.13	3	Horizontal	208	1.00	-	40.92	12.37	46.87



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.44G	42.92	54.00	-11.08	35.60	3	Vertical	199	1.00	-	39.90	10.18	42.76
PK	11.44G	57.01	74.00	-16.99	49.69	3	Vertical	199	1.00	-	39.90	10.18	42.76
PK	17.16G	58.49	68.20	-9.71	52.07	3	Vertical	281	1.00	-	40.92	12.37	46.87



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.49G	42.98	54.00	-11.02	35.52	3	Horizontal	61	1.68	-	40.06	10.19	42.79
PK	11.49G	55.97	74.00	-18.03	48.51	3	Horizontal	61	1.68	-	40.06	10.19	42.79
PK	17.235G	58.90	68.20	-9.30	52.43	3	Horizontal	196	1.00	-	41.07	12.41	47.01



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.49G	41.57	54.00	-12.43	34.11	3	Vertical	63	1.00	-	40.06	10.19	42.79
PK	11.49G	55.81	74.00	-18.19	48.35	3	Vertical	63	1.00	-	40.06	10.19	42.79
PK	17.235G	58.98	68.20	-9.22	52.51	3	Vertical	193	3.05	-	41.07	12.41	47.01



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.57G	43.85	54.00	-10.15	36.58	3	Horizontal	314	1.78	-	39.88	10.20	42.81
PK	11.57G	56.45	74.00	-17.55	49.18	3	Horizontal	314	1.78	-	39.88	10.20	42.81
PK	17.355G	60.88	68.20	-7.32	54.21	3	Horizontal	16	2.50	-	41.44	12.47	47.24



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.57G	42.47	54.00	-11.53	35.20	3	Vertical	65	3.14	-	39.88	10.20	42.81
PK	11.57G	55.48	74.00	-18.52	48.21	3	Vertical	65	3.14	-	39.88	10.20	42.81
PK	17.355G	60.41	68.20	-7.79	53.74	3	Vertical	10	1.00	-	41.44	12.47	47.24



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.65G	42.51	54.00	-11.49	35.64	3	Horizontal	62	1.79	-	39.50	10.20	42.83
PK	11.65G	55.65	74.00	-18.35	48.78	3	Horizontal	62	1.79	-	39.50	10.20	42.83
PK	17.475G	59.88	68.20	-8.32	52.82	3	Horizontal	203	1.00	-	42.00	12.53	47.47



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.65G	41.10	54.00	-12.90	34.23	3	Vertical	49	1.00	-	39.50	10.20	42.83
PK	11.65G	55.25	74.00	-18.75	48.38	3	Vertical	49	1.00	-	39.50	10.20	42.83
PK	17.475G	59.74	68.20	-8.46	52.68	3	Vertical	196	2.99	-	42.00	12.53	47.47



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.38G	55.27	68.20	-12.93	47.61	3	Horizontal	62	1.00	-	39.76	10.00	42.10
AV	15.57G	41.59	54.00	-12.41	37.44	3	Horizontal	241	1.00	-	38.38	11.42	45.65
PK	15.57G	55.81	74.00	-18.19	51.66	3	Horizontal	241	1.00	-	38.38	11.42	45.65



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.38G	53.79	68.20	-14.41	46.13	3	Vertical	72	1.00	-	39.76	10.00	42.10
AV	15.57G	41.54	54.00	-12.46	37.39	3	Vertical	18	1.00	-	38.38	11.42	45.65
PK	15.57G	56.05	74.00	-17.95	51.90	3	Vertical	18	1.00	-	38.38	11.42	45.65



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.46G	54.85	68.20	-13.35	47.11	3	Horizontal	40	1.00	-	39.88	10.01	42.15
AV	15.69G	41.56	54.00	-12.44	37.48	3	Horizontal	272	1.00	-	38.14	11.53	45.59
PK	15.69G	55.01	74.00	-18.99	50.93	3	Horizontal	272	1.00	-	38.14	11.53	45.59



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.46G	54.52	68.20	-13.68	46.78	3	Vertical	125	1.00	-	39.88	10.01	42.15
AV	15.69G	41.36	54.00	-12.64	37.28	3	Vertical	36	1.00	-	38.14	11.53	45.59
PK	15.69G	55.50	74.00	-18.50	51.42	3	Vertical	36	1.00	-	38.14	11.53	45.59



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.54G	54.62	68.20	-13.58	46.92	3	Horizontal	105	1.00	-	39.88	10.03	42.21
AV	15.81G	41.60	54.00	-12.40	37.42	3	Horizontal	43	1.00	-	38.08	11.63	45.53
PK	15.81G	55.70	74.00	-18.30	51.52	3	Horizontal	43	1.00	-	38.08	11.63	45.53



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.54G	55.33	68.20	-12.87	47.63	3	Vertical	13	1.00	-	39.88	10.03	42.21
AV	15.81G	42.58	54.00	-11.42	38.40	3	Vertical	85	1.00	-	38.08	11.63	45.53
PK	15.81G	55.64	74.00	-18.36	51.46	3	Vertical	85	1.00	-	38.08	11.63	45.53



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	10.62G	40.48	54.00	-13.52	32.71	3	Horizontal	90	1.00	-	40.00	10.04	42.27
PK	10.62G	55.03	74.00	-18.97	47.26	3	Horizontal	90	1.00	-	40.00	10.04	42.27
AV	15.93G	41.79	54.00	-12.21	37.44	3	Horizontal	136	1.00	-	38.08	11.74	45.47
PK	15.93G	55.64	74.00	-18.36	51.29	3	Horizontal	136	1.00	-	38.08	11.74	45.47



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	10.62G	40.68	54.00	-13.32	32.91	3	Vertical	35	1.00	-	40.00	10.04	42.27
PK	10.62G	54.97	74.00	-19.03	47.20	3	Vertical	35	1.00	-	40.00	10.04	42.27
AV	15.93G	42.56	54.00	-11.44	38.21	3	Vertical	113	1.00	-	38.08	11.74	45.47
PK	15.93G	55.94	74.00	-18.06	51.59	3	Vertical	113	1.00	-	38.08	11.74	45.47



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.02G	41.93	54.00	-12.07	34.06	3	Horizontal	331	1.00	-	40.32	10.11	42.56
PK	11.02G	56.84	74.00	-17.16	48.97	3	Horizontal	331	1.00	-	40.32	10.11	42.56
PK	16.53G	58.59	68.20	-9.61	51.99	3	Horizontal	35	1.00	-	40.18	12.13	45.71



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.02G	42.49	54.00	-11.51	34.62	3	Vertical	233	1.00	-	40.32	10.11	42.56
PK	11.02G	56.12	74.00	-17.88	48.25	3	Vertical	233	1.00	-	40.32	10.11	42.56
PK	16.53G	57.67	68.20	-10.53	51.07	3	Vertical	92	1.00	-	40.18	12.13	45.71



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5590MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.18G	42.80	54.00	-11.20	35.76	3	Horizontal	313	1.00	-	39.54	10.14	42.64
PK	11.18G	56.42	74.00	-17.58	49.38	3	Horizontal	313	1.00	-	39.54	10.14	42.64
PK	16.77G	59.35	68.20	-8.85	52.11	3	Horizontal	64	1.00	-	41.18	12.21	46.15



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5590MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.18G	41.69	54.00	-12.31	34.65	3	Vertical	132	1.00	-	39.54	10.14	42.64
PK	11.18G	55.36	74.00	-18.64	48.32	3	Vertical	132	1.00	-	39.54	10.14	42.64
PK	16.77G	58.59	68.20	-9.61	51.35	3	Vertical	263	1.00	-	41.18	12.21	46.15



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.34G	42.16	54.00	-11.84	34.93	3	Horizontal	330	1.00	-	39.78	10.16	42.71
PK	11.34G	56.74	74.00	-17.26	49.51	3	Horizontal	330	1.00	-	39.78	10.16	42.71
PK	17.01G	58.71	68.20	-9.49	51.94	3	Horizontal	62	1.00	-	41.06	12.29	46.58



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.34G	41.84	54.00	-12.16	34.61	3	Vertical	201	1.00	-	39.78	10.16	42.71
PK	11.34G	55.63	74.00	-18.37	48.40	3	Vertical	201	1.00	-	39.78	10.16	42.71
PK	17.01G	57.83	68.20	-10.37	51.06	3	Vertical	73	1.00	-	41.06	12.29	46.58



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.42G	42.71	54.00	-11.29	35.38	3	Horizontal	128	1.00	-	39.90	10.18	42.75
PK	11.42G	56.08	74.00	-17.92	48.75	3	Horizontal	128	1.00	-	39.90	10.18	42.75
PK	17.13G	58.82	68.20	-9.38	52.34	3	Horizontal	203	1.00	-	40.94	12.35	46.81



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.42G	42.60	54.00	-11.40	35.27	3	Vertical	128	1.00	-	39.90	10.18	42.75
PK	11.42G	56.25	74.00	-17.75	48.92	3	Vertical	128	1.00	-	39.90	10.18	42.75
PK	17.13G	58.55	68.20	-9.65	52.07	3	Vertical	203	1.00	-	40.94	12.35	46.81



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.51G	42.20	54.00	-11.80	34.72	3	Horizontal	72	1.00	-	40.08	10.19	42.79
PK	11.51G	56.04	74.00	-17.96	48.56	3	Horizontal	72	1.00	-	40.08	10.19	42.79
PK	17.265G	58.79	68.20	-9.41	52.31	3	Horizontal	200	1.00	-	41.13	12.42	47.07



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.51G	41.71	54.00	-12.29	34.23	3	Vertical	77	1.00	-	40.08	10.19	42.79
PK	11.51G	56.01	74.00	-17.99	48.53	3	Vertical	77	1.00	-	40.08	10.19	42.79
PK	17.265G	58.81	68.20	-9.39	52.33	3	Vertical	209	1.00	-	41.13	12.42	47.07



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.59G	42.17	54.00	-11.83	35.02	3	Horizontal	60	1.00	-	39.76	10.20	42.81
PK	11.59G	55.37	74.00	-18.63	48.22	3	Horizontal	60	1.00	-	39.76	10.20	42.81
PK	17.385G	59.13	68.20	-9.07	52.27	3	Horizontal	110	1.00	-	41.68	12.48	47.30



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.59G	41.67	54.00	-12.33	34.52	3	Vertical	161	1.00	-	39.76	10.20	42.81
PK	11.59G	55.87	74.00	-18.13	48.72	3	Vertical	161	1.00	-	39.76	10.20	42.81
PK	17.385G	59.39	68.20	-8.81	52.53	3	Vertical	232	1.00	-	41.68	12.48	47.30



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.42G	55.78	68.20	-12.42	48.06	3	Horizontal	180	1.00	-	39.84	10.01	42.13
AV	15.63G	42.08	54.00	-11.92	38.21	3	Horizontal	221	1.00	-	38.02	11.47	45.62
PK	15.63G	55.21	74.00	-18.79	51.34	3	Horizontal	221	1.00	-	38.02	11.47	45.62



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.42G	55.85	68.20	-12.35	48.13	3	Vertical	135	1.00	-	39.84	10.01	42.13
AV	15.63G	41.92	54.00	-12.08	38.05	3	Vertical	236	1.00	-	38.02	11.47	45.62
PK	15.63G	54.71	74.00	-19.29	50.84	3	Vertical	236	1.00	-	38.02	11.47	45.62



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.58G	56.01	68.20	-12.19	48.26	3	Horizontal	133	1.00	-	39.96	10.03	42.24
AV	15.87G	42.33	54.00	-11.67	38.06	3	Horizontal	238	1.00	-	38.08	11.69	45.50
PK	15.87G	54.96	74.00	-19.04	50.69	3	Horizontal	238	1.00	-	38.08	11.69	45.50



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.58G	55.05	68.20	-13.15	47.30	3	Vertical	93	1.00	-	39.96	10.03	42.24
AV	15.87G	41.69	54.00	-12.31	37.42	3	Vertical	93	1.00	-	38.08	11.69	45.50
PK	15.87G	55.35	74.00	-18.65	51.08	3	Vertical	93	1.00	-	38.08	11.69	45.50



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.06G	42.45	54.00	-11.55	34.77	3	Horizontal	324	1.00	-	40.14	10.12	42.58
PK	11.06G	56.37	74.00	-17.63	48.69	3	Horizontal	324	1.00	-	40.14	10.12	42.58
PK	16.59G	57.34	68.20	-10.86	51.07	3	Horizontal	27	1.00	-	39.94	12.15	45.82



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.06G	42.16	54.00	-11.84	34.48	3	Vertical	211	1.00	-	40.14	10.12	42.58
PK	11.06G	55.93	74.00	-18.07	48.25	3	Vertical	211	1.00	-	40.14	10.12	42.58
PK	16.59G	57.55	68.20	-10.65	51.28	3	Vertical	76	1.00	-	39.94	12.15	45.82



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.22G	42.74	54.00	-11.26	35.71	3	Horizontal	319	1.00	-	39.54	10.15	42.66
PK	11.22G	56.56	74.00	-17.44	49.53	3	Horizontal	319	1.00	-	39.54	10.15	42.66
PK	16.83G	59.51	68.20	-8.69	52.11	3	Horizontal	52	1.00	-	41.42	12.23	46.25



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.22G	41.72	54.00	-12.28	34.69	3	Vertical	142	1.00	-	39.54	10.15	42.66
PK	11.22G	55.42	74.00	-18.58	48.39	3	Vertical	142	1.00	-	39.54	10.15	42.66
PK	16.83G	58.90	68.20	-9.30	51.50	3	Vertical	245	1.00	-	41.42	12.23	46.25



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.38G	42.02	54.00	-11.98	34.72	3	Horizontal	325	1.00	-	39.86	10.17	42.73
PK	11.38G	56.44	74.00	-17.56	49.14	3	Horizontal	325	1.00	-	39.86	10.17	42.73
PK	17.07G	58.78	68.20	-9.42	51.97	3	Horizontal	55	1.00	-	41.18	12.32	46.69



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.38G	42.12	54.00	-11.88	34.82	3	Vertical	218	1.00	-	39.86	10.17	42.73
PK	11.38G	55.57	74.00	-18.43	48.27	3	Vertical	218	1.00	-	39.86	10.17	42.73
PK	17.07G	57.87	68.20	-10.33	51.06	3	Vertical	78	1.00	-	41.18	12.32	46.69



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.55G	42.34	54.00	-11.66	34.95	3	Horizontal	52	1.00	-	40.00	10.19	42.80
PK	11.55G	55.82	74.00	-18.18	48.43	3	Horizontal	52	1.00	-	40.00	10.19	42.80
PK	17.325G	58.95	68.20	-9.25	52.38	3	Horizontal	116	1.00	-	41.30	12.45	47.18



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.55G	42.07	54.00	-11.93	34.68	3	Vertical	160	1.00	-	40.00	10.19	42.80
PK	11.55G	56.08	74.00	-17.92	48.69	3	Vertical	160	1.00	-	40.00	10.19	42.80
PK	17.325G	58.91	68.20	-9.29	52.34	3	Vertical	226	1.00	-	41.30	12.45	47.18



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.5G	54.06	68.20	-14.14	46.42	3	Horizontal	45	1.00	-	39.80	10.02	42.18
AV	15.75G	41.98	54.00	-12.02	37.56	3	Horizontal	229	1.00	-	38.40	11.58	45.56
PK	15.75G	56.28	74.00	-17.72	51.86	3	Horizontal	229	1.00	-	38.40	11.58	45.56



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
PK	10.5G	54.63	68.20	-13.57	46.99	3	Vertical	124	1.00	-	39.80	10.02	42.18
AV	15.75G	41.83	54.00	-12.17	37.41	3	Vertical	28	1.00	-	38.40	11.58	45.56
PK	15.75G	56.35	74.00	-17.65	51.93	3	Vertical	28	1.00	-	38.40	11.58	45.56



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.14G	42.61	54.00	-11.39	35.44	3	Horizontal	312	1.00	-	39.66	10.13	42.62
PK	11.14G	56.56	74.00	-17.44	49.39	3	Horizontal	312	1.00	-	39.66	10.13	42.62
PK	16.71G	59.22	68.20	-8.98	52.21	3	Horizontal	57	1.00	-	40.86	12.19	46.04




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)
AV	11.14G	41.56	54.00	-12.44	34.39	3	Vertical	133	1.00	-	39.66	10.13	42.62
PK	11.14G	55.57	74.00	-18.43	48.40	3	Vertical	133	1.00	-	39.66	10.13	42.62
PK	16.71G	58.37	68.20	-9.83	51.36	3	Vertical	236	1.00	-	40.86	12.19	46.04






Modulation	11a	Test Freq. (MHz)	5180
Polarization	Horizontal-Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5149.20	53.89	54.00	-0.11	53.39	0.50	Average	224	8
2	5363.40	46.49	54.00	-7.51	46.54	-0.05	Average	224	8






Modulation	11a	Test Freq. (MHz)	5180
Polarization	Vertical -Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5149.80	53.84	54.00	-0.16	53.34	0.50	Average	172	2
2	5382.60	46.49	54.00	-7.51	46.46	0.03	Average	172	2






Modulation	11a	Test Freq. (MHz)	5200
Polarization	Horizontal-Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5149.50	48.33	54.00	-5.67	47.83	0.50	Average	178	10
2	5366.40	46.89	54.00	-7.11	46.92	-0.03	Average	178	10






Modulation	11a	Test Freq. (MHz)	5200
Polarization	Vertical -Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5148.00	49.40	54.00	-4.60	48.90	0.50	Peak	169	19
2	5374.80	46.89	54.00	-7.11	46.88	0.01	Average	169	19






Modulation	11a	Test Freq. (MHz)	5240
Polarization	Horizontal-Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5147.40	48.02	54.00	-5.98	47.53	0.49	Average	303	11
2	5383.20	46.22	54.00	-7.78	46.19	0.03	Average	303	11






Modulation	11a	Test Freq. (MHz)	5240
Polarization	Vertical -Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5113.50	47.82	54.00	-6.18	47.40	0.42	Average	126	8
2	5392.20	46.04	54.00	-7.96	45.96	0.08	Average	126	8






Modulation	11a	Test Freq. (MHz)	5260
Polarization	Horizontal-Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5100.00	46.46	54.00	-7.54	46.08	0.38	Average	185	10
2	5390.40	45.33	54.00	-8.67	45.26	0.07	Average	185	10





Modulation	11a	Test Freq. (MHz)	5260
Polarization	Vertical -Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5114.70	46.76	54.00	-7.24	46.34	0.42	Average	178	337
2	5383.80	45.97	54.00	-8.03	45.92	0.05	Average	178	337




Modulation	11a	Test Freq. (MHz)	5300						
Polarization	Horizontal-Peak Value								
<p>Test By :Allen Lee Temperature(°C):26 Humidity(%):61</p>									
	Freq.	Emission Limit	Margin	SA	Factor	Remark	ANT	Turn	
	MHz	level		reading			High	Table	
		dBuV/m	dBuV/m	dB	dBuV	dB/m	cm	deg	
1	5141.40	59.65	74.00	-14.35	59.18	0.47	Peak	174	17
2	5366.10	59.32	74.00	-14.68	59.36	-0.04	Peak	174	17




Modulation	11a	Test Freq. (MHz)	5300
Polarization	Horizontal-Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5143.20	46.42	54.00	-7.58	45.93	0.49	Average	174	17
2	5363.70	45.86	54.00	-8.14	45.91	-0.05	Average	174	17






Modulation	11a	Test Freq. (MHz)	5300
Polarization	Vertical -Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5143.50	46.43	54.00	-7.57	45.94	0.49	Average	136	358
2	5374.20	45.32	54.00	-8.68	45.31	0.01	Average	136	358






Modulation	11a	Test Freq. (MHz)	5320
Polarization	Horizontal-Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5136.60	43.20	54.00	-10.80	42.74	0.46	Average	123	47
2	5361.90	43.56	54.00	-10.44	43.61	-0.05	Average	123	47






Modulation	11a	Test Freq. (MHz)	5320
Polarization	Vertical -Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5118.30	43.48	54.00	-10.52	43.05	0.43	Average	152	331
2	5351.70	43.64	54.00	-10.36	43.74	-0.10	Average	152	331





Modulation	11a	Test Freq. (MHz)	5500
Polarization	Horizontal-Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5456.51	43.98	54.00	-10.02	43.74	0.24	Average	182	33




Modulation	11a	Test Freq. (MHz)	5500						
Polarization	Vertical-Peak Value								
<p>Test By :Allen Lee Temperature(°C):26 Humidity(%):61</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5459.35	55.74	74.00	-18.26	55.50	0.24	Peak	160	339
2	5464.32	56.88	68.20	-11.32	56.63	0.25	Peak	160	339
3	5741.57	56.43	68.20	-11.77	55.74	0.69	Peak	160	339




Modulation	11a	Test Freq. (MHz)	5500
Polarization	Vertical -Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5430.59	43.38	54.00	-10.62	43.21	0.17	Average	160	339





Modulation	11a	Test Freq. (MHz)	5580
Polarization	Horizontal-Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5455.09	44.32	54.00	-9.68	44.09	0.23	Average	175	33




Modulation	11a	Test Freq. (MHz)	5580						
Polarization	Vertical-Peak Value								
<p>Test By :Allen Lee Temperature(°C):26 Humidity(%):61</p>									
<p>The figure is a spectrum plot with 'Level (dBuV/m)' on the y-axis (0 to 127) and 'Frequency (MHz)' on the x-axis (5410 to 5765). A prominent peak is centered at 5580 MHz. Three points are marked with vertical lines and labeled 1, 2, and 3. Point 1 is at 5427.04 MHz, point 2 is at 5470.00 MHz, and point 3 is at 5757.55 MHz. A red horizontal line is drawn at approximately 74 dBuV/m, labeled 'UNII 1~2-PK'.</p>									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5427.04	58.21	74.00	-15.79	58.04	0.17	Peak	174	337
2	5470.00	57.49	68.20	-10.71	57.23	0.26	Peak	174	337
3	5757.55	57.63	68.20	-10.57	56.88	0.75	Peak	174	337




Modulation	11a	Test Freq. (MHz)	5580
Polarization	Vertical -Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5429.17	44.89	54.00	-9.11	44.71	0.18	Average	174	337






Modulation	11a	Test Freq. (MHz)	5700
Polarization	Horizontal-Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5419.23	43.60	54.00	-10.40	43.44	0.16	Average	151	77






Modulation	11a	Test Freq. (MHz)	5700
Polarization	Vertical -Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5421.72	43.62	54.00	-10.38	43.46	0.16	Average	169	9





Modulation	11a	Test Freq. (MHz)	5720
Polarization	Horizontal-Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5420.78	44.91	54.00	-9.09	44.75	0.16	Average	120	356




Modulation	11a	Test Freq. (MHz)	5720						
Polarization	Vertical-Peak Value								
<p>Test By :Allen Lee Temperature(°C):26 Humidity(%):61</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5442.34	57.73	74.00	-16.27	57.53	0.20	Peak	178	11
2	5463.90	57.11	68.20	-11.09	56.86	0.25	Peak	178	11
3	5864.72	57.31	68.20	-10.89	56.28	1.03	Peak	178	11




Modulation	11a	Test Freq. (MHz)	5720
Polarization	Vertical -Average Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5419.80	44.93	54.00	-9.07	44.77	0.16	Average	178	11






Modulation	11a	Test Freq. (MHz)	5745
Polarization	Vertical-Peak Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5615.38	59.92	68.20	-8.28	59.64	0.28	Peak	165	16
2	5939.75	60.37	68.20	-7.83	59.20	1.17	Peak	165	16






Modulation	11a	Test Freq. (MHz)	5785
Polarization	Vertical-Peak Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5626.63	59.08	68.20	-9.12	58.81	0.27	Peak	176	13
2	5951.75	57.89	68.20	-10.31	56.71	1.18	Peak	176	13





Modulation	11a	Test Freq. (MHz)	5825
Polarization	Vertical-Peak Value		

Test By :Allen Lee Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5610.88	58.21	68.20	-9.99	57.94	0.27	Peak	223	333
2	5926.63	59.37	68.20	-8.83	58.20	1.17	Peak	223	333




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5180						
Polarization	Horizontal-Peak Value								
<p>Test By :Sean Yu Temperature(°C):26 Humidity(%):61</p>									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5149.80	70.28	74.00	-3.72	69.78	0.50	Peak	189	358
2	5372.40	59.18	74.00	-14.82	59.18	0.00	Peak	189	358




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5180
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5149.20	53.84	54.00	-0.16	53.34	0.50	Peak	189	358
2	5372.70	45.90	54.00	-8.10	45.90	0.00	Average	189	358





Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5180
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5146.50	53.86	54.00	-0.14	53.37	0.49	Average	171	312
2	5397.30	44.37	54.00	-9.63	44.26	0.11	Average	171	312




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5200						
Polarization	Horizontal-Peak Value								
<p>Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5148.90	65.97	74.00	-8.03	65.47	0.50	Peak	309	350
2	5375.70	59.47	74.00	-14.53	59.47	0.00	Peak	309	350




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5200
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5149.20	51.00	54.00	-3.00	50.50	0.50	Average	309	350
2	5361.60	46.67	54.00	-7.33	46.72	-0.05	Average	309	350





Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5200
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5149.20	50.50	54.00	-3.50	50.00	0.50	Average	166	307
2	5367.60	46.50	54.00	-7.50	46.53	-0.03	Average	166	307




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5240						
Polarization	Horizontal-Peak Value								
Test By : Sean Yu		Temperature(°C): 26			Humidity(%): 61				
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5133.00	60.94	74.00	-13.06	60.48	0.46	Peak	229	18
2	5370.30	60.54	74.00	-13.46	60.56	-0.02	Peak	229	18




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5240
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5147.70	48.78	54.00	-5.22	48.28	0.50	Average	229	18
2	5388.00	47.30	54.00	-6.70	47.24	0.06	Average	229	18






Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5240
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5146.50	48.59	54.00	-5.41	48.10	0.49	Average	163	328
2	5351.70	47.01	54.00	-6.99	47.11	-0.10	Average	163	328






Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5260
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5129.40	44.50	54.00	-9.50	44.05	0.45	Average	307	14
2	5379.90	43.70	54.00	-10.30	43.68	0.02	Average	307	14





Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5260
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5110.50	44.57	54.00	-9.43	44.16	0.41	Average	173	336
2	5387.10	43.77	54.00	-10.23	43.71	0.06	Average	173	336




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5300						
Polarization	Horizontal-Peak Value								
Test By : Sean Yu		Temperature(°C): 26			Humidity(%): 61				
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5134.50	57.69	74.00	-16.31	57.23	0.46	Peak	177	36
2	5355.00	57.85	74.00	-16.15	57.94	-0.09	Peak	177	36



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5300
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5116.80	44.56	54.00	-9.44	44.14	0.42	Average	177	36
2	5357.40	44.56	54.00	-9.44	44.64	-0.08	Average	177	36




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5300						
Polarization	Vertical-Peak Value								
<p>Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5112.90	56.87	74.00	-17.13	56.45	0.42	Peak	121	328
2	5358.60	56.56	74.00	-17.44	56.64	-0.08	Peak	121	328




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5300
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5144.10	44.40	54.00	-9.60	43.91	0.49	Average	121	328
2	5389.20	43.90	54.00	-10.10	43.83	0.07	Average	121	328






Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5320
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5131.20	44.53	54.00	-9.47	44.08	0.45	Average	185	23
2	5352.30	46.01	54.00	-7.99	46.11	-0.10	Average	185	23





Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5320
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5127.60	44.48	54.00	-9.52	44.03	0.45	Average	187	322
2	5352.60	45.88	54.00	-8.12	45.98	-0.10	Average	187	322




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5500						
Polarization	Horizontal-Peak Value								
Test By : Sean Yu		Temperature(°C): 26			Humidity(%): 61				
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5456.15	57.55	74.00	-16.45	57.31	0.24	Peak	187	22
2	5465.74	58.66	68.20	-9.54	58.41	0.25	Peak	187	22
3	5763.23	57.17	68.20	-11.03	56.41	0.76	Peak	187	22




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5500
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5459.70	44.48	54.00	-9.52	44.24	0.24	Average	187	22





Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5500
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5457.57	44.30	54.00	-9.70	44.05	0.25	Average	172	347




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5580						
Polarization	Horizontal-Peak Value								
Test By : Sean Yu		Temperature(°C): 26			Humidity(%): 61				
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5450.47	57.50	74.00	-16.50	57.28	0.22	Peak	178	26
2	5464.32	56.16	68.20	-12.04	55.91	0.25	Peak	178	26
3	5757.90	56.63	68.20	-11.57	55.88	0.75	Peak	178	26



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5580
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5438.76	44.31	54.00	-9.69	44.11	0.20	Average	178	26




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5580						
Polarization	Vertical-Peak Value								
<p>Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5411.42	56.41	74.00	-17.59	56.27	0.14	Peak	174	351
2	5464.32	55.82	68.20	-12.38	55.57	0.25	Peak	174	351
3	5737.31	56.46	68.20	-11.74	55.79	0.67	Peak	174	351



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5580
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5427.75	44.14	54.00	-9.86	43.96	0.18	Average	174	351



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5700
Polarization	Horizontal-Peak Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5432.37	56.66	74.00	-17.34	56.49	0.17	Peak	143	38
2	5462.54	56.25	68.20	-11.95	56.00	0.25	Peak	143	38
3	5727.37	59.22	68.20	-8.98	58.59	0.63	Peak	143	38




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5700						
Polarization	Horizontal-Average Value								
<p>Test By :Sean Yu Temperature(°C):26 Humidity(%):61</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5418.88	43.93	54.00	-10.07	43.77	0.16	Average	143	38



Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5700
Polarization	Vertical-Peak Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5430.95	56.26	74.00	-17.74	56.09	0.17	Peak	182	10
2	5469.64	55.42	68.20	-12.78	55.16	0.26	Peak	182	10
3	5728.08	58.38	68.20	-9.82	57.75	0.63	Peak	182	10




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5700
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5421.72	43.81	54.00	-10.19	43.65	0.16	Average	182	10





Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5720
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5425.19	43.95	54.00	-10.05	43.78	0.17	Average	170	13




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5720						
Polarization	Vertical-Peak Value								
<p>Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61</p>									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5410.98	56.74	74.00	-17.26	56.61	0.13	Peak	200	8
2	5463.90	56.24	68.20	-11.96	55.99	0.25	Peak	200	8
3	5860.80	56.66	68.20	-11.54	55.65	1.01	Peak	200	8




Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5720
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5447.24	43.67	54.00	-10.33	43.46	0.21	Average	200	8






Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5745
Polarization	Vertical-Peak Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5623.25	58.00	68.20	-10.20	57.72	0.28	Peak	181	14
2	5928.88	57.71	68.20	-10.49	56.54	1.17	Peak	181	14






Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5785
Polarization	Vertical-Peak Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5610.13	56.21	68.20	-11.99	55.94	0.27	Peak	209	359
2	5973.50	56.60	68.20	-11.60	55.42	1.18	Peak	209	359





Modulation	be EHT20-OFDMA	Test Freq. (MHz)	5825
Polarization	Vertical-Peak Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5628.88	58.12	68.20	-10.08	57.85	0.27	Peak	212	24
2	5971.63	57.71	68.20	-10.49	56.53	1.18	Peak	212	24



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5190
Polarization	Horizontal-Peak Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5146.80	68.72	74.00	-5.28	68.23	0.49	Peak	312	348
2	5362.20	55.81	74.00	-18.19	55.86	-0.05	Peak	312	348



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5190
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5146.50	53.81	54.00	-0.19	53.32	0.49	Average	312	348
2	5356.50	43.58	54.00	-10.42	43.66	-0.08	Average	312	348




Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5190						
Polarization	Vertical-Peak Value								
Test By : Sean Yu		Temperature(°C): 26			Humidity(%): 61				
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5146.50	67.67	74.00	-6.33	67.18	0.49	Peak	172	1
2	5391.60	57.49	74.00	-16.51	57.41	0.08	Peak	172	1



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5190
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5147.10	53.60	54.00	-0.40	53.11	0.49	Average	172	1
2	5353.20	44.35	54.00	-9.65	44.45	-0.10	Average	172	1



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5230
Polarization	Horizontal-Peak Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5147.10	63.51	74.00	-10.49	63.02	0.49	Peak	193	1
2	5354.40	58.66	74.00	-15.34	58.75	-0.09	Peak	193	1



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5230
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5147.10	51.20	54.00	-2.80	50.71	0.49	Average	193	1
2	5351.10	46.21	54.00	-7.79	46.32	-0.11	Average	193	1




Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5230						
Polarization	Vertical-Peak Value								
<p>Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5148.90	64.26	74.00	-9.74	63.76	0.50	Peak	121	359
2	5367.60	58.38	74.00	-15.62	58.41	-0.03	Peak	121	359



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5230
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5149.80	51.25	54.00	-2.75	50.75	0.50	Average	121	359
2	5351.70	45.30	54.00	-8.70	45.40	-0.10	Average	121	359




Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5270						
Polarization	Horizontal-Peak Value								
Test By : Sean Yu		Temperature(°C): 26			Humidity(%): 61				
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level	dBuV/m	dB	reading	dB/m		High	Table
								cm	deg
1	5137.50	57.71	74.00	-16.29	57.25	0.46	Peak	188	12
2	5352.60	57.56	74.00	-16.44	57.66	-0.10	Peak	188	12



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5270
Polarization	Horizontal-Average Value		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5147.10	45.09	54.00	-8.91	44.60	0.49	Average	188	12
2	5352.00	46.17	54.00	-7.83	46.27	-0.10	Average	188	12




Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5270						
Polarization	Vertical-Peak Value								
Test By : Sean Yu		Temperature(°C): 26			Humidity(%): 61				
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5116.20	57.20	74.00	-16.80	56.78	0.42	Peak	187	19
2	5354.70	57.89	74.00	-16.11	57.98	-0.09	Peak	187	19




Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5270
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5149.50	45.12	54.00	-8.88	44.62	0.50	Average	187	19
2	5352.90	45.03	54.00	-8.97	45.13	-0.10	Average	187	19






Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5310
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5146.80	44.71	54.00	-9.29	44.22	0.49	Average	193	16
2	5352.90	49.30	54.00	-4.70	49.40	-0.10	Average	193	16





Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5310
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5115.00	44.87	54.00	-9.13	44.45	0.42	Average	164	346
2	5353.50	49.10	54.00	-4.90	49.20	-0.10	Average	164	346




Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5510						
Polarization	Horizontal-Peak Value								
Test By : Sean Yu		Temperature(°C): 26			Humidity(%): 61				
<p>The figure is a spectrum plot with 'Level (dBuV/m)' on the y-axis (0 to 127) and 'Frequency (MHz)' on the x-axis (5410 to 5765). A blue signal trace shows a band between 5460 and 5560 MHz. Three peaks are marked with vertical lines and numbers: 1 at 5415.68 MHz, 2 at 5466.09 MHz, and 3 at 5744.77 MHz. A horizontal red line at approximately 74 dBuV/m is labeled 'UNII 1~2-PK'.</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5415.68	58.10	74.00	-15.90	57.95	0.15	Peak	159	14
2	5466.09	61.38	68.20	-6.82	61.13	0.25	Peak	159	14
3	5744.77	57.22	68.20	-10.98	56.51	0.71	Peak	159	14



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5510
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5455.80	45.07	54.00	-8.93	44.83	0.24	Average	159	14




Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5510						
Polarization	Vertical-Peak Value								
<p>Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5452.96	58.37	74.00	-15.63	58.14	0.23	Peak	197	352
2	5466.09	58.56	68.20	-9.64	58.31	0.25	Peak	197	352
3	5753.64	57.07	68.20	-11.13	56.33	0.74	Peak	197	352



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5510
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5456.86	44.95	54.00	-9.05	44.71	0.24	Average	197	352




Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5590						
Polarization	Horizontal-Peak Value								
Test By : Sean Yu		Temperature(°C): 26			Humidity(%): 61				
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5454.38	57.13	74.00	-16.87	56.90	0.23	Peak	197	12
2	5462.54	56.94	68.20	-11.26	56.69	0.25	Peak	197	12
3	5749.03	57.47	68.20	-10.73	56.74	0.73	Peak	197	12



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5590
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5444.08	44.34	54.00	-9.66	44.13	0.21	Average	197	12




Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5590						
Polarization	Vertical-Peak Value								
Test By : Sean Yu		Temperature(°C): 26			Humidity(%): 61				
<p>The figure is a spectrum plot with 'Level (dBuV/m)' on the y-axis (0 to 127) and 'Frequency (MHz)' on the x-axis (5410 to 5765). A blue line shows the signal level, which is flat at approximately 57 dBuV/m until 5560 MHz, then rises to a peak of about 105 dBuV/m between 5580 MHz and 5620 MHz, and then falls back to 57 dBuV/m. Three peaks are marked with vertical lines and numbered 1, 2, and 3. A red horizontal line at approximately 74 dBuV/m is labeled 'UNII 1~2-PK'.</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5439.11	57.01	74.00	-16.99	56.81	0.20	Peak	155	2
2	5463.61	56.88	68.20	-11.32	56.63	0.25	Peak	155	2
3	5747.25	57.21	68.20	-10.99	56.49	0.72	Peak	155	2




Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5590
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5418.17	44.18	54.00	-9.82	44.02	0.16	Average	155	2





Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5670
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5413.20	43.39	54.00	-10.61	43.24	0.15	Average	186	21



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5670
Polarization	Vertical-Peak Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5428.46	56.98	74.00	-17.02	56.80	0.18	Peak	157	7
2	5463.96	55.86	68.20	-12.34	55.61	0.25	Peak	157	7
3	5747.96	57.98	68.20	-10.22	57.26	0.72	Peak	157	7



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5670
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5418.52	43.14	54.00	-10.86	42.98	0.16	Average	157	7



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5710
Polarization	Horizontal-Peak Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5423.23	56.41	74.00	-17.59	56.24	0.17	Peak	183	23
2	5466.35	55.48	68.20	-12.72	55.23	0.25	Peak	183	23
3	5851.49	57.31	68.20	-10.89	56.34	0.97	Peak	183	23



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5710
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5439.89	44.25	54.00	-9.75	44.05	0.20	Average	183	23



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5710
Polarization	Vertical-Peak Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5427.64	56.71	74.00	-17.29	56.53	0.18	Peak	141	1
2	5467.82	55.84	68.20	-12.36	55.58	0.26	Peak	141	1
3	5881.38	56.75	68.20	-11.45	55.66	1.09	Peak	141	1



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5710
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5423.72	44.08	54.00	-9.92	43.91	0.17	Average	141	1



Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5755
Polarization	Horizontal-Peak Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5641.63	60.85	68.20	-7.35	60.57	0.28	Peak	165	22
2	5974.63	56.51	68.20	-11.69	55.33	1.18	Peak	165	22




Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5755
Polarization	Vertical-Peak Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5646.50	57.65	68.20	-10.55	57.37	0.28	Peak	152	11
2	5957.75	57.25	68.20	-10.95	56.07	1.18	Peak	152	11





Modulation	be EHT40-OFDMA	Test Freq. (MHz)	5795
Polarization	Vertical-Peak Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5646.13	59.08	68.20	-9.12	58.80	0.28	Peak	139	356
2	5969.00	57.41	68.20	-10.79	56.23	1.18	Peak	139	356



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5210
Polarization	Horizontal-Peak Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5149.50	65.09	74.00	-8.91	64.59	0.50	Peak	188	33
2	5390.70	58.86	74.00	-15.14	58.79	0.07	Peak	188	33



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5210
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5149.20	53.81	54.00	-0.19	53.31	0.50	Average	188	33
2	5354.70	45.01	54.00	-8.99	45.10	-0.09	Average	188	33




Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5210						
Polarization	Vertical-Peak Value								
<p>Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61</p>									
	Freq.	Emission Limit	Margin	SA	Factor	Remark	ANT	Turn	
	MHz	level		reading			High	Table	
		dBuV/m	dBuV/m	dB	dBuV	dB/m	cm	deg	
1	5144.40	65.32	74.00	-8.68	64.83	0.49	Peak	135	3
2	5376.30	57.04	74.00	-16.96	57.03	0.01	Peak	135	3



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5210
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5146.50	53.50	54.00	-0.50	53.01	0.49	Average	135	3
2	5351.70	44.29	54.00	-9.71	44.39	-0.10	Average	135	3



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5290
Polarization	Horizontal-Peak Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5128.80	58.56	74.00	-15.44	58.11	0.45	Peak	175	24
2	5352.00	64.10	74.00	-9.90	64.20	-0.10	Peak	175	24




Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5290
Polarization	Horizontal-Average Value		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5146.20	45.37	54.00	-8.63	44.88	0.49	Average	175	24
2	5351.70	53.20	54.00	-0.80	53.30	-0.10	Average	175	24





Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5290
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5130.60	45.31	54.00	-8.69	44.86	0.45	Average	152	355
2	5352.30	51.85	54.00	-2.15	51.95	-0.10	Average	152	355



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5530
Polarization	Horizontal-Peak Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5458.99	60.09	74.00	-13.91	59.85	0.24	Peak	170	15
2	5468.58	60.88	68.20	-7.32	60.62	0.26	Peak	170	15
3	5727.02	56.98	68.20	-11.22	56.35	0.63	Peak	170	15



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5530
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5458.28	46.56	54.00	-7.44	46.31	0.25	Average	170	15




Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5530						
Polarization	Vertical-Peak Value								
<p>Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5442.31	58.70	74.00	-15.30	58.50	0.20	Peak	166	352
2	5466.09	60.15	68.20	-8.05	59.90	0.25	Peak	166	352
3	5729.15	57.01	68.20	-11.19	56.37	0.64	Peak	166	352



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5530
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5459.70	46.40	54.00	-7.60	46.16	0.24	Average	166	352




Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5610						
Polarization	Horizontal-Peak Value								
Test By : Sean Yu		Temperature(°C): 26			Humidity(%): 61				
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level	dBuV/m	dB	reading	dB/m		High	Table
								cm	deg
1	5449.41	56.35	74.00	-17.65	56.13	0.22	Peak	172	32
2	5461.12	57.01	68.20	-11.19	56.77	0.24	Peak	172	32
3	5732.70	58.47	68.20	-9.73	57.82	0.65	Peak	172	32



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5610
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5413.91	43.41	54.00	-10.59	43.26	0.15	Average	172	32




Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5610						
Polarization	Vertical-Peak Value								
Test By : Sean Yu		Temperature(°C): 26			Humidity(%): 61				
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5423.85	56.80	74.00	-17.20	56.63	0.17	Peak	156	1
2	5469.64	56.52	68.20	-11.68	56.26	0.26	Peak	156	1
3	5736.96	57.81	68.20	-10.39	57.14	0.67	Peak	156	1



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5610
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5428.46	43.02	54.00	-10.98	42.84	0.18	Average	156	1




Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5690						
Polarization	Horizontal-Peak Value								
Test By : Sean Yu		Temperature(°C): 26			Humidity(%): 61				
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level	dBuV/m	dB	reading	dB/m		High	Table
								cm	deg
1	5430.58	57.03	74.00	-16.97	56.86	0.17	Peak	186	25
2	5466.84	56.52	68.20	-11.68	56.27	0.25	Peak	186	25
3	5887.75	56.75	68.20	-11.45	55.64	1.11	Peak	186	25



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5690
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5416.86	43.46	54.00	-10.54	43.31	0.15	Average	186	25



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5690
Polarization	Vertical-Peak Value		

Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5410.98	56.87	74.00	-17.13	56.74	0.13	Peak	136	2
2	5469.29	56.07	68.20	-12.13	55.81	0.26	Peak	136	2
3	5870.60	56.56	68.20	-11.64	55.51	1.05	Peak	136	2



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5690
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5420.29	43.45	54.00	-10.55	43.29	0.16	Average	136	2




Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5775						
Polarization	Horizontal-Peak Value								
Test By : Sean Yu		Temperature(°C): 26			Humidity(%): 61				
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5649.13	63.71	68.20	-4.49	63.43	0.28	Peak	158	24
2	5930.00	57.35	68.20	-10.85	56.18	1.17	Peak	158	24



Modulation	be EHT80-OFDMA	Test Freq. (MHz)	5775
Polarization	Vertical-Peak Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5649.13	62.43	68.20	-5.77	62.15	0.28	Peak	129	1
2	5969.38	56.77	68.20	-11.43	55.59	1.18	Peak	129	1




Modulation	be EHT160-OFDMA	Test Freq. (MHz)	5250						
Polarization	Horizontal-Peak Value								
Test By : Sean Yu		Temperature(°C): 26			Humidity(%): 61				
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5131.80	65.01	74.00	-8.99	64.56	0.45	Peak	179	26
2	5371.80	65.89	74.00	-8.11	65.90	-0.01	Peak	179	26



Modulation	be EHT160-OFDMA	Test Freq. (MHz)	5250
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5130.00	53.39	54.00	-0.61	52.94	0.45	Average	179	26
2	5355.30	53.86	54.00	-0.14	53.95	-0.09	Average	179	26




Modulation	be EHT160-OFDMA	Test Freq. (MHz)	5250						
Polarization	Vertical-Peak Value								
<p>Test By : Sean Yu Temperature(°C): 26 Humidity(%): 61</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5136.90	67.20	74.00	-6.80	66.74	0.46	Peak	126	336
2	5382.90	66.76	74.00	-7.24	66.73	0.03	Peak	126	336



Modulation	be EHT160-OFDMA	Test Freq. (MHz)	5250
Polarization	Vertical -Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5122.80	52.71	54.00	-1.29	52.27	0.44	Average	126	336
2	5376.30	53.25	54.00	-0.75	53.24	0.01	Average	126	336



Modulation	be EHT160-OFDMA	Test Freq. (MHz)	5570
Polarization	Horizontal-Peak Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5456.15	63.64	74.00	-10.36	63.40	0.24	Peak	189	22
2	5468.58	61.53	68.20	-6.67	61.27	0.26	Peak	189	22
3	5739.09	62.18	68.20	-6.02	61.50	0.68	Peak	189	22



Modulation	be EHT160-OFDMA	Test Freq. (MHz)	5570
Polarization	Horizontal-Average Value		

Test By :Sean Yu Temperature(°C):26 Humidity(%):61



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5412.84	51.82	54.00	-2.18	51.67	0.15	Average	189	22