

FCC RF EXPOSURE REPORT

FCC ID: P27DBC831

Project No. : 1611139
Equipment : Wireless HD Doorbell Camera, Doorbell HD
Wi-Fi Camera
Test Model : DBC831
Serial Model : DBC831xxxxxxxx, VistaCam 1200xxxxx (the
1st x should be "blank" or "-"; the rest x could
be 0 to 9, A to Z, "blank" or "-", for marking
purpose)
Applicant : Sercomm Corporation
Address : 8F, No. 3-1, YuanQu St., NanKang, Taipei,
Taiwan 115

According: : FCC Guidelines for Human Exposure IEEE
C95.1

Technical Manager

:

(Herbert Liu)

B T L I N C .

B1, No. 37, Lane 365, Yang-Guang St.,
Nei-Hu District, Taipei City 114, Taiwan.
TEL: +886-2-2657-3299 FAX: +886-2-2657-3331

MPE CALCULATION METHOD:

Calculation Method of RF Safety Distance:

$$S = \frac{PG}{4\pi r^2} = \frac{EIRP}{4\pi r^2}$$

where:

S = power density

P = power input to the antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna

Table for Filed Antenna

Ant.	Brand	Model Name	Antenna Type	Connector	Gain (dBi)
1	SERCOM	DBC831	FPC	IPEX	0.31

CACULATION:

Test Mode :	TX B Mode Total / CH01, CH06, CH11
-------------	------------------------------------

Frequency (MHz)	Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
2412	0.31	1.0740	19.31	85.3100	0.01823687	1	Complies
2437	0.31	1.0740	20.31	107.3989	0.02295886	1	Complies
2462	0.31	1.0740	20.17	103.9920	0.02223056	1	Complies

Test Mode :	TX G Mode Total / CH01, CH06, CH11
-------------	------------------------------------

Frequency (MHz)	Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
2412	0.31	1.0740	25.75	375.8374	0.08034343	1	Complies
2437	0.31	1.0740	26.42	438.5307	0.09374549	1	Complies
2462	0.31	1.0740	24.34	271.6439	0.05806981	1	Complies

Test Mode :	TX N-20M Mode Total / CH01, CH06, CH11
-------------	--

Frequency (MHz)	Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
2412	0.31	1.0740	25.9	389.0451	0.08316687	1	Complies
2437	0.31	1.0740	26.2	416.8694	0.08911491	1	Complies
2462	0.31	1.0740	24.02	252.3481	0.05394490	1	Complies