


EUT : IP806GA/GB V2
 Power : 110V 60Hz
 Test Mode : 802.11g CH L0
 Memo : antenna 1

Pol/Phase : NEUTRAL
 Temperature : 25 °C
 Humidity : 61 %

Data: 49

Level (dBuV)


Date: 2004-11-23



Freq	Read	Factor	Level	Limit	Over	Remark
MHz	dBuV	dB	dBuV	dBuV	Limit	
0.196	47.28	0.21	47.49	63.80	-16.31	QP
0.196	16.20	0.21	16.41	53.80	-37.39	AVERAGE
0.348	40.45	0.44	40.89	59.00	-18.11	QP
0.348	20.24	0.44	20.68	49.00	-28.32	AVERAGE
0.603	31.43	0.46	31.89	56.00	-24.11	QP
0.603	2.59	0.46	3.05	46.00	-42.95	AVERAGE
8.320	40.44	0.50	40.94	60.00	-19.06	QP
8.320	30.72	0.50	31.22	50.00	-18.78	AVERAGE
8.462	41.86	0.50	42.36	60.00	-17.64	QP
8.462	33.66	0.50	34.16	50.00	-15.84	AVERAGE
14.200	34.55	0.76	35.31	60.00	-24.69	QP
14.200	26.95	0.76	27.71	50.00	-22.29	AVERAGE

EUT : IP806GA/GB V2
Power : 110V 60Hz
Test Mode : 802.11g CH L0
Memo : antenna 1

Pol/Phase : LINE
Temperature : 25 °C
Humidity : 61 %



Freq	Read	Factor	Level	Limit	Over	Remark
MHz	dBuV	dB	dBuV	dBuV	Limit	
0.305	16.60	0.38	16.98	50.10	-33.12	AVERAGE
0.305	46.04	0.38	46.42	60.10	-13.68	QP
0.516	12.66	0.47	13.13	46.00	-32.87	AVERAGE
0.516	42.78	0.47	43.25	56.00	-12.75	QP
1.234	25.30	0.43	25.73	56.00	-30.27	QP
1.234	11.76	0.43	12.19	46.00	-33.81	AVERAGE
7.806	30.04	0.43	30.47	50.00	-19.53	AVERAGE
7.806	38.48	0.43	38.91	60.00	-21.09	QP
8.450	31.98	0.42	32.40	50.00	-17.60	AVERAGE
8.450	40.54	0.42	40.96	60.00	-19.04	QP
13.963	32.97	0.73	33.70	60.00	-26.30	QP
13.963	23.62	0.73	24.35	50.00	-25.65	AVERAGE


EUT : IP806GA/GB V2
 Power : 110V 60Hz
 Test Mode : 802.11g CH MID
 Memo : antenna 1

Pol/Phase : NEUTRAL
 Temperature : 25 °C
 Humidity : 61 %

Data: 50

Level (dBuV)

Date: 2004-11-23



Freq	Read	Factor	Level	Limit	Over	Remark
MHz	dBuV	dB	dBuV	dBuV	Limit	
0.190	47.41	0.21	47.62	64.02	-16.39	QP
0.190	16.60	0.21	16.81	54.02	-37.20	AVERAGE
0.369	39.53	0.47	40.00	58.52	-18.52	QP
0.369	21.81	0.47	22.28	48.52	-26.24	AVERAGE
0.614	31.30	0.45	31.75	56.00	-24.25	QP
0.614	10.09	0.45	10.54	46.00	-35.46	AVERAGE
8.456	39.83	0.50	40.33	60.00	-19.67	QP
8.456	31.06	0.50	31.56	50.00	-18.44	AVERAGE
8.679	40.12	0.50	40.62	60.00	-19.38	QP
8.679	31.67	0.50	32.17	50.00	-17.83	AVERAGE
13.703	33.37	0.73	34.10	60.00	-25.90	QP
13.703	23.78	0.73	24.51	50.00	-25.49	AVERAGE


EUT : IP806GA/GB V2
 Power : 110V 60Hz
 Test Mode : 802.11g CH MID
 Memo : antenna 1

Pol/Phase : LINE
 Temperature : 25 °C
 Humidity : 61 %

Data: 51

Level (dBuV)

Date: 2004.11.23



Freq	Read	Factor	Level	Limit	Over	Remark
MHz	dBuV	dB	dBuV	dBuV	dBuV	
0.305	15.59	0.38	15.97	50.10	-34.13	AVERAGE
0.305	45.85	0.38	46.23	60.10	-13.87	QP
0.502	11.87	0.48	12.35	46.00	-33.65	AVERAGE
0.502	42.86	0.48	43.34	56.00	-12.66	QP
1.426	28.22	0.45	28.67	56.00	-27.33	QP
1.426	8.37	0.45	8.82	46.00	-37.18	AVERAGE
8.434	40.10	0.42	40.52	60.00	-19.48	QP
8.434	30.51	0.42	30.93	50.00	-19.07	AVERAGE
8.683	39.42	0.42	39.84	60.00	-20.16	QP
8.683	31.29	0.42	31.71	50.00	-18.29	AVERAGE
14.281	33.46	0.75	34.21	60.00	-25.79	QP
14.281	27.46	0.75	28.21	50.00	-21.79	AVERAGE


EUT : IP806GA/GB V2
 Power : 110V 60Hz
 Test Mode : 802.11g CH HI
 Memo : antenna 1

Pol/Phase : NEUTRAL
 Temperature : 25 °C
 Humidity : 61 %

Data: 53

Level (dBuV)

Date: 2004-11-23



Freq	Read Level	Factor	Level	Limit	Over Limit	Remark
MHz	dBuV	dB	dBuV	dBuV	dBuV	
0.200	15.98	0.20	16.18	53.62	-37.44	AVERAGE
0.200	47.14	0.20	47.34	63.62	-16.28	QP
0.358	40.10	0.45	40.55	58.78	-18.23	QP
0.358	12.93	0.45	13.38	48.78	-35.40	AVERAGE
0.658	30.57	0.45	31.02	56.00	-24.98	QP
0.658	0.71	0.45	1.16	46.00	-44.84	AVERAGE
7.941	35.43	0.50	35.93	60.00	-24.07	QP
7.941	26.48	0.50	26.98	50.00	-23.02	Average
8.500	31.08	0.50	31.58	50.00	-18.42	AVERAGE
8.500	40.32	0.50	40.82	60.00	-19.18	QP
14.214	33.99	0.76	34.75	60.00	-25.25	QP
14.214	26.81	0.76	27.57	50.00	-22.43	AVERAGE


EUT : IP806GA/GB V2
 Power : 110V 60Hz
 Test Mode : 802.11g CH HI
 Memo : antenna 1

Pol/Phase : LINE
 Temperature : 25 °C
 Humidity : 61 %

Data: 52

Level (dBuV)

Date: 2004-11-23



Freq	Read	Factor	Level	Limit	Over	Remark
MHz	dBuV	dB	dBuV	dBuV	dBuV	
0.193	48.82	0.21	49.03	63.89	-14.86	QP
0.193	18.70	0.21	18.91	53.89	-34.98	AVERAGE
0.489	12.03	0.48	12.51	46.19	-33.68	AVERAGE
0.489	43.07	0.48	43.55	56.19	-12.64	QP
1.431	5.26	0.45	5.71	46.00	-40.29	AVERAGE
1.431	24.93	0.45	25.38	56.00	-30.62	QP
7.931	35.55	0.43	35.98	60.00	-24.02	QP
7.931	26.55	0.43	26.98	50.00	-23.02	AVERAGE
8.501	39.22	0.42	39.64	60.00	-20.36	QP
8.501	29.92	0.42	30.34	50.00	-19.66	AVERAGE
13.709	26.42	0.71	27.13	50.00	-22.87	AVERAGE
13.709	33.84	0.71	34.55	60.00	-25.45	QP