## **Product Similarity Declaration**

To Whom It May Concern,

We, **Spotwave Wireless Limited**, hereby declare that our **Industrial Signal Booster** Model Number: SpotCell 2104Xf is electrically identical with the Model SpotCell 3104 Xf series that was certified by Nemko. They named differently just due to different output power levels and gains achieved by adjusting the potentiometers inside. However they have the same design, PCB board and work diagrams.

The SpotCell 3104 Xf booster has a factory preset maximum output power of UL 18dBm/ DL 24dBm and maximum gain of UL 80dB/ DL 80dB. However, some users maybe want to use lower power due to different coverage. When the output power is preset at UL 15dBm / DL 20dBm and maximum gain of UL 65dB/ DL 70dB, then the model should be SpotCell 2104Xf; When the output power is preset at UL 18dBm / DL 24dBm and maximum gain of UL 80dB/ DL 80dB, then the model should be Model SpotCell 3104 Xf.

We have summarized the differences in below table for your better understanding:

ltem	Model Number	Max. Power UL/DL	Max. Gain UL/DL	Size(mm)
1	SpotCell 2104Xf	15/20dBM	65/70dB	250*400*55mm
2	SpotCell 3104 Xf	18/24dBm	80/80dB	250*400*55mm

Please contact me if there is any question.

Signature:

Print Name:

Title:

ENGINEERING MANAGER

Date: 2014-09-24