



Shenzhen Science & Ind. Park


Tel: 0755-6639495~7

Fax: 0755-6632877

AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 492 File#: ACTION.emi

Date: 2002-02-07 Time: 20:41:00



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD. (3# Chamber)

Trace:

Ref Trace:

Condition: FCC PART 15B 3m 2598FACTOR HORIZONTAL

EUT: : 2.4GHz Wireless Camera

M/N: : XMC-151 (ACN-3560C)

POWER: : AC Adaptor Input 120V/60Hz EUT 12V

Test Mode: : ON

MEMO: : Channel 2


Test Engineer:: Edwarehu



Shenzhen Science & Ind. Park  
Tel: 0755-6639495~7  
Fax: 0755-6632877

AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Data#: 494 File#: ACTION.emi Date: 2002-02-07 Time: 20:46:25



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD. (3# Chamber)

Trace:

Ref Trace:

Condition: FCC PART 15B 3m 2598FACTOR HORIZONTAL

EUT: : 2.4GHz Wireless Camera

M/N: : XMC-151 (ACN-3560C)

POWER: : AC Adaptor Input 120V/60Hz EUT 12V

Test Mode: : ON

MEMO: : Channel 2

Test Engineer:: Edwarehu

Page: 1

|   | Freq    | Level  | Over Limit | Limit Line | Read Level | Cable Factor | Probe Loss | Factor |
|---|---------|--------|------------|------------|------------|--------------|------------|--------|
|   | MHz     | dBuV/m | dB         | dBuV/m     | dBuV       | dB           | dB         | dB     |
| 1 | 31.940  | 26.61  | -13.39     | 40.00      | 5.78       | 20.83        | 0.90       | 19.93  |
| 2 | 159.980 | 23.51  | -19.99     | 43.50      | 9.20       | 14.31        | 3.33       | 10.98  |
| 3 | 209.450 | 26.67  | -16.83     | 43.50      | 13.00      | 13.67        | 3.74       | 9.93   |
| 4 | 223.030 | 25.76  | -20.24     | 46.00      | 11.47      | 14.29        | 3.83       | 10.46  |
| 5 | 464.560 | 29.11  | -16.89     | 46.00      | 7.19       | 21.93        | 4.94       | 16.99  |
| 6 | 932.100 | 35.27  | -10.73     | 46.00      | 6.14       | 29.14        | 5.99       | 23.14  |




信華科技(深圳)有限公司

AUDIX Technology (Shenzhen) Co., Ltd.

No. 6, Ke Feng Road, Block 52,  
Shenzhen Science & Industry Park  
Nantou, Shenzhen, Guangdong, China  
Tel: +86-755-6639496 Fax: +86-755-6639496  
acsadmin@

Data#: 194 File#: C:\EMI TEST DATA\A\action.EMI




Site : 1# Chamber  
Condition : FCC2400-2480MHZ 3m 3115FACTOR HORIZONTAL  
EUT: : 2.4GHz Wireless Camera  
M/N: : XMC-151 (ACN-3560C)  
Power: : AC Adaptor Input 120V/60Hz EUT 12V  
Test Engineer: : Edwarehu  
On Cond: : On  
MEMO: : Channel 2



信華科技(深圳)有限公司  
AUDIX Technology (Shenzhen) Co., Ltd

No. 6, Ye Fang Road, Block 52,  
Shenzhen Science & Industry Park  
Nantou, Shenzhen, Guangdong, China  
Tel: +86-755-6639496 Fax: +86-755-6635496  
acsadmin@

Date#: 197 File#: C:\EMI TEST DATA\A\action.EMI



Site : 1# Chamber  
Condition : FCC2400-2480MHz 3m 3115FACTOR HORIZONTAL  
EUT : 2.4GHz Wireless Camera  
M/N : XMC-151 (ACN-3560C)  
Power : AC Adaptor Input 120V/60Hz EUT 12V  
Test Engineer : Edwardhu  
On Cond: : On  
NEMC : Channel 2

|      |          |       | Over   | Limit | Read  | Cable  | Probe  |         |
|------|----------|-------|--------|-------|-------|--------|--------|---------|
| Freq | Level    | Limit | Line   | Level | Loss  | Factor | Remark |         |
| MHz  | dBuV/m   | dB    | dBuV/m | dBuV  | dB    | dB     |        |         |
| 1    | 2447.335 | 61.30 | -32.70 | 94.00 | 60.50 | 5.74   | 30.04  | Average |




信華科技(深圳)有限公司

AUDIX Technology (Shenzhen) Co., Ltd.

No. 6, Ke Feng Road, Block 52,  
Shenzhen Science & Industry Park  
Nantou, Shenzhen, Guangdong, China  
Tel: +86-755-6639495 Fax: +86-755-6639495  
accsadmin@

Data#: 136 File#: C:\EMI TEST DATA\A\action.EMI



Site : 1# Chamber  
Condition : FCC2400-2480PK 3m 3115FACTOR HORIZONTAL  
EUT: : 2.4GHz Wireless Camera  
M/N: : XMC-151 (ACN-3560C)  
Power: : AC Adaptor Input 120V/60Hz EUT 12V  
Test Engineer: : Edwardzhu  
On Cond: : On  
MEMO: : Channel 2

|            | Over   | Limit  | Read   | Cable | Probe |               |
|------------|--------|--------|--------|-------|-------|---------------|
| Freq       | Level  | Limit  | Line   | Level | Loss  | Factor Remark |
| MHz        | dBuV/m | dB     | dBuV/m | dBuV  | dB    | dB            |
| 1 2447.115 | 62.50  | -51.50 | 114.00 | 61.70 | 5.74  | 30.04 Peak    |




信華科技(深圳)有限公司

AUDIX Technology (Shenzhen) Co., Ltd

No. 6, Ke Feng Road, Block S2,  
Shenzhen Science & Industry Park  
Nantou, Shenzhen, Guangdong, China  
Tel:+86-755-6639496 Fax:+86-755-6639496  
accsadmin@

Data#: 195 File#: C:\EMI TEST DATA\A\action.EMI



Site : 1# Chamber  
Condition : FCC2400-2480MHz 3m 31.5FACTOR HORIZONTAL  
EUT: : 2.4GHz Wireless Camera  
M/N: : XMC-151 (ACN-356UC)  
Power: : AC Adaptor Input 120V/60Hz EUT 12V  
Test Engineer: : Edwarehu  
On Cond: : On  
MEMO: : Channel 2




信華科技(深圳)有限公司

AUDIX Technology (Shenzhen) Co., Ltd

No. 6, Ke Feng Road, Block 52,  
Shenzhen Science & Industry Park  
Nantou, Shenzhen, Guangdong, China  
Tel: +86-755-6639496 Fax: +86-755-6639496  
accadmin@

Data#: 200 File#: C:\EMI TEST DATA\A\action.EMI



Site : 1st Chamber  
Condition : FCC2400-2480MHZ 30 3115FACTOR HORIZONTAL  
EUT: : 2.4GHz Wireless Camera  
M/N: : XMC-151 (ACN-3560C)  
Power: : AC Adaptor Input 120V/60Hz EUT 12V  
Test Engineer: : Edwarehu  
On Cond: : On  
MEMO: : Channel 2

|            |        |       | Over   | Limit | Read | Cable  | Probe   |  |
|------------|--------|-------|--------|-------|------|--------|---------|--|
| Freq       | Level  | Limit | Line   | Level | Loss | Factor | Remark  |  |
| MHz        | dBuV/m | dB    | dBuV/m | dBuV  | dB   | dB     |         |  |
| 1 4094.870 | 48.30  | -5.70 | 54.00  | 39.69 | 8.03 | 35.04  | Average |  |
| 2 7342.005 | 47.20  | -6.80 | 54.00  | 34.33 | 9.30 | 37.07  | Average |  |




信華科技(深圳)有限公司

AUDIX Technology (Shenzhen) Co., Ltd.

No. 6, Ke Feng Road, Block S2,  
Shenzhen Science & Industry Park  
Nantou, Shenzhen, Guangdong, China  
Tel: +86-755-6639496 Fax: +86-755-6639496  
acsadmin@

Date: 199 File#: C:\EMI TEST DATA\A\action.EMI



Site : 1# Chamber  
Condition : FCC PART 15 B PK 3m 3115FACTOR HORIZONTAL  
EUT: : 2.4GHz Wireless Camera  
M/N: : XMC-151 (ACN-3560C)  
Power: : AC Adapter Input 120V/60Hz EUT 12V  
Test Engineer: : Edwardchu  
On Cond: : On  
MEMO: : Channel 2

|      |          |       | Over   | Limit | Read  | Cable  | Probe  |      |
|------|----------|-------|--------|-------|-------|--------|--------|------|
| Freq | Level    | Limit | Line   | Level | Loss  | Factor | Remark |      |
| MHz  | dBuV/m   | dB    | dBuV/m | dBuV  | dB    | dB     |        |      |
| 1    | 4894.170 | 56.60 | -17.40 | 74.00 | 47.99 | 8.03   | 35.04  | Peak |
| 2    | 7342.005 | 53.40 | -20.60 | 74.00 | 40.53 | 9.36   | 37.67  | Peak |




信華科技(深圳)有限公司

AUDIX Technology (Shenzhen) Co., Ltd.

No. 6, Ke Feng Road, Block 52,  
Shenzhen Science & Industry Park  
Nantou, Shenzhen, Guangdong, China  
Tel: +86-755-6639496 Fax: +86-755-6639496  
www.audix.com

Data#: 196 File#: C:\EMI TEST DATA\A\action.EMI



Site : 1#Chamber  
Condition : FCC2400-2480MHZ 3m 3115FACTOR HORIZONTAL  
EUT: : 2.4GHz Wireless Camera  
M/N: : XCM-151 (ACN-3560C)  
Power: : AC Adaptor Input 120V/60Hz EUT 12V  
Test Engineer: : Edwarehu  
On Cond: : On  
MEMO: : Channel 2



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.


Shenzhen Science & Ind. Park

Tel: 0755-6639495-7

Fax: 0755-6632877

Data#: 493 File#: ACTION.cmi

Date: 2002-02-07 Time: 20:42:05



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD (3# Chamber)

Trace:

Ref Trace:

Condition: FCC PART 15B 3m 2598FACTOR VERTICAL

EUT: : 2.4GHz Wireless Camera

M/N: : XYC-151 (ACN-3560C)

POWER: : AC Adaptor Input 120V/60Hz EU1 12V

Test Mode: : ON

MEMO: : Channel 2

Test Engineer:: Edwardhu



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.


Shenzhen Science & Ind. Park

Tel: 0755-6639495-7

Fax: 0755-6632877

Data#: 487 File#: ACTION.emi

Date: 2002-02-07 Time: 20:17:01



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD. (3# Chamber)

Trace:

Ref Trace:

Condition: FCC PART 15A 3m 2598FACTOR VERTICAL

EUT: : 2.4GHz Wireless Camera

M/N: : XMC-151 (ACN-3560C)

POWER: : AC Adaptor Input 120V/60Hz EUT 12V

Test Mode: : ON

MEMO: : Channel 2

Test Engineer: : Edwardhu

Page: 1

|   | Freq    | Level  | Over Limit | Limit Line | Road Level | Factor | Cable Loss | Probe Factor |
|---|---------|--------|------------|------------|------------|--------|------------|--------------|
|   | MHz     | dBuV/m | dB         | dBuV/m     | dBuV       | dB     | dB         | dB           |
| 1 | 34.850  | 21.66  | -18.34     | 40.00      | 7.78       | 13.88  | 0.99       | 12.90        |
| 2 | 53.280  | 22.94  | -17.06     | 40.00      | 14.98      | 7.96   | 1.64       | 6.32         |
| 3 | 159.980 | 20.05  | -23.45     | 43.50      | 8.07       | 11.98  | 3.33       | 8.66         |
| 4 | 211.390 | 21.63  | -21.87     | 43.50      | 9.20       | 12.43  | 3.75       | 8.68         |
| 5 | 475.130 | 29.06  | -16.94     | 46.00      | 7.10       | 21.96  | 4.98       | 16.98        |
| 6 | 806.000 | 34.01  | -11.99     | 46.00      | 6.47       | 27.54  | 5.77       | 21.77        |




信華科技(深圳)有限公司

AUDIX Technology (Shenzhen) Co., Ltd

No. 6, Ke Fung Road, Block S2,  
Shenzhen Science & Industry Park  
Nanrou, Shenzhen, Guangdong, China  
Tel: +86-755-6639496 Fax: +86-755-6639496  
acsadmin@

Data#: 201 File#: C:\EMI TEST DATA\A\action.EMI



Site : 1# Chamber  
Condition : FCC2400-2480MHz 3m 3115FACTOR VERTICAL  
EUT: : 2.4GHz Wireless Camera  
M/N: : XMC-151 (ACN-3560C)  
Power: : AC Adapter Input 120V/60Hz EUT 12V  
Test Engineer: : Edwarehu  
On Cond: : On  
MEMO: : Channel 3




信華科技(深圳)有限公司

AUDIX Technology (Shenzhen) Co., Ltd.

No. 6, Ke Feng Road, Block S2,  
Shenzhen Science & Industry Park  
Nantou, Shenzhen, Guangdong, China  
Tel: +86-755-6639496 Fax: +86-755-6639496  
acsadmin@

Data#: 202 File#: C:\EMI TEST DATA\A\action.EMI



Site : 1# Chamber  
Condition : FCC2400-2480MHz 3m 3115FACTOR VERTICAL  
EUT : 2.4GHz Wireless Camera  
M/N : XMC-151 (ACN-3560C)  
Power : AC Adaptor Input 120V/60Hz EUT 12V  
Test Engineer : Edwardhu  
On Cond : On  
MEMO : Channel 2

|   | Freq     | Level  | Over Limit | Limit Line | Read Level | Cable Loss | Probe Factor | Remark  |
|---|----------|--------|------------|------------|------------|------------|--------------|---------|
|   | MHz      | dBuV/m | dB         | dBuV/m     | dBuV       | dB         | dB           |         |
| 1 | 2447.335 | 50.20  | -40.00     | 94.00      | 49.40      | 5.74       | 30.04        | Average |




信華科技(深圳)有限公司

AUDIX Technology (Shenzhen) Co., Ltd.

No. 6, Ke Feng Road, Block 53,  
Shenzhen Science & Industry Park  
Nantou, Shenzhen, Guangdong, China  
Tel: +86-755-6635496 Fax: +86-755-6635496  
acsadmin@

Data#: 203 File#: C:\EMI TEST DATA\A\action.EMI



Site : 1# Chamber  
Condition : FCC2400-2400FK 3m 3115FACTOR VERTICAL  
EUT: : 2.4GHz Wireless Camera  
M/N: : XMC-151 (ACN-3560C)  
Power: : AC Adaptor Input 120V/60Hz EUT 12V  
Test Engineer: : Edwardchu  
On Cond: : On  
MEMO: : Channel 3

|   | Freq     | Level  | Over Limit | Limit  | Read Level | Cable Loss | Probe Factor | Remark |
|---|----------|--------|------------|--------|------------|------------|--------------|--------|
|   | MHz      | dBuV/m |            | dB     | dBuV/m     | dB         | dB           |        |
| 1 | 2447.335 | 52.60  | -61.40     | 114.00 | 51.80      | 5.74       | 30.04        | Peak   |




信華科技(深圳)有限公司

AUDIX Technology (Shenzhen) Co., Ltd.

No. 6, Ke Feng Road, Block 52,  
Shenzhen Science & Industry Park  
Nantou, Shenzhen, Guangdong, China  
Tel: +86-755-6639496 Fax: +86-755-6639495  
accadmin@

Data#: 204 File#: C:\EMI TEST DATA\A\action.EMI



Site : 1# Chamber  
Condition : FCC2400-2480MHZ 3m 311SF&CTOR VERTICAL  
EUT : 2.4GHz Wireless Camera  
M/N : XMC-151 (ACN-3560C)  
Power : AC Adaptor Input 120V/60Hz EUT 12V  
Test Engineer : Edwardhu  
On Cond : On  
MEMO : Channel 3




信華科技(深圳)有限公司

AUDIX Technology (Shenzhen) Co., Ltd.

No. 6, Ke Feng Road, Block 53,  
Shenzhen Science & Industry Park  
Nantou, Shenzhen, Guangdong, China  
Tel: +86-755-6639496 Fax: +86-755-6639496  
www.audix.com

Data#: 205 File#: C:\EMI TEST DATA\A\action.EMI



Site : 1# Chamber  
Condition : FCC2400-2480MHz 3m 3115FACTOR VERTICAL  
EUT: : 2.4GHz Wireless Camera  
M/N: : XMC-151 (ACN-3560C)  
Power: : AC Adaptor Input (20V/50Hz) EUT 12V  
Test Engineer: : Edwardhu  
On Cond: : On  
MEMO: : Channel 2

|              |        | Over  | Limit  | Read  | Cable | Probe  |         |
|--------------|--------|-------|--------|-------|-------|--------|---------|
| Freq         | Level  | Limit | Line   | Level | Loss  | Factor | Remark  |
| MHz          | dBuV/m | dB    | dBuV/m | dBuV  | dB    | dB     |         |
| 1 : 4894.670 | 49.90  | -4.10 | 54.00  | 41.29 | 8.03  | 35.04  | Average |
| 2 : 7542.005 | 47.80  | -6.20 | 54.00  | 34.93 | 9.36  | 37.67  | Average |




信華科技(深圳)有限公司

AUDIX Technology (Shenzhen) Co., Ltd.

No. 6, Ke Feng Road, Block 52,  
Shenzhen Science & Industry Park  
Nantou, Shenzhen, Guangdong, China  
Tel: +86-755-6639496 Fax: +86-755-6639496  
accadmin@

Data#: 206 File#: C:\EMI TEST DATA\A\action.EMI



Site : 1# Chamber  
Condition : FCC PART 15 B PK 3m 3115FACTOR VERTICAL  
EUT : 2.4GHz Wireless Camera  
M/N : XMC-151 (ACN-3560C)  
Power : AC Adaptor Input 120V/60Hz WIT 12V  
Test Engineer : Edwardhu  
On Cond : On  
MEMO : Channel 2

|   | Freq     | Level  | Over Limit | Limit Line | Read Level | Cable Loss | Probe Factor | Remark |
|---|----------|--------|------------|------------|------------|------------|--------------|--------|
|   | MHz      | dBUV/m | dB         | dBUV/m     | dBuV       | dB         | dB           |        |
| 1 | 4894.670 | 59.60  | 19.40      | 74.00      | 50.99      | 0.00       | 35.04        | Peak   |
| 2 | 7042.005 | 54.60  | -19.20     | 74.00      | 41.93      | 9.36       | 37.67        | Peak   |




信華科技(深圳)有限公司

AUDIX Technology (Shenzhen) Co., Ltd.

No. 6, Ke Feng Road, Block 52,  
Shenzhen Science & Industry Park  
Nantou, Shenzhen, Guangdong, China  
Tel: +86-755-6639496 Fax: +86-755-6639497  
accadmin@

Data#: 307 File#: C:\EMI TEST DATA\A\action.EMI



Site : 1#Chamber  
Condition : FCC2400-2480MHZ 3m 3115FACTOR VERTICAL  
EUT: : 2.4GHz Wireless Camera  
M/N: : XCM-151 (ACN-3560C)  
Power: : AC Adaptor Input 120V/60Hz EUT 12V  
Test Engineer: : Edwardku  
On Cond: : On  
MEMO: : Channel 2