


## 11N20SISO\_Ant1\_2437\_30~1000




## 11N20SISO\_Ant1\_2437\_1000~26500



## 11N20SISO\_Ant1\_2462\_0~Reference



11N20SISO\_Ant1\_2462\_30~1000



## 11N20SISO\_Ant1\_2462\_1000~26500



## 7.6. Radiated Spurious Emission Measurement

### 7.6.1. Test Limit

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR must not exceed the limits shown in Table per Section 15.209.

| FCC Part 15 Subpart C Paragraph 15.209 |                       |                            |
|----------------------------------------|-----------------------|----------------------------|
| Frequency [MHz]                        | Field Strength [uV/m] | Measured Distance [Meters] |
| 0.009 – 0.490                          | 2400/F (kHz)          | 300                        |
| 0.490 – 1.705                          | 24000/F (kHz)         | 30                         |
| 1.705 - 30                             | 30                    | 30                         |
| 30 - 88                                | 100                   | 3                          |
| 88 - 216                               | 150                   | 3                          |
| 216 - 960                              | 200                   | 3                          |
| Above 960                              | 500                   | 3                          |

### 7.6.2. Test Procedure Used

ANSI C63.10-2013 – Section 6.6.4.3

### 7.6.3. Test Setting

#### Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = as specified in Table 1
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold

- Trace was allowed to stabilize

**Table 1 - RBW as a function of frequency**


| Frequency     | RBW           |
|---------------|---------------|
| 9 ~ 150 kHz   | 200 ~ 300 Hz  |
| 0.15 ~ 30 MHz | 9 ~ 10 kHz    |
| 30 ~ 1000 MHz | 100 ~ 120 kHz |
| > 1000 MHz    | 1 MHz         |

**Average Field Strength Measurements**


- Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
- RBW = 1MHz
- VBW = 3MHz
- Detector = Power Average (RMS)
- Number of sweep point = 2001 (Number of sweep points must be  $\geq 2 \times \text{span} / \text{RBW}$ )
- Sweep time = auto
- Trace (RMS) averaging was performed over at least 100 traces.

#### 7.6.4. Test Setup


9kHz ~ 30MHz Test Setup:




30MHz ~ 1GHz Test Setup:



### 1GHz ~ 18GHz Test Setup:



### 18GHz ~ 25GHz Test Setup:




### 7.6.5. Test Result

The worst case of Radiated Emission below 1GHz:

#### 30MHz – 1GHz Test Data

|              |                                        |            |             |
|--------------|----------------------------------------|------------|-------------|
| EUT:         | Embedded Wi-Fi/BLE Module              | Polarity:  | Horizontal  |
| Model:       | EMC3186-E                              | Test Date: | 2024-05-20  |
| Mode:        | Transmit by 802.11b at Channel 2412MHz | Voltage:   | DC 3.3V     |
| Environment: | Temp: 25.1°C; Humi:38%                 | Engineer:  | Stone Zhang |



#### Final Data List

| NO. | Frequency [MHz] | Factor [dB/m] | QP Reading [dBμV] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Height [cm] | Angle [°] | Pol        | Verdict |
|-----|-----------------|---------------|-------------------|-------------------|-------------------|----------------|-------------|-----------|------------|---------|
| 1   | 62.51           | 13.40         | 7.06              | 20.46             | 40.00             | 19.54          | 100         | 135       | Horizontal | PASS    |
| 2   | 126.08          | 14.13         | 7.93              | 22.06             | 43.50             | 21.44          | 100         | 9         | Horizontal | PASS    |
| 3   | 150.34          | 15.51         | 6.99              | 22.50             | 43.50             | 21.00          | 100         | 194       | Horizontal | PASS    |
| 4   | 399.75          | 17.40         | 9.08              | 26.48             | 46.00             | 19.52          | 100         | 358       | Horizontal | PASS    |
| 5   | 593.37          | 21.55         | 8.28              | 29.83             | 46.00             | 16.17          | 100         | 359       | Horizontal | PASS    |
| 6   | 723.90          | 23.53         | 8.74              | 32.27             | 46.00             | 13.73          | 100         | 236       | Horizontal | PASS    |


Note:

(1) Level=Reading + Factor

(2) Margin=Limit-Level

(3) The test trace is same as the ambient noise and the amplitude of the emissions are attenuated more than 20dB below the permissible (the test frequency range: 9kHz ~ 30MHz, 18GHz ~ 25GHz), therefore no data appear in the report.

|              |                                        |            |             |
|--------------|----------------------------------------|------------|-------------|
| EUT:         | Embedded Wi-Fi/BLE Module              | Polarity:  | Vertical    |
| Model:       | EMC3186-E                              | Test Date: | 2024-05-20  |
| Mode:        | Transmit by 802.11b at Channel 2412MHz | Voltage:   | DC 3.3V     |
| Environment: | Temp: 25.1°C; Humi:38%                 | Engineer:  | Stone Zhang |



| Final Data List |                 |               |                   |                   |                   |                |             |           |          |         |
|-----------------|-----------------|---------------|-------------------|-------------------|-------------------|----------------|-------------|-----------|----------|---------|
| NO.             | Frequency [MHz] | Factor [dB/m] | QP Reading [dBμV] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Height [cm] | Angle [°] | Pol      | Verdict |
| 1               | 49.41           | 14.53         | 19.19             | 33.72             | 40.00             | 6.28           | 100         | 23        | Vertical | PASS    |
| 2               | 68.33           | 12.37         | 17.46             | 29.83             | 40.00             | 10.17          | 100         | 250       | Vertical | PASS    |
| 3               | 128.02          | 14.26         | 20.29             | 34.55             | 43.50             | 8.95           | 100         | 224       | Vertical | PASS    |
| 4               | 144.03          | 15.30         | 20.13             | 35.43             | 43.50             | 8.07           | 100         | 282       | Vertical | PASS    |
| 5               | 331.82          | 15.94         | 7.22              | 23.16             | 46.00             | 22.84          | 100         | 5         | Vertical | PASS    |
| 6               | 639.95          | 22.30         | 8.88              | 31.18             | 46.00             | 14.82          | 100         | 85        | Vertical | PASS    |

Note:


(1) Level=Reading + Factor

(2) Margin=Limit-Level

(3) The test trace is same as the ambient noise and the amplitude of the emissions are attenuated more than 20dB below the permissible (the test frequency range: 9kHz ~ 30MHz, 18GHz ~ 25GHz), therefore no data appear in the report.

### 1GHz-6GHz


|               |         |                |             |
|---------------|---------|----------------|-------------|
| Test Mode:    | 802.11b | Test Date:     | 2024-05-20  |
| Test Channel: | 01      | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 1070.00         | 65.46          | 41.49          | -23.97        | 74.00          | 32.51       | 150         | 32        | PK  | Horizontal | PASS    |
| 2                   | 1766.00         | 59.88          | 40.11          | -19.77        | 74.00          | 33.89       | 150         | 91        | PK  | Horizontal | PASS    |
| 3                   | 2392.00         | 63.02          | 46.68          | -16.34        | 74.00          | 27.32       | 150         | 55        | PK  | Horizontal | PASS    |
| 4                   | 3498.00         | 54.07          | 41.70          | -12.37        | 74.00          | 32.30       | 150         | 77        | PK  | Horizontal | PASS    |
| 5                   | 4824.00         | 53.70          | 46.98          | -6.72         | 74.00          | 27.02       | 150         | 189       | PK  | Horizontal | PASS    |
| 6                   | 5969.00         | 55.61          | 50.66          | -4.95         | 74.00          | 23.34       | 150         | 91        | PK  | Horizontal | PASS    |
| 7                   | 1029.00         | 50.75          | 26.61          | -24.14        | 54.00          | 27.39       | 150         | 29        | AV  | Horizontal | PASS    |
| 8                   | 1766.00         | 54.13          | 34.36          | -19.77        | 54.00          | 19.64       | 150         | 91        | AV  | Horizontal | PASS    |
| 9                   | 2394.00         | 56.11          | 39.78          | -16.33        | 54.00          | 14.22       | 150         | 66        | AV  | Horizontal | PASS    |
| 10                  | 3473.00         | 45.66          | 33.18          | -12.48        | 54.00          | 20.82       | 150         | 259       | AV  | Horizontal | PASS    |
| 11                  | 4824.00         | 44.20          | 37.48          | -6.72         | 54.00          | 16.52       | 150         | 189       | AV  | Horizontal | PASS    |
| 12                  | 5998.00         | 45.70          | 40.79          | -4.91         | 54.00          | 13.21       | 150         | 146       | AV  | Horizontal | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1076.00         | 63.92          | 41.03          | -22.89        | 74.00          | 32.97       | 150         | 162       | PK  | Vertical | PASS    |
| 2   | 1395.00         | 65.38          | 44.02          | -21.36        | 74.00          | 29.98       | 150         | 93        | PK  | Vertical | PASS    |
| 3   | 1797.00         | 65.67          | 46.72          | -18.95        | 74.00          | 27.28       | 150         | 97        | PK  | Vertical | PASS    |
| 4   | 3196.00         | 55.85          | 42.67          | -13.18        | 74.00          | 31.33       | 150         | 75        | PK  | Vertical | PASS    |
| 5   | 4870.00         | 54.22          | 47.04          | -7.18         | 74.00          | 26.96       | 150         | 351       | PK  | Vertical | PASS    |
| 6   | 5917.00         | 54.95          | 49.82          | -5.13         | 74.00          | 24.18       | 150         | 329       | PK  | Vertical | PASS    |
| 7   | 1065.00         | 49.28          | 26.35          | -22.93        | 54.00          | 27.65       | 150         | 227       | AV  | Vertical | PASS    |
| 8   | 1399.00         | 50.27          | 28.94          | -21.33        | 54.00          | 25.06       | 150         | 100       | AV  | Vertical | PASS    |
| 9   | 1791.00         | 49.00          | 30.01          | -18.99        | 54.00          | 23.99       | 150         | 264       | AV  | Vertical | PASS    |
| 10  | 3188.00         | 44.93          | 31.70          | -13.23        | 54.00          | 22.30       | 150         | 79        | AV  | Vertical | PASS    |
| 11  | 4936.00         | 43.73          | 36.75          | -6.98         | 54.00          | 17.25       | 150         | 144       | AV  | Vertical | PASS    |
| 12  | 6000.00         | 46.00          | 40.99          | -5.01         | 54.00          | 13.01       | 150         | 86        | AV  | Vertical | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


|               |         |                |             |
|---------------|---------|----------------|-------------|
| Test Mode:    | 802.11b | Test Date:     | 2024-05-20  |
| Test Channel: | 06      | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 1064.00         | 65.68          | 41.68          | -24.00        | 74.00          | 32.32       | 150         | 36        | PK  | Horizontal | PASS    |
| 2                   | 1766.00         | 65.90          | 46.13          | -19.77        | 74.00          | 27.87       | 150         | 360       | PK  | Horizontal | PASS    |
| 3                   | 2190.00         | 60.03          | 42.78          | -17.25        | 74.00          | 31.22       | 150         | 142       | PK  | Horizontal | PASS    |
| 4                   | 3195.00         | 55.71          | 42.09          | -13.62        | 74.00          | 31.91       | 150         | 0         | PK  | Horizontal | PASS    |
| 5                   | 4983.00         | 53.30          | 47.20          | -6.10         | 74.00          | 26.80       | 150         | 54        | PK  | Horizontal | PASS    |
| 6                   | 5882.00         | 54.76          | 49.66          | -5.10         | 74.00          | 24.34       | 150         | 40        | PK  | Horizontal | PASS    |
| 7                   | 1067.00         | 51.98          | 28.00          | -23.98        | 54.00          | 26.00       | 150         | 47        | AV  | Horizontal | PASS    |
| 8                   | 1766.00         | 60.81          | 41.04          | -19.77        | 54.00          | 12.96       | 150         | 360       | AV  | Horizontal | PASS    |
| 9                   | 2201.00         | 46.87          | 29.66          | -17.21        | 54.00          | 24.34       | 150         | 51        | AV  | Horizontal | PASS    |
| 10                  | 3259.00         | 43.85          | 30.53          | -13.32        | 54.00          | 23.47       | 150         | 22        | AV  | Horizontal | PASS    |
| 11                  | 4986.00         | 43.79          | 37.70          | -6.09         | 54.00          | 16.30       | 150         | 259       | AV  | Horizontal | PASS    |
| 12                  | 5914.00         | 45.56          | 40.51          | -5.05         | 54.00          | 13.49       | 150         | 338       | AV  | Horizontal | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1068.00         | 65.10          | 42.18          | -22.92        | 74.00          | 31.82       | 150         | 120       | PK  | Vertical | PASS    |
| 2   | 1760.00         | 65.24          | 46.01          | -19.23        | 74.00          | 27.99       | 150         | 274       | PK  | Vertical | PASS    |
| 3   | 1996.00         | 65.04          | 47.25          | -17.79        | 74.00          | 26.75       | 150         | 80        | PK  | Vertical | PASS    |
| 4   | 2989.00         | 55.96          | 41.58          | -14.38        | 74.00          | 32.42       | 150         | 329       | PK  | Vertical | PASS    |
| 5   | 4939.00         | 53.38          | 46.42          | -6.96         | 74.00          | 27.58       | 150         | 190       | PK  | Vertical | PASS    |
| 6   | 5863.00         | 54.61          | 49.39          | -5.22         | 74.00          | 24.61       | 150         | 241       | PK  | Vertical | PASS    |
| 7   | 1081.00         | 51.70          | 28.83          | -22.87        | 54.00          | 25.17       | 150         | 6         | AV  | Vertical | PASS    |
| 8   | 1756.00         | 59.35          | 40.09          | -19.26        | 54.00          | 13.91       | 150         | 200       | AV  | Vertical | PASS    |
| 9   | 1968.00         | 49.71          | 31.69          | -18.02        | 54.00          | 22.31       | 150         | 88        | AV  | Vertical | PASS    |
| 10  | 3000.00         | 47.34          | 32.99          | -14.35        | 54.00          | 21.01       | 150         | 77        | AV  | Vertical | PASS    |
| 11  | 4935.00         | 44.14          | 37.16          | -6.98         | 54.00          | 16.84       | 150         | 103       | AV  | Vertical | PASS    |
| 12  | 5955.00         | 45.78          | 40.70          | -5.08         | 54.00          | 13.30       | 150         | 183       | AV  | Vertical | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


|               |         |                |             |
|---------------|---------|----------------|-------------|
| Test Mode:    | 802.11b | Test Date:     | 2024-05-20  |
| Test Channel: | 11      | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 1077.00         | 65.14          | 41.20          | -23.94        | 74.00          | 32.80       | 150         | 36        | PK  | Horizontal | PASS    |
| 2                   | 1797.00         | 60.75          | 41.24          | -19.51        | 74.00          | 32.76       | 150         | 66        | PK  | Horizontal | PASS    |
| 3                   | 2320.00         | 59.41          | 42.68          | -16.73        | 74.00          | 31.32       | 150         | 59        | PK  | Horizontal | PASS    |
| 4                   | 3518.00         | 54.20          | 41.98          | -12.22        | 74.00          | 32.02       | 150         | 231       | PK  | Horizontal | PASS    |
| 5                   | 4948.00         | 52.80          | 46.53          | -6.27         | 74.00          | 27.47       | 150         | 59        | PK  | Horizontal | PASS    |
| 6                   | 5802.00         | 54.56          | 49.28          | -5.28         | 74.00          | 24.72       | 150         | 327       | PK  | Horizontal | PASS    |
| 7                   | 1077.00         | 54.85          | 30.91          | -23.94        | 54.00          | 23.09       | 150         | 36        | AV  | Horizontal | PASS    |
| 8                   | 1797.00         | 47.88          | 28.37          | -19.51        | 54.00          | 25.63       | 150         | 69        | AV  | Horizontal | PASS    |
| 9                   | 2360.00         | 49.88          | 33.36          | -16.52        | 54.00          | 20.64       | 150         | 66        | AV  | Horizontal | PASS    |
| 10                  | 3498.00         | 44.48          | 32.11          | -12.37        | 54.00          | 21.89       | 150         | 114       | AV  | Horizontal | PASS    |
| 11                  | 4957.00         | 43.78          | 37.56          | -6.22         | 54.00          | 16.44       | 150         | 153       | AV  | Horizontal | PASS    |
| 12                  | 5903.00         | 45.16          | 40.09          | -5.07         | 54.00          | 13.91       | 150         | 8         | AV  | Horizontal | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1073.00         | 64.07          | 41.17          | -22.90        | 74.00          | 32.83       | 150         | 137       | PK  | Vertical | PASS    |
| 2   | 1766.00         | 60.86          | 41.67          | -19.19        | 74.00          | 32.33       | 150         | 189       | PK  | Vertical | PASS    |
| 3   | 1995.00         | 64.61          | 46.81          | -17.80        | 74.00          | 27.19       | 150         | 93        | PK  | Vertical | PASS    |
| 4   | 3199.00         | 55.50          | 42.34          | -13.16        | 74.00          | 31.66       | 150         | 79        | PK  | Vertical | PASS    |
| 5   | 4948.00         | 53.49          | 46.57          | -6.92         | 74.00          | 27.43       | 150         | 359       | PK  | Vertical | PASS    |
| 6   | 5822.00         | 55.19          | 49.89          | -5.30         | 74.00          | 24.11       | 150         | 61        | PK  | Vertical | PASS    |
| 7   | 1032.00         | 51.41          | 28.37          | -23.04        | 54.00          | 25.63       | 150         | 75        | AV  | Vertical | PASS    |
| 8   | 1767.00         | 50.98          | 31.81          | -19.17        | 54.00          | 22.19       | 150         | 189       | AV  | Vertical | PASS    |
| 9   | 1995.00         | 51.54          | 33.74          | -17.80        | 54.00          | 20.26       | 150         | 93        | AV  | Vertical | PASS    |
| 10  | 3192.00         | 44.94          | 31.73          | -13.21        | 54.00          | 22.27       | 150         | 86        | AV  | Vertical | PASS    |
| 11  | 4924.00         | 44.36          | 37.33          | -7.03         | 54.00          | 16.67       | 150         | 349       | AV  | Vertical | PASS    |
| 12  | 5776.00         | 45.05          | 39.64          | -5.41         | 54.00          | 14.36       | 150         | 334       | AV  | Vertical | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


|               |         |                |             |
|---------------|---------|----------------|-------------|
| Test Mode:    | 802.11g | Test Date:     | 2024-05-20  |
| Test Channel: | 01      | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 1076.00         | 64.92          | 40.98          | -23.94        | 74.00          | 33.02       | 150         | 35        | PK  | Horizontal | PASS    |
| 2                   | 1767.00         | 62.20          | 42.44          | -19.76        | 74.00          | 31.56       | 150         | 327       | PK  | Horizontal | PASS    |
| 3                   | 1993.00         | 59.93          | 41.71          | -18.22        | 74.00          | 32.29       | 150         | 137       | PK  | Horizontal | PASS    |
| 4                   | 2994.00         | 56.16          | 41.60          | -14.56        | 74.00          | 32.40       | 150         | 42        | PK  | Horizontal | PASS    |
| 5                   | 4832.00         | 54.06          | 47.36          | -6.70         | 74.00          | 26.64       | 150         | 320       | PK  | Horizontal | PASS    |
| 6                   | 5796.00         | 55.32          | 50.03          | -5.29         | 74.00          | 23.97       | 150         | 312       | PK  | Horizontal | PASS    |
| 7                   | 1099.00         | 48.60          | 24.76          | -23.84        | 54.00          | 29.24       | 150         | 189       | AV  | Horizontal | PASS    |
| 8                   | 1767.00         | 52.32          | 32.56          | -19.76        | 54.00          | 21.44       | 150         | 327       | AV  | Horizontal | PASS    |
| 9                   | 1993.00         | 50.19          | 31.97          | -18.22        | 54.00          | 22.03       | 150         | 160       | AV  | Horizontal | PASS    |
| 10                  | 3000.00         | 45.47          | 30.92          | -14.55        | 54.00          | 23.08       | 150         | 57        | AV  | Horizontal | PASS    |
| 11                  | 4842.00         | 43.71          | 37.04          | -6.67         | 54.00          | 16.96       | 150         | 1         | AV  | Horizontal | PASS    |
| 12                  | 5824.00         | 45.05          | 39.82          | -5.23         | 54.00          | 14.18       | 150         | 262       | AV  | Horizontal | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1076.00         | 63.49          | 40.60          | -22.89        | 74.00          | 33.40       | 150         | 167       | PK  | Vertical | PASS    |
| 2   | 1398.00         | 61.87          | 40.53          | -21.34        | 74.00          | 33.47       | 150         | 69        | PK  | Vertical | PASS    |
| 3   | 1992.00         | 62.48          | 44.66          | -17.82        | 74.00          | 29.34       | 150         | 105       | PK  | Vertical | PASS    |
| 4   | 3196.00         | 55.11          | 41.93          | -13.18        | 74.00          | 32.07       | 150         | 58        | PK  | Vertical | PASS    |
| 5   | 4815.00         | 53.66          | 46.36          | -7.30         | 74.00          | 27.64       | 150         | 29        | PK  | Vertical | PASS    |
| 6   | 5900.00         | 55.16          | 50.01          | -5.15         | 74.00          | 23.99       | 150         | 323       | PK  | Vertical | PASS    |
| 7   | 1089.00         | 51.83          | 28.99          | -22.84        | 54.00          | 25.01       | 150         | 137       | AV  | Vertical | PASS    |
| 8   | 1397.00         | 50.06          | 28.71          | -21.35        | 54.00          | 25.29       | 150         | 94        | AV  | Vertical | PASS    |
| 9   | 1991.00         | 49.25          | 31.41          | -17.84        | 54.00          | 22.59       | 150         | 123       | AV  | Vertical | PASS    |
| 10  | 3199.00         | 44.47          | 31.31          | -13.16        | 54.00          | 22.69       | 150         | 69        | AV  | Vertical | PASS    |
| 11  | 4780.00         | 43.92          | 36.56          | -7.36         | 54.00          | 17.44       | 150         | 357       | AV  | Vertical | PASS    |
| 12  | 5909.00         | 45.55          | 40.42          | -5.13         | 54.00          | 13.58       | 150         | 352       | AV  | Vertical | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


|               |         |                |             |
|---------------|---------|----------------|-------------|
| Test Mode:    | 802.11g | Test Date:     | 2024-05-20  |
| Test Channel: | 06      | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 1066.00         | 64.39          | 40.40          | -23.99        | 74.00          | 33.60       | 150         | 31        | PK  | Horizontal | PASS    |
| 2                   | 1797.00         | 59.86          | 40.35          | -19.51        | 74.00          | 33.65       | 150         | 81        | PK  | Horizontal | PASS    |
| 3                   | 1991.00         | 61.56          | 43.32          | -18.24        | 74.00          | 30.68       | 150         | 140       | PK  | Horizontal | PASS    |
| 4                   | 3936.00         | 52.92          | 43.91          | -9.01         | 74.00          | 30.09       | 150         | 191       | PK  | Horizontal | PASS    |
| 5                   | 5007.00         | 53.37          | 47.35          | -6.02         | 74.00          | 26.65       | 150         | 0         | PK  | Horizontal | PASS    |
| 6                   | 5891.00         | 54.48          | 49.39          | -5.09         | 74.00          | 24.61       | 150         | 0         | PK  | Horizontal | PASS    |
| 7                   | 1100.00         | 48.18          | 24.34          | -23.84        | 54.00          | 29.66       | 150         | 27        | AV  | Horizontal | PASS    |
| 8                   | 1797.00         | 49.29          | 29.78          | -19.51        | 54.00          | 24.22       | 150         | 81        | AV  | Horizontal | PASS    |
| 9                   | 1995.00         | 47.71          | 29.51          | -18.20        | 54.00          | 24.49       | 150         | 168       | AV  | Horizontal | PASS    |
| 10                  | 3976.00         | 44.41          | 35.66          | -8.75         | 54.00          | 18.34       | 150         | 232       | AV  | Horizontal | PASS    |
| 11                  | 4974.00         | 43.93          | 37.78          | -6.15         | 54.00          | 16.22       | 150         | 103       | AV  | Horizontal | PASS    |
| 12                  | 5812.00         | 45.11          | 39.86          | -5.25         | 54.00          | 14.14       | 150         | 129       | AV  | Horizontal | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1068.00         | 64.07          | 41.15          | -22.92        | 74.00          | 32.85       | 150         | 166       | PK  | Vertical | PASS    |
| 2   | 1768.00         | 62.98          | 43.81          | -19.17        | 74.00          | 30.19       | 150         | 3         | PK  | Vertical | PASS    |
| 3   | 2197.00         | 63.08          | 45.98          | -17.10        | 74.00          | 28.02       | 150         | 92        | PK  | Vertical | PASS    |
| 4   | 3192.00         | 54.80          | 41.59          | -13.21        | 74.00          | 32.41       | 150         | 74        | PK  | Vertical | PASS    |
| 5   | 4791.00         | 53.89          | 46.54          | -7.35         | 74.00          | 27.46       | 150         | 85        | PK  | Vertical | PASS    |
| 6   | 5771.00         | 54.33          | 48.89          | -5.44         | 74.00          | 25.11       | 150         | 166       | PK  | Vertical | PASS    |
| 7   | 1094.00         | 51.15          | 28.33          | -22.82        | 54.00          | 25.67       | 150         | 147       | AV  | Vertical | PASS    |
| 8   | 1746.00         | 57.78          | 38.44          | -19.34        | 54.00          | 15.56       | 150         | 268       | AV  | Vertical | PASS    |
| 9   | 2177.00         | 52.52          | 35.36          | -17.16        | 54.00          | 18.64       | 150         | 100       | AV  | Vertical | PASS    |
| 10  | 3193.00         | 44.59          | 31.38          | -13.21        | 54.00          | 22.62       | 150         | 52        | AV  | Vertical | PASS    |
| 11  | 4881.00         | 43.83          | 36.67          | -7.16         | 54.00          | 17.33       | 150         | 359       | AV  | Vertical | PASS    |
| 12  | 5835.00         | 45.09          | 39.82          | -5.27         | 54.00          | 14.18       | 150         | 272       | AV  | Vertical | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


|               |         |                |             |
|---------------|---------|----------------|-------------|
| Test Mode:    | 802.11g | Test Date:     | 2024-05-20  |
| Test Channel: | 11      | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 1075.00         | 64.59          | 40.65          | -23.94        | 74.00          | 33.35       | 150         | 33        | PK  | Horizontal | PASS    |
| 2                   | 1769.00         | 64.60          | 44.85          | -19.75        | 74.00          | 29.15       | 150         | 328       | PK  | Horizontal | PASS    |
| 3                   | 2192.00         | 62.52          | 45.27          | -17.25        | 74.00          | 28.73       | 150         | 40        | PK  | Horizontal | PASS    |
| 4                   | 3719.00         | 54.28          | 43.40          | -10.88        | 74.00          | 30.60       | 150         | 222       | PK  | Horizontal | PASS    |
| 5                   | 4930.00         | 53.17          | 46.82          | -6.35         | 74.00          | 27.18       | 150         | 146       | PK  | Horizontal | PASS    |
| 6                   | 5922.00         | 54.94          | 49.91          | -5.03         | 74.00          | 24.09       | 150         | 305       | PK  | Horizontal | PASS    |
| 7                   | 1092.00         | 50.30          | 26.42          | -23.88        | 54.00          | 27.58       | 150         | 37        | AV  | Horizontal | PASS    |
| 8                   | 1768.00         | 57.94          | 38.19          | -19.75        | 54.00          | 15.81       | 150         | 328       | AV  | Horizontal | PASS    |
| 9                   | 2192.00         | 47.73          | 30.48          | -17.25        | 54.00          | 23.52       | 150         | 40        | AV  | Horizontal | PASS    |
| 10                  | 3754.00         | 44.20          | 33.62          | -10.58        | 54.00          | 20.38       | 150         | 229       | AV  | Horizontal | PASS    |
| 11                  | 4970.00         | 43.78          | 37.61          | -6.17         | 54.00          | 16.39       | 150         | 6         | AV  | Horizontal | PASS    |
| 12                  | 5899.00         | 45.34          | 40.27          | -5.07         | 54.00          | 13.73       | 150         | 1         | AV  | Horizontal | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1078.00         | 63.03          | 40.15          | -22.88        | 74.00          | 33.85       | 150         | 167       | PK  | Vertical | PASS    |
| 2   | 1797.00         | 64.15          | 45.20          | -18.95        | 74.00          | 28.80       | 150         | 61        | PK  | Vertical | PASS    |
| 3   | 2593.00         | 63.11          | 47.35          | -15.76        | 74.00          | 26.65       | 150         | 58        | PK  | Vertical | PASS    |
| 4   | 3498.00         | 55.64          | 44.06          | -11.58        | 74.00          | 29.94       | 150         | 239       | PK  | Vertical | PASS    |
| 5   | 4905.00         | 53.70          | 46.60          | -7.10         | 74.00          | 27.40       | 150         | 54        | PK  | Vertical | PASS    |
| 6   | 5820.00         | 54.78          | 49.48          | -5.30         | 74.00          | 24.52       | 150         | 119       | PK  | Vertical | PASS    |
| 7   | 1082.00         | 49.61          | 26.75          | -22.86        | 54.00          | 27.25       | 150         | 167       | AV  | Vertical | PASS    |
| 8   | 1783.00         | 53.92          | 34.87          | -19.05        | 54.00          | 19.13       | 150         | 112       | AV  | Vertical | PASS    |
| 9   | 2633.00         | 48.92          | 33.33          | -15.59        | 54.00          | 20.67       | 150         | 257       | AV  | Vertical | PASS    |
| 10  | 3498.00         | 49.73          | 38.15          | -11.58        | 54.00          | 15.85       | 150         | 239       | AV  | Vertical | PASS    |
| 11  | 4899.00         | 43.58          | 36.46          | -7.12         | 54.00          | 17.54       | 150         | 130       | AV  | Vertical | PASS    |
| 12  | 5907.00         | 45.41          | 40.27          | -5.14         | 54.00          | 13.73       | 150         | 360       | AV  | Vertical | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


|               |              |                |             |
|---------------|--------------|----------------|-------------|
| Test Mode:    | 802.11n-HT20 | Test Date:     | 2024-05-20  |
| Test Channel: | 01           | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 1067.00         | 64.83          | 40.85          | -23.98        | 74.00          | 33.15       | 150         | 32        | PK  | Horizontal | PASS    |
| 2                   | 1797.00         | 58.62          | 39.11          | -19.51        | 74.00          | 34.89       | 150         | 135       | PK  | Horizontal | PASS    |
| 3                   | 1992.00         | 60.52          | 42.29          | -18.23        | 74.00          | 31.71       | 150         | 135       | PK  | Horizontal | PASS    |
| 4                   | 3197.00         | 54.68          | 41.06          | -13.62        | 74.00          | 32.94       | 150         | 28        | PK  | Horizontal | PASS    |
| 5                   | 4972.00         | 53.27          | 47.12          | -6.15         | 74.00          | 26.88       | 150         | 278       | PK  | Horizontal | PASS    |
| 6                   | 5805.00         | 54.45          | 49.18          | -5.27         | 74.00          | 24.82       | 150         | 186       | PK  | Horizontal | PASS    |
| 7                   | 1068.00         | 51.63          | 27.65          | -23.98        | 54.00          | 26.35       | 150         | 117       | AV  | Horizontal | PASS    |
| 8                   | 1795.00         | 46.38          | 26.86          | -19.52        | 54.00          | 27.14       | 150         | 94        | AV  | Horizontal | PASS    |
| 9                   | 1992.00         | 46.86          | 28.63          | -18.23        | 54.00          | 25.37       | 150         | 102       | AV  | Horizontal | PASS    |
| 10                  | 3167.00         | 44.33          | 30.57          | -13.76        | 54.00          | 23.43       | 150         | 308       | AV  | Horizontal | PASS    |
| 11                  | 4970.00         | 43.96          | 37.79          | -6.17         | 54.00          | 16.21       | 150         | 211       | AV  | Horizontal | PASS    |
| 12                  | 5805.00         | 45.30          | 40.03          | -5.27         | 54.00          | 13.97       | 150         | 84        | AV  | Horizontal | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1078.00         | 64.10          | 41.22          | -22.88        | 74.00          | 32.78       | 150         | 173       | PK  | Vertical | PASS    |
| 2   | 1796.00         | 60.67          | 41.72          | -18.95        | 74.00          | 32.28       | 150         | 264       | PK  | Vertical | PASS    |
| 3   | 1995.00         | 64.36          | 46.56          | -17.80        | 74.00          | 27.44       | 150         | 88        | PK  | Vertical | PASS    |
| 4   | 3197.00         | 58.18          | 45.00          | -13.18        | 74.00          | 29.00       | 150         | 113       | PK  | Vertical | PASS    |
| 5   | 4780.00         | 54.19          | 46.83          | -7.36         | 74.00          | 27.17       | 150         | 286       | PK  | Vertical | PASS    |
| 6   | 5883.00         | 55.22          | 50.04          | -5.18         | 74.00          | 23.96       | 150         | 319       | PK  | Vertical | PASS    |
| 7   | 1073.00         | 52.02          | 29.12          | -22.90        | 54.00          | 24.88       | 150         | 136       | AV  | Vertical | PASS    |
| 8   | 1796.00         | 52.51          | 33.56          | -18.95        | 54.00          | 20.44       | 150         | 261       | AV  | Vertical | PASS    |
| 9   | 1995.00         | 53.97          | 36.17          | -17.80        | 54.00          | 17.83       | 150         | 88        | AV  | Vertical | PASS    |
| 10  | 3192.00         | 44.53          | 31.32          | -13.21        | 54.00          | 22.68       | 150         | 80        | AV  | Vertical | PASS    |
| 11  | 4791.00         | 43.71          | 36.36          | -7.35         | 54.00          | 17.64       | 150         | 243       | AV  | Vertical | PASS    |
| 12  | 5812.00         | 45.35          | 40.04          | -5.31         | 54.00          | 13.96       | 150         | 334       | AV  | Vertical | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


|               |              |                |             |
|---------------|--------------|----------------|-------------|
| Test Mode:    | 802.11n-HT20 | Test Date:     | 2024-05-20  |
| Test Channel: | 06           | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 1070.00         | 64.37          | 40.40          | -23.97        | 74.00          | 33.60       | 150         | 34        | PK  | Horizontal | PASS    |
| 2                   | 1798.00         | 62.04          | 42.54          | -19.50        | 74.00          | 31.46       | 150         | 66        | PK  | Horizontal | PASS    |
| 3                   | 1995.00         | 61.50          | 43.30          | -18.20        | 74.00          | 30.70       | 150         | 142       | PK  | Horizontal | PASS    |
| 4                   | 3186.00         | 54.45          | 40.78          | -13.67        | 74.00          | 33.22       | 150         | 360       | PK  | Horizontal | PASS    |
| 5                   | 4826.00         | 53.62          | 46.91          | -6.71         | 74.00          | 27.09       | 150         | 62        | PK  | Horizontal | PASS    |
| 6                   | 5808.00         | 54.73          | 49.47          | -5.26         | 74.00          | 24.53       | 150         | 26        | PK  | Horizontal | PASS    |
| 7                   | 1077.00         | 47.31          | 23.37          | -23.94        | 54.00          | 30.63       | 150         | 41        | AV  | Horizontal | PASS    |
| 8                   | 1798.00         | 48.42          | 28.92          | -19.50        | 54.00          | 25.08       | 150         | 164       | AV  | Horizontal | PASS    |
| 9                   | 1995.00         | 49.16          | 30.96          | -18.20        | 54.00          | 23.04       | 150         | 142       | AV  | Horizontal | PASS    |
| 10                  | 3212.00         | 44.38          | 30.84          | -13.54        | 54.00          | 23.16       | 150         | 124       | AV  | Horizontal | PASS    |
| 11                  | 4910.00         | 43.53          | 37.08          | -6.45         | 54.00          | 16.92       | 150         | 132       | AV  | Horizontal | PASS    |
| 12                  | 5854.00         | 45.19          | 40.02          | -5.17         | 54.00          | 13.98       | 150         | 288       | AV  | Horizontal | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1072.00         | 63.71          | 40.81          | -22.90        | 74.00          | 33.19       | 150         | 64        | PK  | Vertical | PASS    |
| 2   | 1792.00         | 63.92          | 44.94          | -18.98        | 74.00          | 29.06       | 150         | 87        | PK  | Vertical | PASS    |
| 3   | 2198.00         | 64.14          | 47.05          | -17.09        | 74.00          | 26.95       | 150         | 98        | PK  | Vertical | PASS    |
| 4   | 3186.00         | 55.82          | 42.57          | -13.25        | 74.00          | 31.43       | 150         | 54        | PK  | Vertical | PASS    |
| 5   | 4783.00         | 55.22          | 47.87          | -7.35         | 74.00          | 26.13       | 150         | 298       | PK  | Vertical | PASS    |
| 6   | 5806.00         | 55.24          | 49.91          | -5.33         | 74.00          | 24.09       | 150         | 186       | PK  | Vertical | PASS    |
| 7   | 1069.00         | 54.14          | 31.23          | -22.91        | 54.00          | 22.77       | 150         | 10        | AV  | Vertical | PASS    |
| 8   | 1796.00         | 49.61          | 30.66          | -18.95        | 54.00          | 23.34       | 150         | 87        | AV  | Vertical | PASS    |
| 9   | 2200.00         | 51.94          | 34.85          | -17.09        | 54.00          | 19.15       | 150         | 94        | AV  | Vertical | PASS    |
| 10  | 3195.00         | 44.79          | 31.60          | -13.19        | 54.00          | 22.40       | 150         | 76        | AV  | Vertical | PASS    |
| 11  | 4780.00         | 43.82          | 36.46          | -7.36         | 54.00          | 17.54       | 150         | 126       | AV  | Vertical | PASS    |
| 12  | 5895.00         | 45.14          | 39.98          | -5.16         | 54.00          | 14.02       | 150         | 163       | AV  | Vertical | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


|               |              |                |             |
|---------------|--------------|----------------|-------------|
| Test Mode:    | 802.11n-HT20 | Test Date:     | 2024-05-20  |
| Test Channel: | 11           | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 1072.00         | 63.98          | 40.02          | -23.96        | 74.00          | 33.98       | 150         | 108       | PK  | Horizontal | PASS    |
| 2                   | 1995.00         | 60.12          | 41.92          | -18.20        | 74.00          | 32.08       | 150         | 59        | PK  | Horizontal | PASS    |
| 3                   | 2994.00         | 56.40          | 41.84          | -14.56        | 74.00          | 32.16       | 150         | 45        | PK  | Horizontal | PASS    |
| 4                   | 3907.00         | 53.92          | 44.71          | -9.21         | 74.00          | 29.29       | 150         | 31        | PK  | Horizontal | PASS    |
| 5                   | 4959.00         | 53.30          | 47.08          | -6.22         | 74.00          | 26.92       | 150         | 129       | PK  | Horizontal | PASS    |
| 6                   | 5910.00         | 55.29          | 50.24          | -5.05         | 74.00          | 23.76       | 150         | 271       | PK  | Horizontal | PASS    |
| 7                   | 1079.00         | 53.75          | 29.82          | -23.93        | 54.00          | 24.18       | 150         | 23        | AV  | Horizontal | PASS    |
| 8                   | 1994.00         | 48.11          | 29.89          | -18.22        | 54.00          | 24.11       | 150         | 140       | AV  | Horizontal | PASS    |
| 9                   | 3000.00         | 44.26          | 29.71          | -14.55        | 54.00          | 24.29       | 150         | 59        | AV  | Horizontal | PASS    |
| 10                  | 3950.00         | 44.07          | 35.15          | -8.92         | 54.00          | 18.85       | 150         | 0         | AV  | Horizontal | PASS    |
| 11                  | 4982.00         | 43.58          | 37.47          | -6.11         | 54.00          | 16.53       | 150         | 260       | AV  | Horizontal | PASS    |
| 12                  | 5785.00         | 45.31          | 39.98          | -5.33         | 54.00          | 14.02       | 150         | 296       | AV  | Horizontal | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level



#### Suspected Data List


| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1113.00         | 64.29          | 41.53          | -22.76        | 74.00          | 32.47       | 150         | 309       | PK  | Vertical | PASS    |
| 2   | 1798.00         | 65.23          | 46.29          | -18.94        | 74.00          | 27.71       | 150         | 97        | PK  | Vertical | PASS    |
| 3   | 1993.00         | 63.95          | 46.13          | -17.82        | 74.00          | 27.87       | 150         | 79        | PK  | Vertical | PASS    |
| 4   | 3199.00         | 55.22          | 42.06          | -13.16        | 74.00          | 31.94       | 150         | 54        | PK  | Vertical | PASS    |
| 5   | 4562.00         | 54.30          | 46.85          | -7.45         | 74.00          | 27.15       | 150         | 358       | PK  | Vertical | PASS    |
| 6   | 5792.00         | 55.07          | 49.71          | -5.36         | 74.00          | 24.29       | 150         | 203       | PK  | Vertical | PASS    |
| 7   | 1110.00         | 51.35          | 28.58          | -22.77        | 54.00          | 25.42       | 150         | 309       | AV  | Vertical | PASS    |
| 8   | 1799.00         | 53.51          | 34.58          | -18.93        | 54.00          | 19.42       | 150         | 261       | AV  | Vertical | PASS    |
| 9   | 1993.00         | 51.91          | 34.09          | -17.82        | 54.00          | 19.91       | 150         | 79        | AV  | Vertical | PASS    |
| 10  | 3186.00         | 44.96          | 31.71          | -13.25        | 54.00          | 22.29       | 150         | 76        | AV  | Vertical | PASS    |
| 11  | 4543.00         | 44.24          | 36.75          | -7.49         | 54.00          | 17.25       | 150         | 360       | AV  | Vertical | PASS    |
| 12  | 5790.00         | 45.30          | 39.92          | -5.38         | 54.00          | 14.08       | 150         | 298       | AV  | Vertical | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level

### 6GHz-18GHz

|               |         |                |             |
|---------------|---------|----------------|-------------|
| Test Mode:    | 802.11b | Test Date:     | 2024-05-20  |
| Test Channel: | 01      | Test Engineer: | Stone Zhang |




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 7236.00         | 50.11          | 46.19          | -3.92         | 74.00          | 27.81       | 150         | 340       | PK  | Horizontal | PASS    |
| 2   | 9034.50         | 43.38          | 42.61          | -0.77         | 74.00          | 31.39       | 150         | 301       | PK  | Horizontal | PASS    |
| 3   | 10651.50        | 43.00          | 43.60          | 0.60          | 74.00          | 30.40       | 150         | 77        | PK  | Horizontal | PASS    |
| 4   | 12574.50        | 42.32          | 44.62          | 2.30          | 74.00          | 29.38       | 150         | 216       | PK  | Horizontal | PASS    |
| 5   | 15322.50        | 41.38          | 48.58          | 7.20          | 74.00          | 25.42       | 150         | 317       | PK  | Horizontal | PASS    |
| 6   | 17577.00        | 38.77          | 52.53          | 13.76         | 74.00          | 21.47       | 150         | 333       | PK  | Horizontal | PASS    |
| 7   | 7234.50         | 46.61          | 42.68          | -3.93         | 54.00          | 11.32       | 150         | 258       | AV  | Horizontal | PASS    |
| 8   | 9024.00         | 34.79          | 34.01          | -0.78         | 54.00          | 19.99       | 150         | 81        | AV  | Horizontal | PASS    |
| 9   | 10698.00        | 33.83          | 34.31          | 0.48          | 54.00          | 19.69       | 150         | 185       | AV  | Horizontal | PASS    |
| 10  | 12586.50        | 33.31          | 35.59          | 2.28          | 54.00          | 18.41       | 150         | 209       | AV  | Horizontal | PASS    |
| 11  | 15268.50        | 32.97          | 39.71          | 6.74          | 54.00          | 14.29       | 150         | 173       | AV  | Horizontal | PASS    |
| 12  | 17638.50        | 30.66          | 44.40          | 13.74         | 54.00          | 9.60        | 150         | 138       | AV  | Horizontal | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 7236.00         | 53.71          | 49.79          | -3.92         | 74.00          | 24.21       | 150         | 260       | PK  | Vertical | PASS    |
| 2   | 9000.00         | 43.27          | 42.49          | -0.78         | 74.00          | 31.51       | 150         | 73        | PK  | Vertical | PASS    |
| 3   | 11031.00        | 42.26          | 43.48          | 1.22          | 74.00          | 30.52       | 150         | 54        | PK  | Vertical | PASS    |
| 4   | 14370.00        | 41.38          | 46.90          | 5.52          | 74.00          | 27.10       | 150         | 299       | PK  | Vertical | PASS    |
| 5   | 16014.00        | 41.00          | 50.08          | 9.08          | 74.00          | 23.92       | 150         | 357       | PK  | Vertical | PASS    |
| 6   | 17850.00        | 38.67          | 53.40          | 14.73         | 74.00          | 20.60       | 150         | 349       | PK  | Vertical | PASS    |
| 7   | 7234.50         | 49.98          | 46.05          | -3.93         | 54.00          | 7.95        | 150         | 256       | AV  | Vertical | PASS    |
| 8   | 9000.00         | 38.51          | 37.73          | -0.78         | 54.00          | 16.27       | 150         | 73        | AV  | Vertical | PASS    |
| 9   | 11017.50        | 33.88          | 35.19          | 1.31          | 54.00          | 18.81       | 150         | 90        | AV  | Vertical | PASS    |
| 10  | 14385.00        | 32.89          | 38.45          | 5.56          | 54.00          | 15.55       | 150         | 159       | AV  | Vertical | PASS    |
| 11  | 15982.50        | 32.18          | 41.47          | 9.29          | 54.00          | 12.53       | 150         | 202       | AV  | Vertical | PASS    |
| 12  | 17575.50        | 30.81          | 45.07          | 14.26         | 54.00          | 8.93        | 150         | 323       | AV  | Vertical | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level

|               |         |                |             |
|---------------|---------|----------------|-------------|
| Test Mode:    | 802.11b | Test Date:     | 2024-05-20  |
| Test Channel: | 06      | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 7309.50         | 50.72          | 47.32          | -3.40         | 74.00          | 26.68       | 150         | 260       | PK  | Horizontal | PASS    |
| 2                   | 9042.00         | 42.91          | 42.14          | -0.77         | 74.00          | 31.86       | 150         | 209       | PK  | Horizontal | PASS    |
| 3                   | 12226.50        | 42.98          | 44.69          | 1.71          | 74.00          | 29.31       | 150         | 229       | PK  | Horizontal | PASS    |
| 4                   | 14710.50        | 42.74          | 48.13          | 5.39          | 74.00          | 25.87       | 150         | 260       | PK  | Horizontal | PASS    |
| 5                   | 16390.50        | 42.66          | 52.13          | 9.47          | 74.00          | 21.87       | 150         | 112       | PK  | Horizontal | PASS    |
| 6                   | 17635.50        | 39.38          | 53.15          | 13.77         | 74.00          | 20.85       | 150         | 35        | PK  | Horizontal | PASS    |
| 7                   | 7309.50         | 47.74          | 44.34          | -3.40         | 54.00          | 9.66        | 150         | 260       | AV  | Horizontal | PASS    |
| 8                   | 9060.00         | 34.42          | 33.64          | -0.78         | 54.00          | 20.36       | 150         | 229       | AV  | Horizontal | PASS    |
| 9                   | 12117.00        | 34.04          | 35.58          | 1.54          | 54.00          | 18.42       | 150         | 229       | AV  | Horizontal | PASS    |
| 10                  | 14784.00        | 33.11          | 38.54          | 5.43          | 54.00          | 15.46       | 150         | 12        | AV  | Horizontal | PASS    |
| 11                  | 16407.00        | 32.33          | 41.79          | 9.46          | 54.00          | 12.21       | 150         | 248       | AV  | Horizontal | PASS    |
| 12                  | 17643.00        | 30.84          | 44.55          | 13.71         | 54.00          | 9.45        | 150         | 194       | AV  | Horizontal | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level