


Transmitter



FUNCTION


(1) LED

Power ON/.OFF. While press the button • OR •, The light ON

(2) DATA CODING SWITCH(•and•)

- When press the button •or•; programmed Data automatically connected to the RECEIVER
- If supplied DATA Coincide with receiver, The RECEIVER start operation.
- When press the button one more time, The RECEIVER stop operation.

Receiver



(Top view)

- Green_wire : No.1 Switching
- Green_wire : No.1 Switching
- Blue_wire : No.2 Switching
- Blue_wire : No.2 Switching
- Red_wire : 6 ~ 8[V] DC Voltage
- Black_wire : Ground
- N.C : No Connection
- Tact_switch : While LED on, If press the switch No.1, then the LED light off

also be added memory quantity.

- (Be able to add maximum 20pcs, If repeat No.8 action.)

Caution : Any changes or modifications in construction of this device which are not expressly approved by the party responsible for compliance could void user's authority to operate the equipment.

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES.
OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS :
(1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND
(2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED,
INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRE OPERATION.

BESTEC.CO

ADDRESS : 1594S. ANAHEIM BLVD.SUITE.C

ANAHEIM. CA 92805

TEL : 714)520-3030

FAX : 714)520)5653

NAME : LEE. JAY.Y