


Appendix 1


Test Results

Disturbance Voltage on AC Mains



Trace: 16
Condition : FCC PART15 CLASSB QP LISN-2012 LINE
EUT : BT speaker
Model No. : KT-9038
Sample No. :
Order No. :
Test Mode : Charging +BT music playing mode
Test Engineer: Blue


	Freq	Read Level	LISN Factor	Cable Loss	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dB	dBuV	dBuV	dB	
1	0.170	40.45	-0.26	0.10	40.29	64.94	-24.65	QP
2	0.170	35.62	-0.26	0.10	35.46	54.94	-19.48	Average
3	0.611	31.96	-0.20	0.10	31.86	56.00	-24.14	QP
4	0.611	22.74	-0.20	0.10	22.64	46.00	-23.36	Average
5	0.914	33.62	-0.21	0.10	33.51	56.00	-22.49	QP
6	0.914	23.45	-0.21	0.10	23.34	46.00	-22.66	Average



Trace: 14
Condition : FCC PART15 CLASSB QP LISN-2012 NEUTRAL
EUT : BT speaker
Model No. : KT-9038
Sample No. :
Order No. :
Test Mode : Charging +BT music playing mode
Test Engineer: Blue


	Freq	Read Level	LISN Factor	Cable Loss	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dB	dBuV	dBuV	dB	
1	0.159	39.32	-0.13	0.10	39.29	65.52	-26.23	QP
2	0.159	36.50	-0.13	0.10	36.47	55.52	-19.05	Average
3	0.305	31.62	-0.09	0.10	31.63	60.10	-28.47	QP
4	0.305	23.63	-0.09	0.10	23.64	50.10	-26.46	Average
5	0.914	34.00	-0.09	0.10	34.01	56.00	-21.99	QP
6	0.914	24.35	-0.09	0.10	24.36	46.00	-21.64	Average

Carrier Frequency Separation




Date: 5.APR.2013 19:02:48

Number of hopping channels




Date: 5.APR.2013 19:05:37




Date: 5.APR.2013 19:07:19

Dwell Time



Date: 5.APR.2013 17:33:47




Date: 5.APR.2013 17:34:31

20dB Bandwidth

Modulation: GFSK


Tx frequency: 2402MHz



Date: 5.APR.2013 17:02:16


Modulation: GFSK

Tx frequency: 2441MHz




Date: 5.APR.2013 17:04:40

Modulation: GFSK
Tx frequency: 2480MHz




Date: 5.APR.2013 17:06:12

Modulation: 8DPSK
Tx frequency: 2402MHz




Date: 5.APR.2013 17:23:55

Modulation: 8DPSK
Tx frequency: 2441MHz



Date: 5.APR.2013 17:25:18

Modulation: 8DPSK
Tx frequency: 2480MHz




Date: 5.APR.2013 17:29:23

Peak Output Power

Modulation: GFSK


Tx frequency: 2402MHz



Date: 5.APR.2013 16:59:54

Modulation: GFSK


Tx frequency: 2441MHz



Date: 5.APR.2013 17:04:52


www.tuv.com

Modulation: GFSK
Tx frequency: 2480MHz



Date: 5.APR.2013 17:05:24


Modulation: DQPSK
Tx frequency: 2402MHz



Date: 5.APR.2013 17:09:26


www.tuv.com

Modulation: DQPSK
Tx frequency: 2441MHz



Date: 5.APR.2013 17:08:12


Modulation: DQPSK
Tx frequency: 2480MHz



Date: 5.APR.2013 17:07:46


www.tuv.com

Modulation: 8DPSK
Tx frequency: 2402MHz




Date: 5.APR.2013 17:21:39

Modulation: 8DP SK
Tx frequency: 2441MHz



Date: 5.APR.2013 17:25:42


Modulation: 8DP SK
 Tx frequency: 2480MHz




Date: 5.APR.2013 17:26:41

Band Edge Compliance


Tx frequency: 2402MHz (conducted measurement; hopping on)




Tx frequency: 2480MHz (conducted measurement; hopping on)




Tx frequency: 2402MHz (conducted measurement; hopping off)



Tx frequency: 2480MHz (conducted measurement; hopping off)




Tx frequency: 2402MHz (radiated measurement)



KAN TSANG/ BT SPEAKER/ KT-9038/ 2402MHz/ VERT.

Date: 9.APR.2013 17:33:51


Vertical Polarization



KAN TSANG/ BT SPEAKER/ KT-9038/ 2402MHz/ VERT.

Date: 9.APR.2013 17:34:06


Vertical Polarization



KAN TSANG/ BT SPEAKER/ KT-9038/ 2402MHz/ HORI.

Date: 9.APR.2013 17:35:17

Horizontal Polarization




KAN TSANG/ BT SPEAKER/ KT-9038/ 2402MHz/ HORI.

Date: 9.APR.2013 17:35:29

Horizontal Polarization


Tx frequency: 2480MHz (radiated measurement)



KAN TSANG/ BT SPEAKER/ KT-9038/ 2480MHz/ VERT.

Date: 9.APR.2013 17:31:18


Vertical Polarization



KAN TSANG/ BT SPEAKER/ KT-9038/ 2480MHz/ VERT.

Date: 9.APR.2013 17:31:31


Vertical Polarization



KAN TSANG/ BT SPEAKER/ KT-9038/ 2480MHz/ HORI.

Date: 9.APR.2013 17:27:52

Horizontal Polarization




KAN TSANG/ BT SPEAKER/ KT-9038/ 2480MHz/ HORI.

Date: 9.APR.2013 17:28:03

Horizontal Polarization


Spurious Emissions - Conducted

Tx frequency: 2402MHz




Date: 5.APR.2013 17:56:30

Tx frequency: 2441MHz



Date: 5.APR.2013 17:48:48

Tx frequency: 2480MHz



Date: 5.APR.2013 17:39:06