

YISO MODEL YFW-0001 COND SPURS CDMA Ch 0383 MKR 1.671 GHz
REF 23.0 dBm ATTEN 40 dB -34.20 dBm

hp

10 dB/

POS PK

OFFSET


1.5

dB

DL

-13.0

dBm



START 10 MHz

RES BW 1 MHz

VBW 1 MHz

STOP 2.50 GHz

SWP 62.3 msec

YISO MODEL YFW-0001 COND SPURS CDMA Ch 0383 MKR 9.745 GHz
REF 23.0 dBm ATTEN 40 dB -30.20 dBm

hp

10 dB/

POS PK

OFFSET


1.5

dB

DL

-13.0

dBm



START 2.50 GHz

RES BW 1 MHz


VBW 1 MHz

STOP 10.00 GHz

SWP 188 msec

YISO MODEL YFW-0001 COND SPURS CDMA Ch 1013 MKR 1.646 GHz
REF 23.0 dBm ATTEN 40 dB -35.20 dBm

hp
10 dB/
POS PK
OFFSET
1.5
dB
DL
-13.0
dBm



START 10 MHz

RES BW 1 MHz

VBW 1 MHz

STOP 2.50 GHz
SWP 62.3 msec

YISO MODEL YFW-0001 COND SPURS CDMA Ch 1013 MKR 6.573 GHz
REF 23.0 dBm ATTEN 40 dB -30.30 dBm

hp

10 dB/

POS PK

OFFSET


1.5

dB

DL

-13.0

dBm



START 2.50 GHz

RES BW 1 MHz


VBW 1 MHz

STOP 10.00 GHz

SWP 188 msec

YISO MODEL YFW-0001 COND SPURS CDMA Ch 0777 MKR 1.696 GHz
REF 23.0 dBm ATTEN 40 dB -35.40 dBm


hp
10 dB/
POS PK
OFFSET
1.5
dB
DL
-13.0
dBm



START 10 MHz RES BW 1 MHz VBW 1 MHz STOP 2.50 GHz SWP 62.3 msec

YISO MODEL YFW-0001 COND SPURS CDMA Ch 0777 MKR 9.753 GHz
REF 23.0 dBm ATTEN 40 dB -30.70 dBm

hp
10 dB/
POS PK
OFFSET
1.5
dB
DL
-13.0
dBm



START 2.50 GHz

RES BW 1 MHz

VBW 1 MHz

STOP 10.00 GHz

SWP 188 msec

YISO MODEL YFW-0001 CDMA POWER OUT Ch 0383

REF 23.0 dBm ATTN 40 dB

hp


10 dB/

POS PK

OFFSET

1.5

dB



CENTER 836.4 MHz

RES BW 3 MHz


VBW 3 MHz

SPAN 10.0 MHz
SWP 20.0 msec

YISO MODEL YFW-0001 CDMA POWER OUT Ch 0777

REF 23.0 dBm ATTN 40 dB

hp
10 dB/
POS PK
OFFSET
1.5
dB



CENTER 848.3 MHz

RES BW 3 MHz

VBW 3 MHz

SPAN 10.0 MHz

SWP 20.0 msec

YISO MODEL YFW-0001 CDMA POWER OUT Ch 1013

REF 23.0 dBm ATTEN 40 dB

hp


10 dB/

POS PK

OFFSET

1.5

dB



CENTER 824.7 MHz

RES BW 3 MHz

VBW 3 MHz


SPAN 10.0 MHz

SWP 20.0 msec

YISO MODEL YFW-0001 CDMA BAND EDGE Ch 1013

REF 23.0 dBm ATTN 40 dB

hp
10 dB/
POS PK
OFFSET
1.5
dB
DL
-13.0
dBm



CENTER 824.00 MHz

RES BW 30 kHz

VBW 30 kHz

SPAN 5.00 MHz

SWP 20.0 msec

YISO MODEL YFW-0001 CDMA BAND EDGE Ch 0777

REF 23.0 dBm ATTEN 40 dB

hp

10 dB/

POS PK

OFFSET


1.5

dB

DL

-13.0

dBm



CENTER 849.00 MHz

RES BW 30 kHz

VBW 30 kHz

SPAN 5.00 MHz

SWP 20.0 msec

* Agilent 16:35:40 Nov 20, 2000

YISO MODEL: YFW-0001 CDMA POWER OUT Ch. 0383

Ref 23 dBm

Atten 35 dB

Samp

Log


10

dB/

Offst

1.5

dB



Center 836.5 MHz

Span 3 MHz

*Res BW 30 kHz

*VBW 300 kHz

Sweep 9.167 ms (401 pts)

Channel Power Results (Idle)

Channel Power

23.03 dBm

Integration BW 2.000 MHz

Density -39.98 dBm/Hz

Freq/Channel

Center Freq

836.490000 MHz

Start Freq

834.990000 MHz

Stop Freq

837.990000 MHz

CF Step

300.000000 kHz

Auto

Man

Freq Offset

0.00000000 Hz

Signal Track

On

Off