


EXHIBIT B - EUT EXTERNAL PHOTOGRAPHS


EUT – Top View



EUT –Bottom View



EUT –Front View




EUT – Rear View




EUT – Left View



EUT – Right View



EUT-Label View



EUT – Adapter Top View



EUT- Adapter Label View

The image shows the technical label of an AC/DC Switching Power Supply, Class 2 Power Unit. The label contains the following information:

- Model No.: 02-290020
- S/N: RBD59 7 2 0 1 9 0 6
- Version No.: 83488
- Batch No.: P16090351RSC59721610
- Input: AC100-240V 50/60Hz 1.5A
- Output: DC 29V --- 2A Date code: 1642
- Duty Cycle: Max 10% ; Max T_{ON}: 2min
- See instruction manual for use in countries other than U.S.A.

The label also features various safety and compliance symbols, including:

- UL (Underwriters Laboratories)
- FCC (Federal Communications Commission)
- CE (Conformé Européen)
- RoHS (Restriction of Hazardous Substances)
- IP20 (Ingress Protection)
- Efficiency Level VI
- CAUTION: RISK OF ELECTRIC SHOCK. Dry location use only.
- ATTENTION: RISQUE DE CHOC ÉLECTRIQUE COS φ ≥ 0.5
- For Patents contact www.dewertokin.de/patents
- DewertOkin GmbH, Weststrasse 1, 32278 Kirchlingern, DE
- Made in China A Phoenix Mecano Brand

EUT – Cable View-1

The image shows a black power supply cable lying on a light-colored surface next to a ruler. The cable has a standard three-pronged AC plug at one end and a connector at the other. The ruler indicates the length of the cable is approximately 1 meter.



EUT – Cable View-2

