

Annex 4: Test Setup Photographs to
TEST REPORT
No.: 19-1-0005801T01a

According to:
FCC Regulations
§1.1310
§ 2.1091 & 2.1093

for

Huf Tools GmbH Velbert

Keyreader Daimler LFSPG-MH

FCC-ID: PD6LFSPGMH

Laboratory Accreditation



accredited according to DIN EN ISO/IEC 17025

CETECOM GmbH

Laboratory Radio Communications & Electromagnetic Compatibility
Im Teelbruch 116 • 45219 Essen • Germany
Registered in Essen, Germany, Reg. No.: HRB Essen 8984
Tel.: + 49 (0) 20 54 / 95 19-954 • Fax: + 49 (0) 20 54 / 95 19-964
E-mail: info@cetecom.com • Internet: www.cetecom.com

Table of contents

1. Test Setup Photographs 3

1. Test Setup Photographs



0

Photograph 1: Measurements in the shielded chamber, 15 cm distance between measurement probe and EUT, Position 1




Photograph 2: Measurements in the shielded chamber, 15cm distance between measurement probe and EUT, Position 2




Photograph 3: Measurements in the shielded chamber, 15cm distance between measurement probe and EUT, Position 3



Photograph 4: Measurements in the shielded chamber, 15cm distance between measurement probe and EUT, Position 4



Photograph 5: Measurements in the shielded chamber, 15cm distance between measurement probe and EUT, Position top



Photograph 6: Measurements in the shielded chamber, 20cm distance between measurement probe and EUT, Position top