
Chapter 1. Notice for users in USA and Canada

Read this document before using your computer. This computer complies with the radio frequency and safety standards of any country or region in which it has been approved for wireless use. Install and use your computer according to the following instructions.

The latest *Regulatory Notice* manual is available on the Lenovo Web site. To download the manual, go to <https://support.lenovo.com> and then follow the on-screen instructions.

Lisez ce document avant d'utiliser votre ordinateur. Cet ordinateur est conforme aux normes de fréquence radioélectrique et de sécurité du pays ou de la région où son utilisation sans fil est autorisée. Installez et utilisez votre ordinateur en vous conformant aux instructions ci-dessous.

La dernière version du manuel *Regulatory Notice* est disponible sur le site Web de Lenovo. Pour télécharger le document, rendez-vous sur <https://support.lenovo.com> et suivez les instructions à l'écran.

USA — Federal Communications Commission (FCC)

FCC ID

This computer contains the following wireless devices and underwent the certification process of FCC CFR 47 Part 2 section 1093, Part 15 Subpart C and Subpart E, Part 27, Part 22 Subpart H, Part 24 Subpart E and Part 90 under each respective FCC ID below.

- FCC ID: PD98265NG
 - Wireless LAN module with Bluetooth function (model: 8265NGW)
- FCC ID: PD99260NG
 - Wireless LAN module with Bluetooth function (model: 9260NGW)
- FCC ID: PU5-TP00076DUC
 - Wireless LAN module with Bluetooth function (model: 8265NGW)
 - Wireless LAN module with Bluetooth function (model: 9260NGW)
 - Wireless WAN module (model: L850-GL)
- FCC ID: MCLT77H747
 - NFC module (model: T77H747)

The FCC ID is indicated through the following methods:

- On a physical label attached to the outside of your computer shipping carton
- Through an electronic-label screen (E-label screen) preinstalled on your computer

To access the E-label screen, do one of the following:

- Restart the computer. When the logo screen is displayed, press F9. The E-label screen is displayed.
- Restart the computer. When the logo screen is displayed, press Enter or tap the prompt to enter the Startup Interrupt menu. Then press F9 or tap the Regulatory Information option. The E-label screen is displayed.

The wireless module in your computer is preinstalled by Lenovo, and you are prohibited to replace with other wireless adapter nor remove it. If the device requires replacement due to some problem during warranty, it must be serviced by a Lenovo authorized servicer.

FCC RF exposure compliance

The radiated output power of your system is far below the FCC radio frequency exposure limits. Nevertheless, it shall be used in such a manner that the potential for human contact during normal operation is minimized as follows:

CAUTION:

The total radiated energy from the antennas connected to the installed wireless LAN module, conforms to the FCC limit of the SAR (Specific Absorption Rate) requirement, regarding 47 CFR Part 2 Section 1093, when the computer was tested in either conventional notebook or tablet computer orientations.

The transmission antennas for the wireless module are located in the LCD cover. See “Locating the UltraConnect™ wireless antennas” in *User Guide*.

Emergency Calls

The wireless WAN module does not support voice calls, hence their use for essential communication is not possible, including emergency calls regarding the E911 rule.

Simultaneous use of RF transmitters

Your computer is approved for simultaneous use of one of the approved wireless LAN modules, the approved wireless WAN module, and the approved NFC module. For a list of those transmitters, refer to the following:

- “FCC ID” on page 1
- *ThinkPad Regulatory Notice*

Make sure of the following conditions when you use any other external RF option device:

1. When you use any other RF option device, you are requested to confirm that the device conforms to the RF Safety requirement and is approved to use for your computer.
2. You must follow the RF Safety instructions of the RF option device that are included in the user manual of the RF option device.
3. If the RF option device is prohibited to use in conjunction with another transmitters, you must turn off all other wireless features in your computer.

Radio Frequency interference requirements

When you use a wireless LAN module in the 802.11 a/n transmission mode, note that high power radars are allocated as primary users of the 5250 to 5350 MHz and 5650 to 5850 MHz bands. These radar stations can cause interference with and/or damage this device.

Canada — Industry Canada (IC)

IC certification number

This system contains the following wireless devices and the IC certification number is as below. The IC certification number is indicated on the bottom cover of your system.

- IC: 1000M-8265NG

- Wireless LAN module with Bluetooth function (model: 8265NGW)
- IC: 1000M-9260NG
 - Wireless LAN module with Bluetooth function (model: 9260NGW)
- IC: 4182A-TP00076DUC
 - Wireless LAN module with Bluetooth function (model: 8265NGW)
 - Wireless LAN module with Bluetooth function (model: 9260NGW)
 - Wireless WAN module (model: L850-GL)
- IC: 2878D-T77H747
 - NFC module (model: T77H747)

The IC certification number is indicated through the following methods:

- On a physical label attached to the outside of your computer shipping carton
- Through an electronic-label screen (E-label screen) preinstalled on your computer

To access the E-label screen, do one of the following:

- Restart the computer. When the logo screen is displayed, press F9. The E-label screen is displayed.
- Restart the computer. When the logo screen is displayed, press Enter or tap the prompt to enter the Startup Interrupt menu. Then press F9 or tap the Regulatory Information option. The E-label screen is displayed.

The wireless module in your computer is preinstalled by Lenovo, and you are prohibited to replace with other wireless adapter nor remove it. If the device requires replacement due to some problem during warranty, it must be serviced by a Lenovo authorized servicer.

Low power license-exempt radio communication devices (RSS-210, RSS-247)

Operation is subject to the following two conditions:

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

When you use a wireless LAN module in the 802.11 a/n transmission mode, note the following:

- The devices for the band 5150–5350 MHz are only for indoor usage to reduce potential for harmful interference to co-channel Mobile Satellite systems.
- High power radars are allocated as primary users (meaning they have priority) of 5250–5350 MHz and 5650–5850 MHz and these radars could cause interference and/or damage to LE-LAN (Licence-Exempt Local Area Network) devices.

Exposure of humans to RF fields (RSS-102)

The computers employ low gain integral antennas that do not emit RF field in excess of Health Canada limits for the general population; consult Safety Code 6, obtainable from Health Canada's Web site at <http://www.hc-sc.gc.ca/>

The radiated energy from the antennas connected to the wireless modules conforms to the Canada Portable RF exposure limit regarding IC RSS-102, Issue 5, Section 4, set forth for an uncontrolled environment, and are safe for intended operation in the conventional setting. Further RF exposure reduction can be achieved if the product can be kept as far as possible from the user body or set the device to lower output power if such function is available.

Canada — Industrie Canada (IC)

Numéro de certification IC

Votre système contient les dispositifs sans fil suivants, dont le numéro de certification IC figure ci-dessous. Le numéro de certification IC du module réseau local sans fil figure sur le boîtier de votre ordinateur. Pour connaître l'emplacement du numéro de certification IC, consultez la rubrique FCC ID and IC Certification information (Information concernant la certification ID et IC de la FCC) du Guide d'utilisation.

- IC: 1000M-8265NG
 - Modules de réseau local sans fil avec fonction Bluetooth (modèle: 8265NGW)
- IC: 1000M-9260NG
 - Modules de réseau local sans fil avec fonction Bluetooth (modèle: 9260NGW)
- IC: 4182A-TP00076DUC
 - Modules de réseau local sans fil avec fonction Bluetooth (modèle: 8265NGW)
 - Modules de réseau local sans fil avec fonction Bluetooth (modèle: 9260NGW)
 - Module réseau local sans fil (modèle: L850-GL)
- IC: 2878D-T77H747
 - Module NFC (modèle: T77H747)

Le numéro de certification par votre juridiction peuvent être indiquées par les méthodes suivantes:

- Sur une étiquette physique apposée à l'extérieur du carton d'emballage de l'ordinateur
- Via un écran d'étiquette électronique (écran E-label) préinstallé sur votre ordinateur
Pour accéder à l'écran de l'E-label, procédez comme suit:
 - Redémarrez l'ordinateur. Lorsque l'écran d'accueil du logiciel s'affiche, appuyez sur la touche F9. L'écran de l'E-label s'affiche.
 - Redémarrez l'ordinateur. Lorsque le logo s'affiche, appuyez sur Entrée ou touchez l'invite pour entrer dans le menu Startup Interrupt. Appuyez sur F9 ou touchez l'option Informations réglementaires. L'écran de l'E-label s'affiche.

Le module réseau local sans fil de votre ordinateur est préinstallé par Lenovo. Il vous est interdit de le remplacer par un autre adaptateur sans fil ou de le retirer. Si, en raison d'un problème, l'appareil doit être remplacé durant la période de garantie, le remplacement doit être effectué par un préposé à l'entretien autorisé par Lenovo.

Appareils de radio-communication basse tension sans licence d'utilisation (CNR-210, CNR-247)

Le fonctionnement de ce type d'appareil est soumis aux deux conditions suivantes :

1. Cet appareil ne peut pas causer de perturbations électromagnétiques.
2. Cet appareil doit accepter toutes les perturbations reçues, y compris celles susceptibles d'occasionner un fonctionnement indésirable.

Lorsque vous utilisez une carte de réseau local sans fil dans le mode de transmission 802.11 a/n, tenez compte des remarques suivantes :

- Les appareils destinés à la bande 5150–5350 MHz devront être exclusivement utilisés en intérieur afin de réduire les risques de perturbations électromagnétiques gênantes sur les systèmes de satellite mobile dans un même canal.
- Les radars à forte puissance sont désignés comme les utilisateurs principaux (c'est-à-dire qu'ils sont prioritaires) des bandes 5250-5350 MHz et 5650-5850 MHz. Ils peuvent provoquer des perturbations électromagnétiques sur les appareils de type LE-LAN (réseau de communication local sans licence) ou les endommager.

Conformité des appareils de radiocommunication aux limites d'exposition humaine aux radiofréquences (CNR-102)

Les ordinateurs utilisent des antennes intégrales à faible gain qui n'émettent pas un champ électromagnétique supérieur aux normes imposées par Santé Canada pour la population. Consultez le Code de sécurité 6 sur le site Internet de Santé Canada à l'adresse <http://www.hc-sc.gc.ca/>

The radiated energy from the antennas connected to the wireless modules conforms to the Canada Portable RF exposure limit regarding IC RSS-102, Issue 5, Section 4, set forth for an uncontrolled environment, and are safe for intended operation in the conventional setting. The further RF exposure reduction can be achieved if the product can be kept as far as possible from the user body or set the device to lower output power if such function is available.

Preinstalled NFC feature

If your system integrates a Near Field Communication (NFC) device (Model: T77H747), you can find the FCC ID: MCLT77H747.

The device underwent the certification process for the Part 15 Subpart C under the FCC ID: MCLT77H747.

The NFC device has also been tested and found to comply with the limits regarding IC RSS-210, Low-power Licence-exempt Radiocommunication Devices under the IC: 2878D-T77H747.

Carte à puce sans NFC contact préinstallée

Si la mention "IC : 2878D-T77H747" figure sur l'étiquette sous la système, cela implique qu'elle est dotée d'un dispositif NFC (Near Field Communication) (modèle : T77H747).

Le dispositif NFC a été testé et déclaré conforme aux limites des appareils de radio-communication basse tension IC CNR-210 sans licence d'utilisation.

Electromagnetic emission notices

Refer to your product *User Guide* for information regarding the FCC compliance statement and other compliance statements.

Usage environment and your health

Wireless feature (such as wireless WAN, wireless LAN, and Bluetooth and so on) emits radio frequency electromagnetic energy like other radio devices. However, the level of energy emitted is far much less than the electromagnetic energy emitted by wireless devices like for example mobile phones.

Due to the fact that wireless feature operates within the guidelines found in radio frequency safety standards and recommendations, Lenovo believes the wireless feature is safe for use by consumers. These standards and recommendations reflect the consensus of the scientific community and result from deliberations of panels and committees of scientists who continually review and interpret the extensive research literature.

In some situation or environment, the use of wireless feature might be restricted by the proprietor of the building or responsible representatives of the organization. These situations and areas may for example include:

- Using the wireless feature on board of airplanes, in hospitals or near petrol stations, blasting areas (with electro-explosive devices), medical implants or body-worn electronic medical devices, such as pace makers.
- In any other environment where the risk of interference to other devices or services is perceived or identified as harmful.

If you are uncertain of the policy that applies on the use of wireless devices in a specific organization (such as airport or hospital), you are encouraged to ask for authorization to use wireless feature prior to turning on the system.

Precautions against electrostatic discharges (ESD) in inserting or removing the nano-SIM card

Do not touch the nano-SIM card connectors. As a precaution, always make sure that your system is in your hand before you insert or remove the nano-SIM card.