



Annex F. Photographs




F.1 Test Sample

Sample Front	Sample Back
Laptop Mode	

F.2 Test positions

Laptop Mode	Laptop Mode – Side View
 A photograph showing the front of a laptop placed inside a transparent test chamber. The laptop is positioned horizontally. A black foam block is placed on top of the laptop. A red-handled probe is positioned to the right of the laptop, pointing towards the top of the laptop. The chamber has a clear front panel with a circular opening.	 A photograph showing the side of the laptop inside the test chamber. The laptop is positioned horizontally. A black foam block is placed on top of the laptop. A red-handled probe is positioned to the left of the laptop, pointing towards the side of the laptop. The chamber has a clear side panel.

F.3 Antenna host platform location and adjacent edge positions relative to the body

Antenna Host Platform location and co-location separation - 1	Antenna Host Platform location and co-location separation - 2												
<table><thead><tr><th>A</th><th>B</th><th>C</th><th>D</th><th>E</th><th>total</th></tr></thead><tbody><tr><td>107.76</td><td>51.11</td><td>22</td><td>56.89</td><td>86.66</td><td>324.42</td></tr></tbody></table>	A	B	C	D	E	total	107.76	51.11	22	56.89	86.66	324.42	
A	B	C	D	E	total								
107.76	51.11	22	56.89	86.66	324.42								
Laptop Mode													
													

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch - 160603-01

