





Annex F. Photographs




F.1 Test Sample

Sample Front	Sample Back
	
Laptop Mode	
	

F.2 Test positions

Laptop Mode	Laptop Mode – Side View
	

F.3 Antenna host platform location and adjacent edge positions relative to the body

Antenna Host Platform location	Antenna dimensional information for SAR evaluation																				
																					
Co-location antenna separation	Co-location antenna separation - 2																				
	<Regular NB> <table><tr><th colspan="4">Minimum Separation Distance</th></tr><tr><th>Item</th><th>Antenna</th><th>Position</th><th>Distance (mm)</th></tr><tr><td>A</td><td>WLAN-Main</td><td>to Bottom of Laptop (NOT include Bumper)</td><td>3.36</td></tr><tr><td>B</td><td>WLAN-Aux</td><td>to Bottom of Laptop (NOT include Bumper)</td><td>3.36</td></tr><tr><td>C</td><td>WLAN Main</td><td>to WLAN Aux</td><td>84</td></tr></table>	Minimum Separation Distance				Item	Antenna	Position	Distance (mm)	A	WLAN-Main	to Bottom of Laptop (NOT include Bumper)	3.36	B	WLAN-Aux	to Bottom of Laptop (NOT include Bumper)	3.36	C	WLAN Main	to WLAN Aux	84
Minimum Separation Distance																					
Item	Antenna	Position	Distance (mm)																		
A	WLAN-Main	to Bottom of Laptop (NOT include Bumper)	3.36																		
B	WLAN-Aux	to Bottom of Laptop (NOT include Bumper)	3.36																		
C	WLAN Main	to WLAN Aux	84																		

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch - 160630-01

