





Annex F. Photographs

F.1 Test Sample

Sample Front 	Sample Back 
Laptop Mode 	

F.2 Test positions

Laptop Mode	Laptop Mode – Side View
	

F.3 Antenna host platform location and adjacent edge positions relative to the body

Antenna Host Platform location and co-location separation	Antenna dimensional information for SAR evaluation-1																																												
The diagram shows a top-down view of a laptop. The display screen is a central rectangle. Below it is the keyboard area. Various points and distances are labeled: A (top-left of WL-M), B (right of WL-M), C (left of WL-M), D (bottom of WL-M), E (top-right of WL-A), F (right of WL-A), G (left of WL-A), H (bottom of WL-A), and I (between WL-M and WL-A). The laptop's top, bottom, left, and right edges are also indicated.	<table><tr><th colspan="4">Minimum Separation Distance</th></tr><tr><th>Item</th><th>Antenna</th><th>Position</th><th>Distance (mm)</th></tr><tr><td>A</td><td>WLAN-Main</td><td>to Top</td><td>218.6</td></tr><tr><td>B</td><td>WLAN-Main</td><td>to Right</td><td>196.4</td></tr><tr><td>C</td><td>WLAN-Main</td><td>to Left</td><td>75.7</td></tr><tr><td>D</td><td>WLAN-Main</td><td>to Bottom of Laptop (NOT include Bumper)</td><td>3.25</td></tr><tr><td>E</td><td>WLAN-Aux</td><td>to Top</td><td>218.6</td></tr><tr><td>F</td><td>WLAN-Aux</td><td>to Right</td><td>75.7</td></tr><tr><td>G</td><td>WLAN-Aux</td><td>to Left</td><td>216.4</td></tr><tr><td>H</td><td>WLAN-Aux</td><td>to Bottom of Laptop (NOT include Bumper)</td><td>3.25</td></tr><tr><td>I</td><td>WLAN Main</td><td>to WLAN Aux</td><td>90.7</td></tr></table>	Minimum Separation Distance				Item	Antenna	Position	Distance (mm)	A	WLAN-Main	to Top	218.6	B	WLAN-Main	to Right	196.4	C	WLAN-Main	to Left	75.7	D	WLAN-Main	to Bottom of Laptop (NOT include Bumper)	3.25	E	WLAN-Aux	to Top	218.6	F	WLAN-Aux	to Right	75.7	G	WLAN-Aux	to Left	216.4	H	WLAN-Aux	to Bottom of Laptop (NOT include Bumper)	3.25	I	WLAN Main	to WLAN Aux	90.7
Minimum Separation Distance																																													
Item	Antenna	Position	Distance (mm)																																										
A	WLAN-Main	to Top	218.6																																										
B	WLAN-Main	to Right	196.4																																										
C	WLAN-Main	to Left	75.7																																										
D	WLAN-Main	to Bottom of Laptop (NOT include Bumper)	3.25																																										
E	WLAN-Aux	to Top	218.6																																										
F	WLAN-Aux	to Right	75.7																																										
G	WLAN-Aux	to Left	216.4																																										
H	WLAN-Aux	to Bottom of Laptop (NOT include Bumper)	3.25																																										
I	WLAN Main	to WLAN Aux	90.7																																										
Laptop Mode	Antenna dimensional information for SAR evaluation-2																																												
The diagram shows a person sitting at a desk using a laptop. The laptop is open. A 'MAIN ANTENNA' is located on the right side of the laptop. A dimension line labeled 'J' indicates the distance from the bottom of the laptop to the antenna. Other dimensions are marked as 'XX.X mm'.	<table><tr><th colspan="4">Minimum Separation Distance</th></tr><tr><td>J</td><td>WLAN-Main</td><td>to Bottom of Laptop (include Bumper)</td><td>5.8</td></tr></table>	Minimum Separation Distance				J	WLAN-Main	to Bottom of Laptop (include Bumper)	5.8																																				
Minimum Separation Distance																																													
J	WLAN-Main	to Bottom of Laptop (include Bumper)	5.8																																										

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch - 160630-01

