




Annex F. Photographs

F.1 Test Sample

Sample Front	Sample Back
	
Laptop Mode	
	

F.2 Test positions

Laptop Mode	Laptop Mode – Side View
 A photograph showing the front of a laptop placed inside a test chamber. The laptop is resting on a black foam pad. A clear plastic shield is positioned in front of the laptop's screen. A black cable with a red connector is plugged into the side of the laptop. A small label on the top of the laptop reads: "E11 V10.0", "09/10/2010", "R01-001-000-000-000", "Made in Switzerland".	 A photograph showing the side of the laptop in the test chamber. The laptop is resting on a black foam pad. A clear plastic shield is positioned in front of the laptop's screen. A black cable with a red connector is plugged into the side of the laptop. A small label on the top of the laptop reads: "E11 V10.0", "09/10/2010", "R01-001-000-000-000", "Made in Switzerland".

F.3 Antenna host platform location and adjacent edge positions relative to the body

Antenna Host Platform location and co-location separation	Laptop Mode
Diagram illustrating the antenna host platform location and co-location separation. The diagram shows a laptop layout with a 15" screen and a keyboard. The WLAN 1 (Aux) and WLAN 2 (Main) antennas are positioned below the screen. The dimensions are: 82.03 mm (left offset), 146.2 mm (antenna width), 82.34 mm (right offset), and 9.095 mm (separation from the bottom edge).	Diagram illustrating the antenna host platform location and co-location separation in Laptop Mode. The diagram shows a person using a laptop. The dimensions are: 169 mm (offset from the body), 15" (screen size), 249.2 mm (laptop width), and 9.095 mm (separation from the bottom edge).

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch - 160630-01

