





# Annex F. Photographs

## F.1 Test Sample

Sample Front	Sample Back
	
Laptop Mode	
	

## F.2 Test positions

Laptop Mode	Laptop Mode – Side View
	


### F.3 Antenna host platform location and adjacent edge positions relative to the body

#### Information provided by the customer

Antenna Host Platform location	Antenna dimensional information for SAR evaluation																																																				
<p>Diagram illustrating the Antenna Host Platform location and adjacent edge positions relative to the body. The diagram shows a top-down view of the laptop's internal components and external edges. Labels A through L indicate specific points of measurement relative to the body (Top, Left, Right, Bottom) and the laptop's internal components (Panel, Keyboard). The diagram also shows the 'NB mode open 90°' position.</p>	<p><b>Minimum Separation Distance</b></p> <table border="1"> <thead> <tr> <th>Item</th> <th>Antenna</th> <th>Position</th> <th>Distance (mm)</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>WLAN-Aux</td> <td>to Top</td> <td>215.94</td> </tr> <tr> <td>B</td> <td>WLAN-Aux</td> <td>to Right</td> <td>107.15</td> </tr> <tr> <td>C</td> <td>WLAN-Aux</td> <td>to Left</td> <td>155.05</td> </tr> <tr> <td>D</td> <td>WLAN-Aux</td> <td>to Bottom</td> <td>7.43</td> </tr> <tr> <td>E</td> <td>WLAN-Aux</td> <td>Main Antenna Length</td> <td>50</td> </tr> <tr> <td>F</td> <td>Main-Aux</td> <td>Main to Aux</td> <td>20.8</td> </tr> <tr> <td>G</td> <td>WLAN-Main</td> <td>to Top</td> <td>215.94</td> </tr> <tr> <td>H</td> <td>WLAN-Main</td> <td>to Right</td> <td>56.35</td> </tr> <tr> <td>I</td> <td>WLAN-Main</td> <td>to Left</td> <td>225.85</td> </tr> <tr> <td>J</td> <td>WLAN-Main</td> <td>to Bottom</td> <td>7.43</td> </tr> <tr> <td>K</td> <td>WLAN-Main</td> <td>Aux Antenna Length</td> <td>30</td> </tr> <tr> <td>L</td> <td>NB</td> <td>Bumper thickness</td> <td>3.5</td> </tr> </tbody> </table>	Item	Antenna	Position	Distance (mm)	A	WLAN-Aux	to Top	215.94	B	WLAN-Aux	to Right	107.15	C	WLAN-Aux	to Left	155.05	D	WLAN-Aux	to Bottom	7.43	E	WLAN-Aux	Main Antenna Length	50	F	Main-Aux	Main to Aux	20.8	G	WLAN-Main	to Top	215.94	H	WLAN-Main	to Right	56.35	I	WLAN-Main	to Left	225.85	J	WLAN-Main	to Bottom	7.43	K	WLAN-Main	Aux Antenna Length	30	L	NB	Bumper thickness	3.5
Item	Antenna	Position	Distance (mm)																																																		
A	WLAN-Aux	to Top	215.94																																																		
B	WLAN-Aux	to Right	107.15																																																		
C	WLAN-Aux	to Left	155.05																																																		
D	WLAN-Aux	to Bottom	7.43																																																		
E	WLAN-Aux	Main Antenna Length	50																																																		
F	Main-Aux	Main to Aux	20.8																																																		
G	WLAN-Main	to Top	215.94																																																		
H	WLAN-Main	to Right	56.35																																																		
I	WLAN-Main	to Left	225.85																																																		
J	WLAN-Main	to Bottom	7.43																																																		
K	WLAN-Main	Aux Antenna Length	30																																																		
L	NB	Bumper thickness	3.5																																																		
Laptop Mode																																																					
<p>Diagram illustrating the laptop in Laptop Mode. It shows a human head profile with a vertical line representing the main antenna. A callout box indicates a distance of 3.93 mm (Without Bumper) from the head.</p>																																																					

#### F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -160603-01



### **End of the report**

**This page is intentionally left blank and marks the last page of the test report.**