




Annex F. Photographs

F.1 Test Sample

Sample S05

Sample Front  A photograph of the front of a black laptop lid. A TOLSEN ruler is placed horizontally above the lid. The lid features the HP logo in the center. Several labels are visible: a white label with 'GOM' handwritten on it, a small white label with '#5', and a larger white label with technical specifications including 'Model: S05', 'Whisk module: NA', 'Whisk Module: 9560', 'Part: 103', and 'Certificate: FCC/CE'. A small red label with '100%' is also present.	Sample Back  A photograph of the back of the black laptop lid. A TOLSEN ruler is placed horizontally above the lid. The back of the lid is plain black with four circular feet visible at the corners.
Notebook Mode - Keyboard  A photograph of the laptop keyboard in notebook mode. A TOLSEN ruler is placed horizontally above the keyboard. The keyboard is black with white lettering. A small white label with 'OS CPU' is visible on the right side of the keyboard.	Notebook Mode - Screen  A photograph of the laptop screen in notebook mode. A TOLSEN ruler is placed horizontally above the screen. The screen is black and displays a grid of small, bright yellow dots. The HP logo is visible at the bottom center of the screen.
Laptop Mode  A photograph of the laptop in laptop mode. A TOLSEN ruler is placed horizontally below the laptop. The laptop is open, showing the keyboard and screen. The screen is black and displays a grid of small, bright yellow dots. The HP logo is visible at the bottom center of the screen.	





Sample S08

Sample Front  A black and white photograph of the front of a laptop lid. The lid is closed and features the HP logo in the center. There are several labels on the lid, including a large one at the top right with technical specifications and a smaller one at the bottom right. The lid is placed on a surface with a ruler for scale.	Sample Back  A black and white photograph of the back of a laptop lid. The lid is closed and shows the ventilation grilles at the bottom. There are labels on the lid, including a small one at the bottom left and a larger one at the bottom right. The lid is placed on a surface with a ruler for scale.
Notebook Mode - Keyboard  A black and white photograph of the laptop in notebook mode. The keyboard is visible, and the trackpad is located below it. The laptop is placed on a surface with a ruler for scale.	Notebook Mode - Screen  A black and white photograph of the laptop in notebook mode. The screen is visible, and a grid of light points is overlaid on the screen. The laptop is placed on a surface with a ruler for scale.
Laptop Mode  A black and white photograph of the laptop in laptop mode. The screen is open, and the laptop is placed on a surface with a ruler for scale.	

F.2 Test positions


Top Edge	Back Face
	
Left Edge	
	

F.3 Antenna host platform location and adjacent edge positions relative to the body


Information provided by the customer	
Antenna Host Platform location	Antenna Host Platform location
	
Laptop Mode	Tablet Mode
	

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -191014-2



ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -160603-2



End of the report

This page is intentionally left blank and marks the last page of the test report.