




Annex F. Photographs

F.1 Test Sample

Sample Front	Sample Back
	
Tablet Display	Tablet Keyboard
	
Laptop Mode	
	

F.2 Test positions

Bottom Edge	Back Face
	
Laptop Mode	
	

F.3 Antenna host platform location and adjacent edge positions relative to the body

All information (diagrams, values and dimensions) in this section are provided by the manufacturer

Antenna Host Platform location	Tablet Mode
<p>WLAN Aux</p> <p>48.3 mm</p> <p>192.8 mm</p> <p>WLAN Main</p> <p>48.3 mm</p> <p>3.6 mm (including Rubber foot)</p> <p>Bottom of laptop</p> <p>3.6 mm (including Rubber foot)</p> <p>Bottom of laptop</p>	<p>WLAN Main</p> <p>3.0 mm</p> <p>LCD</p> <p>3.9 mm</p> <p>WLAN Aux</p> <p>LCD</p> <p>3.0 mm</p> <p>3.9 mm</p>
Laptop Mode – Zoom in	Tablet Mode – Zoom in
<p>Tx1 and Tx2 antenna element</p> <p>2.2 mm</p> <p>3.6 mm</p> <p>Rubber foot</p> <p>Hinge cap (Non-conductive plastic)</p> <p>Section A-A</p>	<p>LCD panel</p> <p>3.0 mm</p> <p>Tx1 and Tx2 antenna element</p> <p>Hinge cap (Non-conductive plastic)</p> <p>3.9 mm</p> <p>Section B-B</p>
Laptop Mode	Tablet Mode
<p>Main / Aux antenna</p> <p>3.6 mm</p> <p>211.3 mm</p>	<p>Main / Aux antenna</p> <p>3.0 mm</p> <p>3.9 mm</p>

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch – 180206 - 04

