

Annex F. Photographs

F.1 Test Sample

Sample Front	Sample Back
	
Laptop Mode	
	

F.2 Test positions

Laptop Mode	
	


F.3 Antenna host platform location and adjacent edge positions relative to the body

All information (diagrams, values and dimensions) in this section are provided by the manufacturer

Antenna Host Platform location	Co-location antenna separation																																																				
The diagram shows a top-down view of a laptop chassis. The 'Display Screen' is at the top. Below it is the 'Keyboard'. The 'Bottom of Laptop' is indicated on the left and right sides. Various antenna positions are marked: A (top left), B (bottom center), C (left side), D1/D2 (bottom left), E (top right), F (right side), G (center), H1/H2 (bottom right), and I (center). Two specific antenna locations are highlighted in blue boxes and labeled 'WL-M' and 'WL-A'.	<table><tr><th colspan="4">Minimum Separation Distance</th></tr><tr><th>Item</th><th>Antenna</th><th>Position</th><th>Distance (mm)</th></tr><tr><td>A</td><td>WLAN-Main</td><td>to Top</td><td>197.39</td></tr><tr><td>B</td><td>WLAN-Main</td><td>to Right</td><td>203.83</td></tr><tr><td>C</td><td>WLAN-Main</td><td>to Left</td><td>102.87</td></tr><tr><td>D-1</td><td>WLAN-Main</td><td>to Bottom of Laptop (Include Bumper)</td><td>3.6mm</td></tr><tr><td>D-2</td><td>WLAN-Main</td><td>to Bottom of Laptop (NOT include Bumper)</td><td>2.2mm</td></tr><tr><td>E</td><td>WLAN-Aux</td><td>to Top</td><td>197.39</td></tr><tr><td>F</td><td>WLAN-Aux</td><td>to Right</td><td>121.93</td></tr><tr><td>G</td><td>WLAN-Aux</td><td>to Left</td><td>184.37</td></tr><tr><td>H-1</td><td>WLAN-Aux</td><td>to Bottom of Laptop (Include Bumper)</td><td>3.6mm</td></tr><tr><td>H-1</td><td>WLAN-Aux</td><td>to Bottom of Laptop (NOT include Bumper)</td><td>2.2mm</td></tr><tr><td>K</td><td>WLAN Main</td><td>to WLAN Aux</td><td>48</td></tr></table>	Minimum Separation Distance				Item	Antenna	Position	Distance (mm)	A	WLAN-Main	to Top	197.39	B	WLAN-Main	to Right	203.83	C	WLAN-Main	to Left	102.87	D-1	WLAN-Main	to Bottom of Laptop (Include Bumper)	3.6mm	D-2	WLAN-Main	to Bottom of Laptop (NOT include Bumper)	2.2mm	E	WLAN-Aux	to Top	197.39	F	WLAN-Aux	to Right	121.93	G	WLAN-Aux	to Left	184.37	H-1	WLAN-Aux	to Bottom of Laptop (Include Bumper)	3.6mm	H-1	WLAN-Aux	to Bottom of Laptop (NOT include Bumper)	2.2mm	K	WLAN Main	to WLAN Aux	48
Minimum Separation Distance																																																					
Item	Antenna	Position	Distance (mm)																																																		
A	WLAN-Main	to Top	197.39																																																		
B	WLAN-Main	to Right	203.83																																																		
C	WLAN-Main	to Left	102.87																																																		
D-1	WLAN-Main	to Bottom of Laptop (Include Bumper)	3.6mm																																																		
D-2	WLAN-Main	to Bottom of Laptop (NOT include Bumper)	2.2mm																																																		
E	WLAN-Aux	to Top	197.39																																																		
F	WLAN-Aux	to Right	121.93																																																		
G	WLAN-Aux	to Left	184.37																																																		
H-1	WLAN-Aux	to Bottom of Laptop (Include Bumper)	3.6mm																																																		
H-1	WLAN-Aux	to Bottom of Laptop (NOT include Bumper)	2.2mm																																																		
K	WLAN Main	to WLAN Aux	48																																																		
Notebook Mode																																																					
The diagram shows a person sitting at a desk using a laptop. The laptop is in 'notebook mode' (closed). A 'MAIN ANTENNA' is located on the back of the laptop. Dimensions are indicated: 'XX.0 mm' for the distance from the person's head to the antenna, '3.6 mm' for the antenna's height, and 'XX.0 mm' for the distance from the person's arm to the antenna.																																																					

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch - 160630-01



End of the report

This page is intentionally left blank and marks the last page of the test report.