




Annex F. Photographs

F.1 Test Sample

Front	Back
	
Screen	Keyboard
	
Laptop	
	

F.2 Test positions

Laptop	Bottom Edge
	
Back Face	
	


F.3 Antenna host platform location and adjacent edge positions relative to the body

Information provided by the customer

Antenna Host Platform location	Antenna Host Platform location - 2																																																																
	<table><tr><th colspan="4">Minimum Separation Distance</th></tr><tr><th>Item</th><th>Antenna</th><th>Position</th><th>Distance (mm)</th></tr><tr><td>A</td><td>WLAN-Aux</td><td>to Top</td><td>204.88</td></tr><tr><td>B</td><td>WLAN-Aux</td><td>to Right</td><td>221.71</td></tr><tr><td>C</td><td>WLAN-Aux</td><td>to Left</td><td>68.59</td></tr><tr><td>D</td><td>WLAN-Aux</td><td>to Bottom</td><td>14.7</td></tr><tr><td>M</td><td>WLAN-Aux</td><td>to panel bottom</td><td>5.0</td></tr><tr><td>E</td><td>WLAN-Aux</td><td>Aux Antenna Length</td><td>30</td></tr><tr><td>F</td><td>Main-Aux</td><td>Main to Aux</td><td>114.16</td></tr><tr><td>G</td><td>WLAN-Main</td><td>to Top</td><td>204.88</td></tr><tr><td>H</td><td>WLAN-Main</td><td>to Right</td><td>62.55</td></tr><tr><td>I</td><td>WLAN-Main</td><td>to Left</td><td>212.75</td></tr><tr><td>J</td><td>WLAN-Main</td><td>to Bottom</td><td>14.7</td></tr><tr><td>N</td><td>WLAN-Main</td><td>to panel bottom</td><td>5.0</td></tr><tr><td>K</td><td>WLAN-Main</td><td>Aux Antenna Length</td><td>45</td></tr><tr><td>L</td><td>NB</td><td>Bumper thickness</td><td>2.5</td></tr></table>	Minimum Separation Distance				Item	Antenna	Position	Distance (mm)	A	WLAN-Aux	to Top	204.88	B	WLAN-Aux	to Right	221.71	C	WLAN-Aux	to Left	68.59	D	WLAN-Aux	to Bottom	14.7	M	WLAN-Aux	to panel bottom	5.0	E	WLAN-Aux	Aux Antenna Length	30	F	Main-Aux	Main to Aux	114.16	G	WLAN-Main	to Top	204.88	H	WLAN-Main	to Right	62.55	I	WLAN-Main	to Left	212.75	J	WLAN-Main	to Bottom	14.7	N	WLAN-Main	to panel bottom	5.0	K	WLAN-Main	Aux Antenna Length	45	L	NB	Bumper thickness	2.5
Minimum Separation Distance																																																																	
Item	Antenna	Position	Distance (mm)																																																														
A	WLAN-Aux	to Top	204.88																																																														
B	WLAN-Aux	to Right	221.71																																																														
C	WLAN-Aux	to Left	68.59																																																														
D	WLAN-Aux	to Bottom	14.7																																																														
M	WLAN-Aux	to panel bottom	5.0																																																														
E	WLAN-Aux	Aux Antenna Length	30																																																														
F	Main-Aux	Main to Aux	114.16																																																														
G	WLAN-Main	to Top	204.88																																																														
H	WLAN-Main	to Right	62.55																																																														
I	WLAN-Main	to Left	212.75																																																														
J	WLAN-Main	to Bottom	14.7																																																														
N	WLAN-Main	to panel bottom	5.0																																																														
K	WLAN-Main	Aux Antenna Length	45																																																														
L	NB	Bumper thickness	2.5																																																														
	<table><tr><th colspan="4">Minimum Separation Distance</th></tr><tr><th>Item</th><th>Antenna</th><th>Position</th><th>Distance (mm)</th></tr><tr><td>P</td><td>WLAN-Aux</td><td>to Front</td><td>1.5</td></tr><tr><td>Q</td><td>WLAN-Aux</td><td>to Rear</td><td>13.8</td></tr><tr><td>R</td><td>WLAN-Main</td><td>to Front</td><td>1.5</td></tr><tr><td>S</td><td>WLAN-Main</td><td>to Rear</td><td>13.8</td></tr></table>	Minimum Separation Distance				Item	Antenna	Position	Distance (mm)	P	WLAN-Aux	to Front	1.5	Q	WLAN-Aux	to Rear	13.8	R	WLAN-Main	to Front	1.5	S	WLAN-Main	to Rear	13.8																																								
Minimum Separation Distance																																																																	
Item	Antenna	Position	Distance (mm)																																																														
P	WLAN-Aux	to Front	1.5																																																														
Q	WLAN-Aux	to Rear	13.8																																																														
R	WLAN-Main	to Front	1.5																																																														
S	WLAN-Main	to Rear	13.8																																																														

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch – 180206-04



End of the report

This page is intentionally left blank and marks the last page of the test report.