



Annex F. Photographs

F.1 Test Sample





Sample Front	Sample Back
	
Screen	Keyboard
	
Laptop Mode	
	

F.2 Test positions

Top Edge	Back Face
	

F.3 **Antenna host platform location and adjacent edge positions relative to the body**

All information (diagrams, values and dimensions) in this section are provided by the manufacturer

Antenna Host Platform location	Antenna Host Platform location - 2																				
	 <table><tr><td>Dimension:</td><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td></tr><tr><td>(mm)</td><td>2.6</td><td>56.8</td><td>225.8</td><td>221.4</td><td>154</td><td>2.6</td><td>56.8</td><td>221.4</td><td>255.8</td></tr></table>	Dimension:	1	2	3	4	5	6	7	8	9	(mm)	2.6	56.8	225.8	221.4	154	2.6	56.8	221.4	255.8
Dimension:	1	2	3	4	5	6	7	8	9												
(mm)	2.6	56.8	225.8	221.4	154	2.6	56.8	221.4	255.8												
Notebook Mode	Tablet Mode																				
 Without rubber foot: 221.97 mm With rubber foot: 222.47mm																					

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch - 160630-01



End of the report

This page is intentionally left blank and marks the last page of the test report.