



Annex F. Photographs

F.1 Test Sample




Sample S01 Front 	Sample S01 Back 
Sample S01 Laptop Mode 	Sample S02 Laptop Mode 
Sample S02 Front 	Sample S02 Back 

F.2 Test positions

Laptop	Laptop – Side view
	


F.3 Antenna host platform location and adjacent edge positions relative to the body

Information provided by the customer

Antenna Host Platform location #1	Antenna Host Platform location #2																																																																				
																																																																					
Antenna dimensional information for SAR evaluation	Antenna dimensional information for SAR evaluation																																																																				
<table><tr><th colspan="4">Minimum Separation Distance</th></tr><tr><th>Item</th><th>Antenna</th><th>Position</th><th>Distance (mm)</th></tr><tr><td>A</td><td>WLAN-Aux</td><td>to Top</td><td>237.45</td></tr><tr><td>B</td><td>WLAN-Aux</td><td>to Right</td><td>343.62</td></tr><tr><td>C</td><td>WLAN-Aux</td><td>to Left</td><td>5.08</td></tr><tr><td>D</td><td>WLAN-Aux</td><td>to Bottom</td><td>11.03</td></tr><tr><td>E</td><td>WLAN-Aux</td><td>Main Antenna Length</td><td>30</td></tr><tr><td>F</td><td>Main-Aux</td><td>Main to Aux</td><td>331.04</td></tr><tr><td>G</td><td>WLAN-Main</td><td>to Top</td><td>237.45</td></tr><tr><td>H</td><td>WLAN-Main</td><td>to Right</td><td>5.08</td></tr><tr><td>I</td><td>WLAN-Main</td><td>to Left</td><td>343.62</td></tr><tr><td>J</td><td>WLAN-Main</td><td>to Bottom</td><td>11.03</td></tr><tr><td>K</td><td>WLAN-Main</td><td>Aux Antenna Length</td><td>30</td></tr><tr><td>L</td><td>NB</td><td>Bumper thickness</td><td>2.59</td></tr><tr><td>X</td><td>WLAN-Aux</td><td>to User</td><td>13.27</td></tr><tr><td>Y</td><td>WLAN-Main</td><td>to User</td><td>13.27</td></tr><tr><td>Z</td><td>NB</td><td>Keyboard depth</td><td>219</td></tr></table>	Minimum Separation Distance				Item	Antenna	Position	Distance (mm)	A	WLAN-Aux	to Top	237.45	B	WLAN-Aux	to Right	343.62	C	WLAN-Aux	to Left	5.08	D	WLAN-Aux	to Bottom	11.03	E	WLAN-Aux	Main Antenna Length	30	F	Main-Aux	Main to Aux	331.04	G	WLAN-Main	to Top	237.45	H	WLAN-Main	to Right	5.08	I	WLAN-Main	to Left	343.62	J	WLAN-Main	to Bottom	11.03	K	WLAN-Main	Aux Antenna Length	30	L	NB	Bumper thickness	2.59	X	WLAN-Aux	to User	13.27	Y	WLAN-Main	to User	13.27	Z	NB	Keyboard depth	219	
Minimum Separation Distance																																																																					
Item	Antenna	Position	Distance (mm)																																																																		
A	WLAN-Aux	to Top	237.45																																																																		
B	WLAN-Aux	to Right	343.62																																																																		
C	WLAN-Aux	to Left	5.08																																																																		
D	WLAN-Aux	to Bottom	11.03																																																																		
E	WLAN-Aux	Main Antenna Length	30																																																																		
F	Main-Aux	Main to Aux	331.04																																																																		
G	WLAN-Main	to Top	237.45																																																																		
H	WLAN-Main	to Right	5.08																																																																		
I	WLAN-Main	to Left	343.62																																																																		
J	WLAN-Main	to Bottom	11.03																																																																		
K	WLAN-Main	Aux Antenna Length	30																																																																		
L	NB	Bumper thickness	2.59																																																																		
X	WLAN-Aux	to User	13.27																																																																		
Y	WLAN-Main	to User	13.27																																																																		
Z	NB	Keyboard depth	219																																																																		

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -160630-01



End of the report

This page is intentionally left blank and marks the last page of the test report.