

Annex F. Photographs

F.1 Test Sample



F.2 Test position


Back Face



Bottom Edge






Laptop



F.3 Antenna host platform location and adjacent edge positions relative to the body


All information (diagrams, values and dimensions) in this section is provided by the manufacturer

Antenna Host Platform location #1
Tablet Mode <i>Front View</i>  The diagram shows the front view of the device in tablet mode. A large rectangle represents the screen. Below the screen, there are two antenna locations. The left antenna is labeled 'Main Antenna' and the right one is labeled 'Aux Antenna'. Both antennas are 0.7mm thick. The distance from the left edge of the screen to the center of the main antenna is 49.7mm. The distance between the centers of the main and auxiliary antennas is 203mm. The distance from the center of the auxiliary antenna to the right edge of the screen is 49.7mm.
Antenna Host Platform location #2 – Tablet Mode
Tablet Mode <i>Side View</i>  The diagram shows the side view of the device in tablet mode. It illustrates the screen, keyboard, and the antenna's position relative to the hinge. The screen is at the top, followed by the keyboard. The antenna is located near the hinge. The distance from the top edge of the screen to the top edge of the antenna is 0.7mm. The distance from the bottom edge of the keyboard to the bottom edge of the antenna is 4.3mm. The hinge is shown on the right side of the device.



F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBL600-6000V6 Batch – 160630-1



End of the report

This page is intentionally left blank and marks the last page of the test report.