



Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 13 SISO B: Transmit (802.11ax-20BW 8.6Mbps) (2462MHz)

Peak



Date: 18.FEB.2022 08:27:09


Average



Date: 18.FEB.2022 08:28:32


Product : Intel® Wi-Fi 6 AX201
 Test Item : Band Edge Data
 Test Mode : Mode 13 SISO B: Transmit (802.11ax-20BW 8.6Mbps) (2467MHz)

Peak



Date: 18.FEB.2022 08:29:29


Average



Date: 18.FEB.2022 08:30:52


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 13 SISO B: Transmit (802.11ax-20BW 8.6Mbps) (2472MHz)

Peak



Date: 18.FEB.2022 08:32:08


Average




Date: 18.FEB.2022 08:33:31

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 14 SISO B: Transmit (802.11ax-40BW 17.2Mbps) (2422MHz)

Peak




Average




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 14 SISO B: Transmit (802.11ax-40BW 17.2Mbps) (2452MHz)

Peak



Date: 18.FEB.2022 08:37:07


Average



Date: 18.FEB.2022 08:38:30


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 14 SISO B: Transmit (802.11ax-40BW 17.2Mbps) (2457MHz)

Peak



Date: 18.FEB.2022 08:39:36


Average



Date: 18.FEB.2022 08:40:59


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 14 SISO B: Transmit (802.11ax-40BW 17.2Mbps) (2462MHz)

Peak



Date: 18.FEB.2022 08:42:57


Average




Date: 18.FEB.2022 08:44:20

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 15 SISO B: Transmit (802.11ax-20BW Partial RU) (2412MHz)

Peak (Partial RU: 26/0)




Average (Partial RU: 26/0)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 15 SISO B: Transmit (802.11ax-20BW Partial RU) (2412MHz)

Peak (Partial RU: 52/37)




Average (Partial RU: 52/37)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 15 SISO B: Transmit (802.11ax-20BW Partial RU) (2412MHz)

Peak (Partial RU: 106/53)




Average (Partial RU: 106/53)




Product : Intel® Wi-Fi 6 AX201
 Test Item : Band Edge Data
 Test Mode : Mode 15 SISO B: Transmit (802.11ax-20BW Partial RU) (2472MHz)

Peak (Partial RU: 26/8)




Date: 19.FEB.2022 05:31:21

Average (Partial RU: 26/8)




Date: 19.FEB.2022 05:32:17

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 15 SISO B: Transmit (802.11ax-20BW Partial RU) (2472MHz)


Peak (Partial RU: 52/40)

Date: 19.FEB.2022 05:36:33


Average (Partial RU: 52/40)

Date: 19.FEB.2022 05:37:51

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 15 SISO B: Transmit (802.11ax-20BW Partial RU) (2472MHz)

Peak (Partial RU: 106/54)


Date: 19.FEB.2022 05:42:23

Average (Partial RU: 106/54)


Date: 19.FEB.2022 05:42:32

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 16 SISO B: Transmit (802.11ax-40BW Partial RU) (2422MHz)


Peak (Partial RU: 242/61)




Average (Partial RU: 242/61)



Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 16 SISO B: Transmit (802.11ax-40BW Partial RU) (2462MHz)

Peak (Partial RU: 242/62)


Date: 18.FEB.2022 09:57:59

Average (Partial RU: 242/62)


Date: 18.FEB.2022 09:59:22

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 17 MIMO: Transmit (802.11n-20BW 14.4Mbps) (2412MHz)

Peak (Chain A)




Average (Chain A)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 17 MIMO: Transmit (802.11n-20BW 14.4Mbps) (2412MHz)

Peak (Chain B)




Average (Chain B)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 17 MIMO: Transmit (802.11n-20BW 14.4Mbps) (2462MHz)

Peak (Chain A)



Date: 21.FEB.2022 11:24:34


Average (Chain A)



Date: 21.FEB.2022 11:25:57


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 17 MIMO: Transmit (802.11n-20BW 14.4Mbps) (2462MHz)

Peak (Chain B)



Date: 21.FEB.2022 11:17:24


Average (Chain B)



Date: 21.FEB.2022 11:18:47


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 17 MIMO: Transmit (802.11n-20BW 14.4Mbps) (2467MHz)

Peak (Chain A)



Date: 21.FEB.2022 11:38:25


Average (Chain A)



Date: 21.FEB.2022 11:39:48


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 17 MIMO: Transmit (802.11n-20BW 14.4Mbps) (2467MHz)

Peak (Chain B)



Date: 21.FEB.2022 11:43:34


Average (Chain B)



Date: 21.FEB.2022 11:44:57


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 17 MIMO: Transmit (802.11n-20BW 14.4Mbps) (2472MHz)

Peak (Chain A)



Date: 21.FEB.2022 13:21:30


Average (Chain A)



Date: 21.FEB.2022 13:22:54


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 17 MIMO: Transmit (802.11n-20BW 14.4Mbps) (2472MHz)

Peak (Chain B)



Date: 21.FEB.2022 13:08:22


Average (Chain B)



Date: 21.FEB.2022 13:09:45

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 18 MIMO: Transmit (802.11n-40BW 30Mbps) (2422MHz)

Peak (Chain A)




Average (Chain A)



Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 18 MIMO: Transmit (802.11n-40BW 30Mbps) (2422MHz)

Peak (Chain B)




Average (Chain B)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 18 MIMO: Transmit (802.11n-40BW 30Mbps) (2452MHz)

Peak (Chain A)



Date: 21.FEB.2022 13:40:18


Average (Chain A)



Date: 21.FEB.2022 13:41:41


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 18 MIMO: Transmit (802.11n-40BW 30Mbps) (2452MHz)

Peak (Chain B)



Date: 21.FEB.2022 13:35:57


Average (Chain B)



Date: 21.FEB.2022 13:37:20


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 18 MIMO: Transmit (802.11n-40BW 30Mbps) (2457MHz)

Peak (Chain A)



Date: 21.FEB.2022 13:44:43


Average (Chain A)



Date: 21.FEB.2022 13:46:07


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 18 MIMO: Transmit (802.11n-40BW 30Mbps) (2457MHz)

Peak (Chain B)



Date: 21.FEB.2022 13:49:06


Average (Chain B)



Date: 21.FEB.2022 13:50:29


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 18 MIMO: Transmit (802.11n-40BW 30Mbps) (2462MHz)

Peak (Chain A)



Date: 21.FEB.2022 13:57:05


Average (Chain A)



Date: 21.FEB.2022 13:58:29


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 18 MIMO: Transmit (802.11n-40BW 30Mbps) (2462MHz)

Peak (Chain B)



Date: 21.FEB.2022 13:53:48


Average (Chain B)




Date: 21.FEB.2022 13:55:11

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 19 MIMO: Transmit (802.11ax-20BW 17.2Mbps) (2412MHz)

Peak (Chain A)




Average (Chain A)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 19 MIMO: Transmit (802.11ax-20BW 17.2Mbps) (2412MHz)

Peak (Chain B)




Average (Chain B)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 19 MIMO: Transmit (802.11ax-20BW 17.2Mbps) (2462MHz)

Peak (Chain A)



Date: 21.FEB.2022 14:17:06


Average (Chain A)



Date: 21.FEB.2022 14:18:29


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 19 MIMO: Transmit (802.11ax-20BW 17.2Mbps) (2462MHz)

Peak (Chain B)



Date: 21.FEB.2022 14:14:02


Average (Chain B)



Date: 21.FEB.2022 14:12:39


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 19 MIMO: Transmit (802.11ax-20BW 17.2Mbps) (2467MHz)

Peak (Chain A)



Date: 21.FEB.2022 14:22:26


Average (Chain A)



Date: 21.FEB.2022 14:23:49


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 19 MIMO: Transmit (802.11ax-20BW 17.2Mbps) (2467MHz)

Peak (Chain B)



Date: 21.FEB.2022 14:27:34


Average (Chain B)



Date: 21.FEB.2022 14:28:57


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 19 MIMO: Transmit (802.11ax-20BW 17.2Mbps) (2472MHz)

Peak (Chain A)



Date: 21.FEB.2022 14:35:04


Average (Chain A)



Date: 21.FEB.2022 14:36:27


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 19 MIMO: Transmit (802.11ax-20BW 17.2Mbps) (2472MHz)

Peak (Chain B)



Date: 21.FEB.2022 14:32:46


Average (Chain B)



Date: 21.FEB.2022 14:34:09

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 20 MIMO: Transmit (802.11ax-40BW 34.4Mbps) (2422MHz)

Peak (Chain A)




Average (Chain A)



Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 20 MIMO: Transmit (802.11ax-40BW 34.4Mbps) (2422MHz)

Peak (Chain B)




Average (Chain B)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 20 MIMO: Transmit (802.11ax-40BW 34.4Mbps) (2452MHz)

Peak (Chain A)



Date: 21.FEB.2022 14:57:01


Average (Chain A)



Date: 21.FEB.2022 14:58:24


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 20 MIMO: Transmit (802.11ax-40BW 34.4Mbps) (2452MHz)

Peak (Chain B)



Date: 21.FEB.2022 14:54:06


Average (Chain B)



Date: 21.FEB.2022 14:55:29


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 20 MIMO: Transmit (802.11ax-40BW 34.4Mbps) (2457MHz)

Peak (Chain A)



Date: 21.FEB.2022 15:01:09


Average (Chain A)



Date: 21.FEB.2022 15:02:32


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 20 MIMO: Transmit (802.11ax-40BW 34.4Mbps) (2457MHz)

Peak (Chain B)



Date: 21.FEB.2022 15:04:12


Average (Chain B)



Date: 21.FEB.2022 15:05:35


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 20 MIMO: Transmit (802.11ax-40BW 34.4Mbps) (2462MHz)

Peak (Chain A)



Date: 21.FEB.2022 15:19:54


Average (Chain A)



Date: 21.FEB.2022 15:21:18


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 20 MIMO: Transmit (802.11ax-40BW 34.4Mbps) (2462MHz)

Peak (Chain B)



Date: 21.FEB.2022 15:16:55


Average (Chain B)




Date: 21.FEB.2022 15:18:18

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 21 MIMO: Transmit (802.11ax-20BW Partial RU) (2412MHz)

Peak (Partial RU: 26/0) (Chain A)




Average (Partial RU: 26/0) (Chain A)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 21 MIMO: Transmit (802.11ax-20BW Partial RU) (2412MHz)

Peak (Partial RU: 26/0) (Chain B)




Average (Partial RU: 26/0) (Chain B)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 21 MIMO: Transmit (802.11ax-20BW Partial RU) (2412MHz)

Peak (Partial RU: 52/37) (Chain A)




Average (Partial RU: 52/37) (Chain A)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 21 MIMO: Transmit (802.11ax-20BW Partial RU) (2412MHz)

Peak (Partial RU: 52/37) (Chain B)




Average (Partial RU: 52/37) (Chain B)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 21 MIMO: Transmit (802.11ax-20BW Partial RU) (2412MHz)

Peak (Partial RU: 106/53) (Chain A)




Average (Partial RU: 106/53) (Chain A)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 21 MIMO: Transmit (802.11ax-20BW Partial RU) (2412MHz)


Peak (Partial RU: 106/53) (Chain B)




Average (Partial RU: 106/53) (Chain B)



Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 21 MIMO: Transmit (802.11ax-20BW Partial RU) (2472MHz)

Peak (Partial RU: 26/8) (Chain A)


Date: 21.FEB.2022 16:11:15

Average (Partial RU: 26/8) (Chain A)

Date: 21.FEB.2022 16:11:28


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 21 MIMO: Transmit (802.11ax-20BW Partial RU) (2472MHz)

Peak (Partial RU: 26/8) (Chain B)



Date: 21.FEB.2022 16:08:10


Average (Partial RU: 26/8) (Chain B)



Date: 21.FEB.2022 16:08:24


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 21 MIMO: Transmit (802.11ax-20BW Partial RU) (2472MHz)

Peak (Partial RU: 52/40) (Chain A)




Date: 21.FEB.2022 16:37:22

Average (Partial RU: 52/40) (Chain A)




Date: 21.FEB.2022 16:37:36

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 21 MIMO: Transmit (802.11ax-20BW Partial RU) (2472MHz)

Peak (Partial RU: 52/40) (Chain B)


Date: 21.FEB.2022 16:38:30

Average (Partial RU: 52/40) (Chain B)

Date: 21.FEB.2022 16:38:43


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 21 MIMO: Transmit (802.11ax-20BW Partial RU) (2472MHz)

Peak (Partial RU: 106/54) (Chain A)



Date: 21.FEB.2022 16:41:56


Average (Partial RU: 106/54) (Chain A)



Date: 21.FEB.2022 16:42:02


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 21 MIMO: Transmit (802.11ax-20BW Partial RU) (2472MHz)

Peak (Partial RU: 106/54) (Chain B)



Date: 21.FEB.2022 16:41:06


Average (Partial RU: 106/54) (Chain B)



Date: 21.FEB.2022 16:41:13

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 22 MIMO: Transmit (802.11ax-40BW Partial RU) (2422MHz)

Peak (Partial RU: 242/61) (Chain A)




Average (Partial RU: 242/61) (Chain A)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 22 MIMO: Transmit (802.11ax-40BW Partial RU) (2422MHz)

Peak (Partial RU: 242/61) (Chain B)




Average (Partial RU: 242/61) (Chain B)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 22 MIMO: Transmit (802.11ax-40BW Partial RU) (2462MHz)

Peak (Partial RU: 242/62) (Chain A)



Date: 21.FEB.2022 16:58:43


Average (Partial RU: 242/62) (Chain A)



Date: 21.FEB.2022 16:58:50


Product : Intel® Wi-Fi 6 AX201
 Test Item : Band Edge Data
 Test Mode : Mode 22 MIMO: Transmit (802.11ax-40BW Partial RU) (2462MHz)

Peak (Partial RU: 242/62) (Chain B)



Date: 21.FEB.2022 16:57:03


Average (Partial RU: 242/62) (Chain B)



Date: 21.FEB.2022 16:57:10

5. Duty Cycle

5.1. Test Setup



5.2. Test Procedure

The EUT was setup according to ANSI C63.10 2013; tested according to ANSI C63.10 2013 for compliance to FCC 47CFR 15.247 requirements.

5.3. Test Result of Duty Cycle

Product : Intel® Wi-Fi 6 AX201
 Test Item : Duty Cycle
 Test Mode : Transmit

Duty Cycle Formula:

Duty Cycle = Ton / (Ton + Toff)

Duty Factor = 10 Log (1/Duty Cycle)

Results:

SISO A

Mode	Time On (ms)	Time On + Time Off (ms)	Duty Cycle (%)	Duty Factor (dB)
b 2412	8.3400	8.4000	99.29	0.03
b 2462	8.3400	8.4000	99.29	0.03
b 2467	2.0800	2.1400	97.20	0.12
b 2472	8.3400	8.4000	99.29	0.03
g 2412	2.0800	2.1400	97.20	0.12
g 2462	2.0800	2.1400	97.20	0.12
g 2467	2.0800	2.1400	97.20	0.12
g 2472	2.0800	2.1400	97.20	0.12
n20 2412	3.9400	4.0200	98.01	0.09
n20 2462	3.9600	4.0200	98.51	0.07
n20 2467	3.9600	4.0400	98.02	0.09
n20 2472	3.9600	4.0200	98.51	0.07
n40 2422	3.9600	4.0200	98.51	0.07
n40 2452	3.9600	4.0200	98.51	0.07
n40 2457	3.9600	4.0200	98.51	0.07
n40 2462	3.9600	4.0200	98.51	0.07
ax20 2412	3.9400	4.0000	98.50	0.07
ax20 2462	3.9400	4.0000	98.50	0.07
ax20 2467	3.9400	4.0200	98.01	0.09
ax20 2472	3.9400	4.0000	98.50	0.07
ax40 2422	3.9400	4.0000	98.50	0.07
ax40 2452	3.9400	4.0200	98.01	0.09
ax40 2457	3.9400	4.0000	98.50	0.07
ax40 2462	3.9400	4.0200	98.01	0.09
ax20 2412-26/0-RU	2.5800	2.6400	97.73	0.10
ax20 2412-52/37-RU	2.5600	2.6200	97.71	0.10
ax20 2412-106/53-RU	2.5600	2.6400	96.97	0.13
ax20 2472-26/8-RU	2.6000	2.6400	98.48	0.07
ax20 2472-52/40-RU	2.5600	2.6200	97.71	0.10
ax20 2472-106/54-RU	2.5600	2.6200	97.71	0.10
ax40 2422-242/61-RU	2.5600	2.6400	96.97	0.13
ax40 2462-242/62-RU	2.5800	2.6400	97.73	0.10


SISO B

Mode	Time On (ms)	Time On + Time Off (ms)	Duty Cycle (%)	Duty Factor (dB)
b 2412	8.3400	8.4000	99.29	0.03
b 2462	8.3400	8.4000	99.29	0.03
b 2467	8.3400	8.4000	99.29	0.03
b 2472	8.3400	8.4000	99.29	0.03
g 2412	2.0800	2.1400	97.20	0.12
g 2462	2.0600	2.1400	96.26	0.17
g 2467	2.0600	2.1200	97.17	0.12
g 2472	2.0800	2.1400	97.20	0.12
n20 2412	3.9600	4.0200	98.51	0.07
n20 2462	3.9600	4.0400	98.02	0.09
n20 2467	3.9600	4.0200	98.51	0.07
n20 2472	3.9600	4.0200	98.51	0.07
n40 2422	3.9600	4.0200	98.51	0.07
n40 2452	3.9600	4.0400	98.02	0.09
n40 2457	3.9400	4.0200	98.01	0.09
n40 2462	3.9600	4.0200	98.51	0.07
ax20 2412	3.9400	4.0200	98.01	0.09
ax20 2462	3.9400	4.0000	98.50	0.07
ax20 2467	3.9400	4.0000	98.50	0.07
ax20 2472	3.9400	4.0000	98.50	0.07
ax40 2422	3.9400	4.0000	98.50	0.07
ax40 2452	3.9400	4.0000	98.50	0.07
ax40 2457	3.9400	4.0000	98.50	0.07
ax40 2462	3.9400	4.0200	98.01	0.09
ax20 2412-26/0-RU	5.4600	5.7400	95.12	0.22
ax20 2412-52/37-RU	5.4600	5.7400	95.12	0.22
ax20 2412-106/53-RU	5.4600	5.7400	95.12	0.22
ax20 2472-26/8-RU	5.4600	5.7400	95.12	0.22
ax20 2472-52/40-RU	5.4600	5.7400	95.12	0.22
ax20 2472-106/54-RU	5.4600	5.7400	95.12	0.22
ax40 2422-242/61-RU	5.4600	5.5600	98.20	0.08
ax40 2462-242/62-RU	5.4600	5.5600	98.20	0.08

MIMO


Mode	Time On (ms)	Time On + Time Off (ms)	Duty Cycle (%)	Duty Factor (dB)
n20 2412	3.9600	4.0200	98.51	0.07
n20 2462	3.9600	4.0400	98.02	0.09
n20 2467	3.9600	4.0200	98.51	0.07
n20 2472	3.9800	4.0400	98.51	0.06
n40 2422	3.9600	4.0200	98.51	0.07
n40 2452	3.9600	4.0200	98.51	0.07
n40 2457	3.9600	4.0200	98.51	0.07
n40 2462	3.9600	4.0400	98.02	0.09
ax20 2412	3.9400	4.0200	98.01	0.09
ax20 2462	3.9400	4.0000	98.50	0.07
ax20 2467	3.9400	4.0000	98.50	0.07
ax20 2472	3.9400	4.0200	98.01	0.09
ax40 2422	3.9600	4.0200	98.51	0.07
ax40 2452	3.9400	4.0000	98.50	0.07
ax40 2457	3.9400	4.0000	98.50	0.07
ax40 2462	3.9400	4.0200	98.01	0.09
ax20 2412-26/0-RU	2.5600	2.6400	96.97	0.13
ax20 2412-52/37-RU	2.5800	2.6400	97.73	0.10
ax20 2412-106/53-RU	2.5800	2.6400	97.73	0.10
ax20 2472-26/8-RU	2.6000	2.6400	98.48	0.07
ax20 2472-52/40-RU	2.5600	2.6200	97.71	0.10
ax20 2472-106/54-RU	2.5800	2.6400	97.73	0.10
ax40 2422-242/61-RU	2.5800	2.6400	97.73	0.10
ax40 2462-242/62-RU	2.5800	2.6400	97.73	0.10

802.11b-2412MHz (SISO A)




Date: 18.FEB.2022 14:45:38

802.11g-2412MHz (SISO A)




Date: 18.FEB.2022 15:08:28

802.11n20-2412MHz (SISO A)




Date: 18.FEB.2022 15:13:43

802.11n40-2422MHz (SISO A)




Date: 18.FEB.2022 15:23:10

802.11ax20-2412MHz (SISO A)




Date: 18.FEB.2022 15:37:34

802.11ax40-2422MHz (SISO A)




Date: 18.FEB.2022 15:46:07

802.11ax20-2412MHz (Partial RU: 26/0) (SISO A)




Date: 18.FEB.2022 16:13:16

802.11ax40-2422MHz (Partial RU: 242/61) (SISO A)




Date: 18.FEB.2022 16:39:47

802.11b-2412MHz (SISO B)




Date: 18.FEB.2022 07:24:00

802.11g-2412MHz (SISO B)




Date: 18.FEB.2022 07:46:21

802.11n20-2412MHz (SISO B)




Date: 18.FEB.2022 07:54:59

802.11n40-2422MHz (SISO B)




Date: 18.FEB.2022 08:10:36

802.11ax20-2412MHz (Partial RU: 52/37) (SISO B)




Date: 19.FEB.2022 05:28:43

802.11ax40-2422MHz (Partial RU: 242/61) (SISO B)




Date: 18.FEB.2022 09:53:57

802.11n20-2412MHz (MIMO)




Date: 21.FEB.2022 11:05:48

802.11n20-2462MHz (MIMO)




Date: 21.FEB.2022 11:24:09

802.11n20-2467MHz (MIMO)




Date: 21.FEB.2022 11:38:07

802.11n20-2472MHz (MIMO)




Date: 21.FEB.2022 13:20:59

802.11n40-2422MHz (MIMO)




Date: 21.FEB.2022 13:25:05

802.11n40-2452MHz (MIMO)




Date: 21.FEB.2022 13:39:03

802.11n40-2457MHz (MIMO)




Date: 21.FEB.2022 13:46:44

802.11n40-2462MHz (MIMO)




Date: 21.FEB.2022 13:56:38

802.11ax20-2412MHz (MIMO)




Date: 21.FEB.2022 14:01:28

802.11ax20-2412MHz (Partial RU: 26/0) (MIMO)




Date: 21.FEB.2022 15:36:59

802.11ax20-2412MHz (Partial RU: 52/37) (MIMO)




Date: 21.FEB.2022 15:45:32

802.11ax20-2412MHz (Partial RU: 106/53) (MIMO)




Date: 21.FEB.2022 15:51:30

802.11ax20-2462MHz (MIMO)




Date: 21.FEB.2022 14:16:12

802.11ax20-2467MHz (MIMO)




Date: 21.FEB.2022 14:21:39

802.11ax20-2472MHz (MIMO)




Date: 21.FEB.2022 14:34:48

802.11ax20-2472MHz (Partial RU: 26/8) (MIMO)




Date: 18.FEB.2022 16:34:12

802.11ax20-2472MHz (Partial RU: 52/40) (MIMO)




Date: 18.FEB.2022 16:32:40

802.11ax20-2472MHz (Partial RU: 106/54) (MIMO)




Date: 21.FEB.2022 16:41:35

802.11ax40-2422MHz (MIMO)




Date: 21.FEB.2022 14:45:50

802.11ax40-2422MHz (Partial RU: 242/61) (MIMO)




Date: 21.FEB.2022 16:47:18

802.11ax40-2452MHz (MIMO)




Date: 21.FEB.2022 14:56:19

802.11ax40-2457MHz (MIMO)




Date: 21.FEB.2022 15:00:22

802.11ax40-2462MHz (MIMO)



Date: 21.FEB.2022 15:19:09

802.11ax40-2462MHz (Partial RU: 242/62) (MIMO)



Date: 21.FEB.2022 16:58:20

6. EMI Reduction Method During Compliance Testing

No modification was made during testing.