



Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 25 SISO B: Transmit (802.11ax-80BW Partial RU) (5210MHz)


Peak (Partial RU: 484/65)

Date: 19.FEB.2022 10:26:23


Average (Partial RU: 484/65)

Date: 19.FEB.2022 10:27:46

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 25 SISO B: Transmit (802.11ax-80BW Partial RU) (5290MHz)

Peak (Partial RU: 484/66)


Date: 19.FEB.2022 10:31:27

Average (Partial RU: 484/66)

Date: 19.FEB.2022 10:31:33

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 25 SISO B: Transmit (802.11ax-80BW Partial RU) (5530MHz)


Peak (Partial RU: 484/65)



Average (Partial RU: 484/65)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 25 SISO B: Transmit (802.11ax-80BW Partial RU) (5775MHz)


Peak (Partial RU: 484/65)

Date: 19.FEB.2022 10:38:40

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 26 SISO B: Transmit (802.11ax-160BW Partial RU) (5250MHz)


Peak (Partial RU: 996/67)

Date: 19.FEB.2022 10:41:35


Average (Partial RU: 996/67)

Date: 19.FEB.2022 10:41:45

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 26 SISO B: Transmit (802.11ax-160BW Partial RU) (5250MHz)

Peak (Partial RU: 996/S67)


Date: 19.FEB.2022 10:50:39

Average (Partial RU: 996/S67)


Date: 19.FEB.2022 10:50:49

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 26 SISO B: Transmit (802.11ax-160BW Partial RU) (5570MHz)

Peak (Partial RU: 996/67)




Average (Partial RU: 996/67)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 26 SISO B: Transmit (802.11ax-160BW Partial RU) (5570MHz)


Peak (Partial RU: 996/S67)




Average (Partial RU: 996/S67)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 27 MIMO: Transmit (802.11n-20BW 14.4Mbps) (5180MHz)

Peak (Chain A)


Date: 21.09.2022 04:10:25

Peak (Chain B)

Date: 21.09.2022 04:11:17


Average (Chain A)

Date: 21.09.2022 04:11:19


Average (Chain B)

Date: 21.09.2022 04:11:59


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 27 MIMO: Transmit (802.11n-20BW 14.4Mbps) (5320MHz)

Peak (Chain A)


Date: 21.10.2022 14:19:13

Peak (Chain B)

Date: 21.10.2022 14:19:12

Average (Chain A)


Date: 21.10.2022 14:19:41

Average (Chain B)

Date: 21.10.2022 14:19:41

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 27 MIMO: Transmit (802.11n-20BW 14.4Mbps) (5500MHz)

Peak (Chain A)




Average (Chain A)



Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 27 MIMO: Transmit (802.11n-20BW 14.4Mbps) (5500MHz)

Peak (Chain B)




Average (Chain B)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 27 MIMO: Transmit (802.11n-20BW 14.4Mbps) (5700MHz)

Peak (Chain A)




Date: 21.FEB.2022 04:28:49

Peak (Chain B)




Date: 21.FEB.2022 04:28:03

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 27 MIMO: Transmit (802.11n-20BW 14.4Mbps) (5745MHz)

Peak (Chain A)


Date: 21.FEB.2022 04:29:53

Peak (Chain B)

Date: 21.FEB.2022 04:30:41


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 27 MIMO: Transmit (802.11n-20BW 14.4Mbps) (5825MHz)

Peak (Chain A)




Date: 21.FEB.2022 04:32:11

Peak (Chain B)




Date: 21.FEB.2022 04:31:31


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 28 MIMO: Transmit (802.11n-40BW 30Mbps) (5190MHz)

Peak (Chain A)


Date: 21.09.2022 04:52:57

Peak (Chain B)

Date: 21.09.2022 04:53:18


Average (Chain A)

Date: 21.09.2022 04:55:00


Average (Chain B)

Date: 21.09.2022 04:55:53


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 28 MIMO: Transmit (802.11n-40BW 30Mbps) (5310MHz)

Peak (Chain A)


Date: 21.10.2022 14:51:21

Peak (Chain B)

Date: 21.10.2022 14:50:59

Average (Chain A)


Date: 21.10.2022 14:51:07

Average (Chain B)

Date: 21.10.2022 14:50:51

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 28 MIMO: Transmit (802.11n-40BW 30Mbps) (5510MHz)

Peak (Chain A)




Average (Chain A)



Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 28 MIMO: Transmit (802.11n-40BW 30Mbps) (5510MHz)


Peak (Chain B)




Average (Chain B)



Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 28 MIMO: Transmit (802.11n-40BW 30Mbps) (5670MHz)

Peak (Chain A)


Date: 21.FEB.2022 04:57:21

Peak (Chain B)

Date: 21.FEB.2022 04:56:06


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 28 MIMO: Transmit (802.11n-40BW 30Mbps) (5755MHz)

Peak (Chain A)




Date: 21.FEB.2022 06:08:36

Peak (Chain B)




Date: 21.FEB.2022 06:09:36

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 28 MIMO: Transmit (802.11n-40BW 30Mbps) (5795MHz)





Peak (Chain A)

Date: 21.FEB.2022 06:11:19


Peak (Chain B)

Date: 21.FEB.2022 06:10:37


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 29 MIMO: Transmit (802.11ac-80BW 65Mbps) (5210MHz)

Peak (Chain A)**Peak (Chain B)****Average (Chain A)****Average (Chain B)**


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 29 MIMO: Transmit (802.11ac-80BW 65Mbps) (5290MHz)

Peak (Chain A)


Date: 21.10.2022 06:10:54

Peak (Chain B)

Date: 21.10.2022 06:10:57

Average (Chain A)


Date: 21.10.2022 06:10:17

Average (Chain B)

Date: 21.10.2022 06:10:10

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 29 MIMO: Transmit (802.11ac-80BW 65Mbps) (5530MHz)

Peak (Chain A)




Average (Chain A)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 29 MIMO: Transmit (802.11ac-80BW 65Mbps) (5530MHz)


Peak (Chain B)




Average (Chain B)



Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 29 MIMO: Transmit (802.11ac-80BW 65Mbps) (5775MHz)



Peak (Chain A)

Date: 21.FEB.2022 07:09:54

Peak (Chain B)


Date: 21.FEB.2022 07:08:41

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 30 MIMO: Transmit (802.11ac-160BW 130Mbps) (5250MHz)


Peak (Chain A)**Peak (Chain B)****Average (Chain A)****Average (Chain B)**

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 30 MIMO: Transmit (802.11ac-160BW 130Mbps) (5570MHz)

Peak (Chain A)




Average (Chain A)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 30 MIMO: Transmit (802.11ac-160BW 130Mbps) (5570MHz)


Peak (Chain B)




Average (Chain B)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 31 MIMO: Transmit (802.11ax-20BW 17.2Mbps) (5180MHz)

Peak (Chain A)


Date: 21.10.2022 07:19:13

Peak (Chain B)

Date: 21.10.2022 07:19:13


Average (Chain A)

Date: 21.10.2022 07:19:13


Average (Chain B)

Date: 21.10.2022 07:19:05


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 31 MIMO: Transmit (802.11ax-20BW 17.2Mbps) (5320MHz)

Peak (Chain A)


Date: 21.10.2022 07:00:50

Peak (Chain B)

Date: 21.10.2022 07:00:50

Average (Chain A)


Date: 21.10.2022 07:00:51

Average (Chain B)

Date: 21.10.2022 07:00:51

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 31 MIMO: Transmit (802.11ax-20BW 17.2Mbps) (5500MHz)

Peak (Chain A)




Average (Chain A)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 31 MIMO: Transmit (802.11ax-20BW 17.2Mbps) (5500MHz)

Peak (Chain B)




Average (Chain B)




Product : Intel® Wi-Fi 6 AX201
 Test Item : Band Edge Data
 Test Mode : Mode 31 MIMO: Transmit (802.11ax-20BW 17.2Mbps) (5700MHz)

Peak (Chain A)




Date: 21.FEB.2022 07:36:36

Peak (Chain B)




Date: 21.FEB.2022 07:35:09

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 31 MIMO: Transmit (802.11ax-20BW 17.2Mbps) (5745MHz)

Peak (Chain A)


Date: 21.FEB.2022 07:37:34

Peak (Chain B)

Date: 21.FEB.2022 07:38:27


Product	:	Intel® Wi-Fi 6 AX201
Test Item	:	Band Edge Data
Test Mode	:	Mode 31 MIMO: Transmit (802.11ax-20BW 17.2Mbps) (5825MHz)

Peak (Chain A)






Date: 21.FEB.2022 07:54:00

Peak (Chain B)




Date: 21.FEB.2022 07:40:37


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 32 MIMO: Transmit (802.11ax-40BW 34.4Mbps) (5190MHz)

Peak (Chain A)**Peak (Chain B)****Average (Chain A)****Average (Chain B)**


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 32 MIMO: Transmit (802.11ax-40BW 34.4Mbps) (5310MHz)

Peak (Chain A)


Date: 21.10.2022 09:05:53

Peak (Chain B)

Date: 21.10.2022 09:02:00

Average (Chain A)


Date: 21.10.2022 09:07:10

Average (Chain B)

Date: 21.10.2022 09:07:52

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 32 MIMO: Transmit (802.11ax-40BW 34.4Mbps) (5510MHz)

Peak (Chain A)




Average (Chain A)



Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 32 MIMO: Transmit (802.11ax-40BW 34.4Mbps) (5510MHz)



Peak (Chain B)




Average (Chain B)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 32 MIMO: Transmit (802.11ax-40BW 34.4Mbps) (5670MHz)

Peak (Chain A)**Peak (Chain B)**

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 32 MIMO: Transmit (802.11ax-40BW 34.4Mbps) (5755MHz)

Peak (Chain A)


Date: 21.FEB.2022 08:26:40

Peak (Chain B)

Date: 21.FEB.2022 08:36:52


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 32 MIMO: Transmit (802.11ax-40BW 34.4Mbps) (5795MHz)

Peak (Chain A)




Date: 21.FEB.2022 08:38:36

Peak (Chain B)




Date: 21.FEB.2022 08:37:49


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 33 MIMO: Transmit (802.11ax-80BW 72.1Mbps) (5210MHz)

Peak (Chain A)


Date: 21.10.2022 08:10:02

Peak (Chain B)

Date: 21.10.2022 08:10:03


Average (Chain A)

Date: 21.10.2022 08:11:25


Average (Chain B)

Date: 21.10.2022 08:10:07


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 33 MIMO: Transmit (802.11ax-80BW 72.1Mbps) (5290MHz)

Peak (Chain A)


Date: 21.10.2022 09:11:10

Peak (Chain B)

Date: 21.10.2022 09:11:10

Average (Chain A)


Date: 21.10.2022 09:10:47

Average (Chain B)

Date: 21.10.2022 09:11:09

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 33 MIMO: Transmit (802.11ax-80BW 72.1Mbps) (5530MHz)

Peak (Chain A)



Average (Chain A)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 33 MIMO: Transmit (802.11ax-80BW 72.1Mbps) (5530MHz)


Peak (Chain B)




Average (Chain B)



Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 33 MIMO: Transmit (802.11ax-80BW 72.1Mbps) (5775MHz)




Peak (Chain A)

Date: 21.FEB.2022 09:29:55

Peak (Chain B)


Date: 21.FEB.2022 09:28:24

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 34 MIMO: Transmit (802.11ax-160BW 144Mbps) (5250MHz)

Peak (Chain A)**Peak (Chain B)****Average (Chain A)****Average (Chain B)**

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 34 MIMO: Transmit (802.11ax-160BW 144Mbps) (5570MHz)

Peak (Chain A)




Average (Chain A)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 34 MIMO: Transmit (802.11ax-160BW 144Mbps) (5570MHz)


Peak (Chain B)




Average (Chain B)



Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5180MHz)


Peak (Partial RU: 26/0) (Chain A)

Date: 21.FEB.2022 10:16:08


Average (Partial RU: 26/0) (Chain A)

Date: 21.FEB.2022 10:16:14

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5180MHz)


Peak (Partial RU: 52/37) (Chain A)

Date: 21.FEB.2022 10:23:44


Average (Partial RU: 52/37) (Chain A)

Date: 21.FEB.2022 10:23:50

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5180MHz)


Peak (Partial RU: 106/53) (Chain A)

Date: 21.FEB.2022 10:29:07


Average (Partial RU: 106/53) (Chain A)

Date: 21.FEB.2022 10:29:13

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5180MHz)


Peak (Partial RU: 26/0) (Chain B)

Date: 21.FEB.2022 10:13:01


Average (Partial RU: 26/0) (Chain B)

Date: 21.FEB.2022 10:13:07

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5180MHz)


Peak (Partial RU: 52/37) (Chain B)

Date: 21.FEB.2022 10:24:50


Average (Partial RU: 52/37) (Chain B)

Date: 21.FEB.2022 10:24:56

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5180MHz)


Peak (Partial RU: 106/53) (Chain B)

Date: 21.FEB.2022 10:27:44


Average (Partial RU: 106/53) (Chain B)

Date: 21.FEB.2022 10:27:50

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5320MHz)


Peak (Partial RU: 26/8) (Chain A)

Date: 21.FEB.2022 10:31:38


Average (Partial RU: 26/8) (Chain A)

Date: 21.FEB.2022 10:31:44

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5320MHz)


Peak (Partial RU: 52/40) (Chain A)

Date: 21.FEB.2022 10:36:01


Average (Partial RU: 52/40) (Chain A)

Date: 21.FEB.2022 10:36:07

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5320MHz)


Peak (Partial RU: 106/54) (Chain A)

Date: 21.FEB.2022 10:47:40


Average (Partial RU: 106/54) (Chain A)

Date: 21.FEB.2022 10:47:46

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5320MHz)


Peak (Partial RU: 26/8) (Chain B)

Date: 21.FEB.2022 10:32:29


Average (Partial RU: 26/8) (Chain B)

Date: 21.FEB.2022 10:32:35

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5320MHz)


Peak (Partial RU: 52/40) (Chain B)

Date: 21.FEB.2022 10:34:40


Average (Partial RU: 52/40) (Chain B)

Date: 21.FEB.2022 10:34:46

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5320MHz)

Peak (Partial RU: 106/54) (Chain B)


Date: 21.FEB.2022 10:46:09

Average (Partial RU: 106/54) (Chain B)


Date: 21.FEB.2022 10:46:15

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5500MHz)

Peak (Partial RU: 26/0) (Chain A)




Average (Partial RU: 26/0) (Chain A)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5500MHz)

Peak (Partial RU: 52/37) (Chain A)



Average (Partial RU: 52/37) (Chain A)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5500MHz)

Peak (Partial RU: 106/53) (Chain A)




Average (Partial RU: 106/53) (Chain A)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5500MHz)

Peak (Partial RU: 26/0) (Chain B)




Average (Partial RU: 26/0) (Chain B)




Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5500MHz)

Peak (Partial RU: 52/37) (Chain B)




Average (Partial RU: 52/37) (Chain B)



Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5500MHz)


Peak (Partial RU: 106/53) (Chain B)




Average (Partial RU: 106/53) (Chain B)



Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5700MHz)


Peak (Partial RU: 26/8) (Chain A)

Date: 21.FEB.2022 11:56:14


Peak (Partial RU: 26/8) (Chain B)

Date: 21.FEB.2022 11:54:36

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5700MHz)


Peak (Partial RU: 52/40) (Chain A)

Date: 21.FEB.2022 11:58:18


Peak (Partial RU: 52/40) (Chain B)

Date: 21.FEB.2022 11:59:09

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5700MHz)


Peak (Partial RU: 106/54) (Chain A)

Date: 21.FEB.2022 12:04:06


Peak (Partial RU: 106/54) (Chain B)

Date: 21.FEB.2022 12:02:05

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5745MHz)


Peak (Partial RU: 26/0) (Chain A)

Date: 21.FEB.2022 12:11:45


Peak (Partial RU: 26/0) (Chain B)

Date: 21.FEB.2022 12:13:50

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 35 MIMO: Transmit (802.11ax-20BW Partial RU) (5745MHz)


Peak (Partial RU: 52/37) (Chain A)

Date: 21.FEB.2022 12:20:43


Peak (Partial RU: 52/37) (Chain B)

Date: 21.FEB.2022 12:19:50


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 36 MIMO: Transmit (802.11ax-40BW Partial RU) (5190MHz)

Peak (Partial RU: 242/61) (Chain A)


Date: 21.10.2022 12:53:51

Peak (Partial RU: 242/61) (Chain B)

Date: 21.10.2022 12:57:58


Average (Partial RU: 242/61) (Chain A)

Date: 21.10.2022 12:53:51


Average (Partial RU: 242/61) (Chain B)

Date: 21.10.2022 12:57:47


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 36 MIMO: Transmit (802.11ax-40BW Partial RU) (5310MHz)

Peak (Partial RU: 242/62) (Chain A)


Date: 21.10.2022 12:29:54

Peak (Partial RU: 242/62) (Chain B)

Date: 21.10.2022 12:30:01

Average (Partial RU: 242/62) (Chain A)


Date: 21.10.2022 12:29:57

Average (Partial RU: 242/62) (Chain B)

Date: 21.10.2022 12:30:45

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 36 MIMO: Transmit (802.11ax-40BW Partial RU) (5510MHz)

Peak (Partial RU: 242/61) (Chain A)




Average (Partial RU: 242/61) (Chain A)



Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 36 MIMO: Transmit (802.11ax-40BW Partial RU) (5510MHz)

Peak (Partial RU: 242/61) (Chain B)




Average (Partial RU: 242/61) (Chain B)




Product : Intel® Wi-Fi 6 AX201
 Test Item : Band Edge Data
 Test Mode : Mode 36 MIMO: Transmit (802.11ax-40BW Partial RU) (5670MHz)

Peak (Partial RU: 242/62) (Chain A)




Date: 21.FEB.2022 12:35:34

Peak (Partial RU: 242/62) (Chain B)




Date: 21.FEB.2022 12:36:15

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 36 MIMO: Transmit (802.11ax-40BW Partial RU) (5755MHz)


Peak (Partial RU: 242/61) (Chain A)

Date: 21.FEB.2022 12:38:27


Peak (Partial RU: 242/61) (Chain B)

Date: 21.FEB.2022 12:37:54


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 37 MIMO: Transmit (802.11ax-80BW Partial RU) (5210MHz)

Peak (Partial RU: 484/65) (Chain A)


Date: 21.10.2022 12:30:57

Peak (Partial RU: 484/65) (Chain B)

Date: 21.10.2022 12:31:11


Average (Partial RU: 484/65) (Chain A)

Date: 21.10.2022 12:31:55


Average (Partial RU: 484/65) (Chain B)

Date: 21.10.2022 12:31:57


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 37 MIMO: Transmit (802.11ax-80BW Partial RU) (5290MHz)

Peak (Partial RU: 484/66) (Chain A)


Date: 21.10.2022 12:11:59

Peak (Partial RU: 484/66) (Chain B)

Date: 21.10.2022 12:11:59

Average (Partial RU: 484/66) (Chain A)


Date: 21.10.2022 12:11:59

Average (Partial RU: 484/66) (Chain B)

Date: 21.10.2022 12:11:59

Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 37 MIMO: Transmit (802.11ax-80BW Partial RU) (5530MHz)

Peak (Partial RU: 484/65) (Chain A)




Average (Partial RU: 484/65) (Chain A)



Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 37 MIMO: Transmit (802.11ax-80BW Partial RU) (5530MHz)


Peak (Partial RU: 484/65) (Chain B)




Average (Partial RU: 484/65) (Chain B)



Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 37 MIMO: Transmit (802.11ax-80BW Partial RU) (5775MHz)


Peak (Partial RU: 484/65) (Chain A)

Date: 21.FEB.2022 12:53:09


Peak (Partial RU: 484/65) (Chain B)

Date: 21.FEB.2022 12:52:00


Product : Intel® Wi-Fi 6 AX201
Test Item : Band Edge Data
Test Mode : Mode 38 MIMO: Transmit (802.11ax-160BW Partial RU) (5250MHz)

Peak (Partial RU: 996/67) (Chain A)


Date: 21.09.2022 12:18:05

Peak (Partial RU: 996/67) (Chain B)

Date: 21.09.2022 12:18:01

Average (Partial RU: 996/67) (Chain A)

Date: 21.09.2022 12:18:15

Average (Partial RU: 996/67) (Chain B)

Date: 21.09.2022 12:18:09