





Annex F. Photographs

F.1 Test Sample

Front 221003-01.S01	Back Sample 221003-01.S01
	
Laptop 221003-01.S01	
	




Front 221003-01.S03	Back Sample 221003-01.S03
	
Laptop 221003-01.S03	
	

Test positions




F.2 Antenna host platform location and adjacent edge positions relative to the body

All information (diagrams, values and dimensions) in this section is provided by the manufacturer

Antenna Host Platform location	
 This diagram illustrates the antenna host platform location for a desktop setup. It shows a monitor, keyboard, and mouse. Two antenna locations are marked: 'Aux' and 'Main'. Both are positioned 6.37mm from the bottom of the laptop (indicated by a dashed line). The 'Main' antenna is located to the right of the 'Aux' antenna.	 This diagram shows a person sitting at a desk with a laptop. The laptop is open, and the antenna is located 6.37 mm (Without Bumper) from the bottom edge of the laptop. The antenna is positioned to the right of the laptop screen.
Laptop Mode	
 This diagram shows a person sitting at a desk with a laptop. The laptop is open, and the antenna is located 6.37mm from the bottom edge of the laptop. The antenna is positioned to the right of the laptop screen. The distance from the person's arm to the antenna is 22 cm.	

F.3 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBL600-6000V6 Batch – 160630-01



End of the report

This page is intentionally left blank and marks the last page of the test report.