



Annex A. Photographs

A.1 Setup Photo




Antenna Drawing





符合AWAN環境管理物質技術標準
All materials meet the AWAN's spec. Environment - related substances management technical standard.

Antenna Photo

Front



Back



Note: antenna photo should include L type ruler

1 A/WAN P/N AYP6Y-100470

Customer P/N HQ260060003D0

2

3

4

5

6

7

8

Rev.	EC#	Description	Drawn/Date	Checked/Date	Approved/Date
X1		VC 08/25/23	Jerry 08/25/23	Jerry 08/25/23	Jerry 08/25/23
X2		VC 09/15/23	Jerry 09/15/23	Jerry 09/15/23	Jerry 09/15/23
X3		VC 10/09/23	Jerry 10/09/23	Jerry 10/09/23	Jerry 10/09/23

Technical drawing of the HQ260060003D0 component. It shows a top view with dimensions: 40.00, 295±3 (C590 16 AUX Ø1.13 L/L White cable), 1.45, 1.65, 8.75, 7.85, 6.00, 10.00, 10.00, 2.35, 16.9, 10.9, 22.0, 31.0, 18.0, 0.60PCB, 0.10间距, 0.1间距. Callouts include HF-DS10, AL=HF-DS10, and MHF-B13L-N-01. A detail view shows a 10x10mm area with a 2:1 magnification.

二、規格條件:

1. 零件料號 (13碼) Ex: HQ260060003D0, 零件料號以華勤物料系統申請完成後的料號為準, 共3位

2. 8位日期碼和模具代碼以及波長碼:

3. 日期-年月日, 如: 63230100

4. 6位示位碼

5. 2位3月份, 10/11/12月份用A/Q/D代替

6. 25位示位碼

7. 00示位碼, 00示位碼

8. 1示位第一套模具, 依此類推 (无模具信息或者模具信息不可控時可用00)

9. 00示位變裝本碼, 規則: 從00-99

10. 00示位變裝本碼, 規則: 從00-99

11. 00示位變裝本碼, 規則: 從00-99

12. 00示位變裝本碼, 規則: 從00-99

13. 00示位變裝本碼, 規則: 從00-99

14. 00示位變裝本碼, 規則: 從00-99

15. 00示位變裝本碼, 規則: 從00-99

16. 00示位變裝本碼, 規則: 從00-99

17. 00示位變裝本碼, 規則: 從00-99

18. 00示位變裝本碼, 規則: 從00-99

19. 00示位變裝本碼, 規則: 從00-99

20. 00示位變裝本碼, 規則: 從00-99

21. 00示位變裝本碼, 規則: 從00-99

22. 00示位變裝本碼, 規則: 從00-99

23. 00示位變裝本碼, 規則: 從00-99

24. 00示位變裝本碼, 規則: 從00-99

25. 00示位變裝本碼, 規則: 從00-99

26. 00示位變裝本碼, 規則: 從00-99

27. 00示位變裝本碼, 規則: 從00-99

28. 00示位變裝本碼, 規則: 從00-99

29. 00示位變裝本碼, 規則: 從00-99

30. 00示位變裝本碼, 規則: 從00-99

31. 00示位變裝本碼, 規則: 從00-99

32. 00示位變裝本碼, 規則: 從00-99

33. 00示位變裝本碼, 規則: 從00-99

34. 00示位變裝本碼, 規則: 從00-99

35. 00示位變裝本碼, 規則: 從00-99

36. 00示位變裝本碼, 規則: 從00-99

37. 00示位變裝本碼, 規則: 從00-99

38. 00示位變裝本碼, 規則: 從00-99

39. 00示位變裝本碼, 規則: 從00-99

40. 00示位變裝本碼, 規則: 從00-99

41. 00示位變裝本碼, 規則: 從00-99

42. 00示位變裝本碼, 規則: 從00-99

43. 00示位變裝本碼, 規則: 從00-99

44. 00示位變裝本碼, 規則: 從00-99

45. 00示位變裝本碼, 規則: 從00-99

46. 00示位變裝本碼, 規則: 從00-99

47. 00示位變裝本碼, 規則: 從00-99

48. 00示位變裝本碼, 規則: 從00-99

49. 00示位變裝本碼, 規則: 從00-99

50. 00示位變裝本碼, 規則: 從00-99

51. 00示位變裝本碼, 規則: 從00-99

52. 00示位變裝本碼, 規則: 從00-99

53. 00示位變裝本碼, 規則: 從00-99

54. 00示位變裝本碼, 規則: 從00-99

55. 00示位變裝本碼, 規則: 從00-99

56. 00示位變裝本碼, 規則: 從00-99

57. 00示位變裝本碼, 規則: 從00-99

58. 00示位變裝本碼, 規則: 從00-99

59. 00示位變裝本碼, 規則: 從00-99

60. 00示位變裝本碼, 規則: 從00-99

61. 00示位變裝本碼, 規則: 從00-99

62. 00示位變裝本碼, 規則: 從00-99

63. 00示位變裝本碼, 規則: 從00-99

64. 00示位變裝本碼, 規則: 從00-99

65. 00示位變裝本碼, 規則: 從00-99

66. 00示位變裝本碼, 規則: 從00-99

67. 00示位變裝本碼, 規則: 從00-99

68. 00示位變裝本碼, 規則: 從00-99

69. 00示位變裝本碼, 規則: 從00-99

70. 00示位變裝本碼, 規則: 從00-99

71. 00示位變裝本碼, 規則: 從00-99

72. 00示位變裝本碼, 規則: 從00-99

73. 00示位變裝本碼, 規則: 從00-99

74. 00示位變裝本碼, 規則: 從00-99

75. 00示位變裝本碼, 規則: 從00-99

76. 00示位變裝本碼, 規則: 從00-99

77. 00示位變裝本碼, 規則: 從00-99

78. 00示位變裝本碼, 規則: 從00-99

79. 00示位變裝本碼, 規則: 從00-99

80. 00示位變裝本碼, 規則: 從00-99

81. 00示位變裝本碼, 規則: 從00-99

82. 00示位變裝本碼, 規則: 從00-99

83. 00示位變裝本碼, 規則: 從00-99

84. 00示位變裝本碼, 規則: 從00-99

85. 00示位變裝本碼, 規則: 從00-99

86. 00示位變裝本碼, 規則: 從00-99

87. 00示位變裝本碼, 規則: 從00-99

88. 00示位變裝本碼, 規則: 從00-99

89. 00示位變裝本碼, 規則: 從00-99

90. 00示位變裝本碼, 規則: 從00-99

91. 00示位變裝本碼, 規則: 從00-99

92. 00示位變裝本碼, 規則: 從00-99

93. 00示位變裝本碼, 規則: 從00-99

94. 00示位變裝本碼, 規則: 從00-99

95. 00示位變裝本碼, 規則: 從00-99

96. 00示位變裝本碼, 規則: 從00-99

97. 00示位變裝本碼, 規則: 從00-99

98. 00示位變裝本碼, 規則: 從00-99



99. 00示位變裝本碼, 規則: 從00-99

100. 00示位變裝本碼, 規則: 從00-99



Item	Name	Qty	Part #	Material / Finish
5	WPC590_AUX_16	1	XXX	Tape
4	C590_AUX_16 AI Foil	1	XXX	AI
3	Tube	1	XXX	Tube
2	OD 1.13 White+PEX	1	XXX	Cable
1	C590 16 AUX PCB, 0.6mm	1	XXX	PCB

Antenna Photo

Front



Back




Note: antenna photo should include L type ruler

Annex B. Antenna Location

B.1 Antenna Host Platform Location Information

Include a dimensioned photo(s) or dimensioned drawing(s) of Main and Aux antenna placements (measurements are not required for receive-only antenna).


Any antenna that transmits must show dimensions to bottom of laptop. Provide a description of the materials that are used for supporting or surrounding transmit antennas; for example, non-conductive plastics vs. conductive coated plastic or metallic materials.



B.2 Antenna dimensional information for SAR evaluation

Include a dimensioned photo(s) or dimensioned drawing(s) showing the distance (mm) between the transmit antennas and the user. For notebook/laptop hosts show lapheld position (example below). For tablet hosts show all orientations including lapheld, primary & secondary portrait, primary & secondary landscape positions. Include a description of any proximity sensors or power throttling implementations that limit or exclude use of any host orientation.

NB Mode SAR dimensioned photo:



Tablet Mode SAR dimensioned photo:

