



# Annex F. Photographs

## F.1 Test Sample






## F.2 Test positions

Laptop	Laptop – Side view
 A photograph showing a laptop positioned inside a clear acrylic test rig. The rig is mounted on a metal frame with a blue circular scale. The laptop screen displays a software interface with various data and graphs. Above the rig, a black rectangular device with blue lights is mounted on a white vertical panel. The panel also features a small display screen showing some data.	 A photograph showing the same setup from a side angle. The black rectangular device with blue lights is visible on the left, and the laptop and test rig are on the right. The white vertical panel with the display screen is also visible.


### F.3 Antenna host platform location and adjacent edge positions relative to the body

#### Information provided by the customer

Antenna Host Platform location #1	Antenna Host Platform location #2																																																																				
																																																																					
Antenna dimensional information for SAR evaluation	Antenna dimensional information for SAR evaluation																																																																				
<table border="1"> <thead> <tr> <th colspan="4">Minimum Separation Distance</th> </tr> <tr> <th>Item</th> <th>Antenna</th> <th>Position</th> <th>Distance (mm)</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>WLAN-Main</td> <td>to Top</td> <td>262.64</td> </tr> <tr> <td>B</td> <td>WLAN-Main</td> <td>to Right</td> <td>388.33</td> </tr> <tr> <td>C</td> <td>WLAN-Main</td> <td>to Left</td> <td>3.4</td> </tr> <tr> <td>D</td> <td>WLAN-Main</td> <td>to Bottom</td> <td>9.36</td> </tr> <tr> <td>E</td> <td>WLAN-Main</td> <td>Main Antenna Length</td> <td>7.5x35</td> </tr> <tr> <td>F</td> <td>Main-Aux</td> <td>Main to Aux</td> <td>377.435</td> </tr> <tr> <td>G</td> <td>WLAN-Aux</td> <td>to Top</td> <td>262.64</td> </tr> <tr> <td>H</td> <td>WLAN-Aux</td> <td>to Right</td> <td>3.395</td> </tr> <tr> <td>I</td> <td>WLAN-Aux</td> <td>to Left</td> <td>388.335</td> </tr> <tr> <td>J</td> <td>WLAN-Aux</td> <td>to Bottom</td> <td>9.36</td> </tr> <tr> <td>K</td> <td>WLAN-Aux</td> <td>Aux Antenna Length</td> <td>7.5x35</td> </tr> <tr> <td>L</td> <td>NB</td> <td>Bumper thickness</td> <td>3.32</td> </tr> <tr> <td>X</td> <td>WLAN-Main</td> <td>to User</td> <td>62.7</td> </tr> <tr> <td>Y</td> <td>WLAN-Aux</td> <td>to User</td> <td>62.7</td> </tr> <tr> <td>Z</td> <td>NB</td> <td>Keyboard depth</td> <td>239.19</td> </tr> </tbody> </table>	Minimum Separation Distance				Item	Antenna	Position	Distance (mm)	A	WLAN-Main	to Top	262.64	B	WLAN-Main	to Right	388.33	C	WLAN-Main	to Left	3.4	D	WLAN-Main	to Bottom	9.36	E	WLAN-Main	Main Antenna Length	7.5x35	F	Main-Aux	Main to Aux	377.435	G	WLAN-Aux	to Top	262.64	H	WLAN-Aux	to Right	3.395	I	WLAN-Aux	to Left	388.335	J	WLAN-Aux	to Bottom	9.36	K	WLAN-Aux	Aux Antenna Length	7.5x35	L	NB	Bumper thickness	3.32	X	WLAN-Main	to User	62.7	Y	WLAN-Aux	to User	62.7	Z	NB	Keyboard depth	239.19	
Minimum Separation Distance																																																																					
Item	Antenna	Position	Distance (mm)																																																																		
A	WLAN-Main	to Top	262.64																																																																		
B	WLAN-Main	to Right	388.33																																																																		
C	WLAN-Main	to Left	3.4																																																																		
D	WLAN-Main	to Bottom	9.36																																																																		
E	WLAN-Main	Main Antenna Length	7.5x35																																																																		
F	Main-Aux	Main to Aux	377.435																																																																		
G	WLAN-Aux	to Top	262.64																																																																		
H	WLAN-Aux	to Right	3.395																																																																		
I	WLAN-Aux	to Left	388.335																																																																		
J	WLAN-Aux	to Bottom	9.36																																																																		
K	WLAN-Aux	Aux Antenna Length	7.5x35																																																																		
L	NB	Bumper thickness	3.32																																																																		
X	WLAN-Main	to User	62.7																																																																		
Y	WLAN-Aux	to User	62.7																																																																		
Z	NB	Keyboard depth	239.19																																																																		

#### F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -160603-01



**End of the report**

**This page is intentionally left blank and marks the last page of the test report.**