


Annex G. Photographs

G.1 Test Sample

Front Sample 01 	Front Sample 02 
Back Sample 01 	Back Sample 02 
Laptop Sample 01 	Laptop Sample 02 

G.2 SAR Test position


Laptop	Laptop – Side view
	

G.3 PD Test position

Laptop @2.5mm




Laptop @2.5mm (close view)




G.4 Antenna host platform location and adjacent edge positions relative to the body

All information (diagrams, values and dimensions) in this section are provided by the manufacturer

Antenna Host Platform location



Antenna Host Platform location - 2




Antenna Host Platform location - 3

Minimum Separation Distance


Item	Antenna	Position	Distance (mm)
A	WLAN-Main	to Top	262.64
B	WLAN-Main	to Right	388.33
C	WLAN-Main	to Left	3.4
D	WLAN-Main	to Bottom	9.36
E	WLAN-Main	Main Antenna Length	7.5x35
F	Main-Aux	Main to Aux	377.435
G	WLAN-Aux	to Top	262.64
H	WLAN-Aux	to Right	3.395
I	WLAN-Aux	to Left	388.335
J	WLAN-Aux	to Bottom	9.36
K	WLAN-Aux	Aux Antenna Length	7.5x35
L	NB	Bumper thickness	3.32
X	WLAN-Main	to User	62.7
Y	WLAN-Aux	to User	62.7
Z	NB	Keyboard depth	239.19

Laptop Mode



G.5 Phantom liquid level during measurements

ELI phantom Head liquid SAR SPEAG HBBL600-10000V6 Batch – 210421-2



End of the report

This page is intentionally left blank and marks the last page of the test report.