


Annex F. Photographs

F.1 Test Sample

S01: Sample Front 	S01: Sample Back 
S02: Sample Front 	S02: Sample Back 
Laptop Mode 	




F.2 Test positions

Laptop




F.3 Antenna host platform location and adjacent edge positions relative to the body

Information provided by the customer

Antenna Host Platform location	Antenna Host Platform location - 2																																																																				
																																																																					
Antenna Host Platform location - 3	Laptop Mode																																																																				
<table><tr><th colspan="4">Minimum Separation Distance</th></tr><tr><th>Item</th><th>Antenna</th><th>Position</th><th>Distance (mm)</th></tr><tr><td>A</td><td>WLAN-Aux</td><td>to Top</td><td>247.65</td></tr><tr><td>B</td><td>WLAN-Aux</td><td>to Right</td><td>354</td></tr><tr><td>C</td><td>WLAN-Aux</td><td>to Left</td><td>2.8</td></tr><tr><td>D</td><td>WLAN-Aux</td><td>to Bottom</td><td>9.71</td></tr><tr><td>E</td><td>WLAN-Aux</td><td>Aux Antenna Length</td><td>5</td></tr><tr><td>F</td><td>Main-Aux</td><td>Main to Aux</td><td>348</td></tr><tr><td>G</td><td>WLAN-Main</td><td>to Top</td><td>247.65</td></tr><tr><td>H</td><td>WLAN-Main</td><td>to Right</td><td>2.8</td></tr><tr><td>I</td><td>WLAN-Main</td><td>to Left</td><td>354</td></tr><tr><td>J</td><td>WLAN-Main</td><td>to Bottom</td><td>9.71</td></tr><tr><td>K</td><td>WLAN-Main</td><td>Main Antenna Length</td><td>5</td></tr><tr><td>L</td><td>NB</td><td>Bumper thickness</td><td>2.87</td></tr><tr><td>X</td><td>WLAN-Aux</td><td>to User</td><td>163.5</td></tr><tr><td>Y</td><td>WLAN-Main</td><td>to User</td><td>163.5</td></tr><tr><td>Z</td><td>NB</td><td>Keyboard depth</td><td>243.5</td></tr></table>	Minimum Separation Distance				Item	Antenna	Position	Distance (mm)	A	WLAN-Aux	to Top	247.65	B	WLAN-Aux	to Right	354	C	WLAN-Aux	to Left	2.8	D	WLAN-Aux	to Bottom	9.71	E	WLAN-Aux	Aux Antenna Length	5	F	Main-Aux	Main to Aux	348	G	WLAN-Main	to Top	247.65	H	WLAN-Main	to Right	2.8	I	WLAN-Main	to Left	354	J	WLAN-Main	to Bottom	9.71	K	WLAN-Main	Main Antenna Length	5	L	NB	Bumper thickness	2.87	X	WLAN-Aux	to User	163.5	Y	WLAN-Main	to User	163.5	Z	NB	Keyboard depth	243.5	
Minimum Separation Distance																																																																					
Item	Antenna	Position	Distance (mm)																																																																		
A	WLAN-Aux	to Top	247.65																																																																		
B	WLAN-Aux	to Right	354																																																																		
C	WLAN-Aux	to Left	2.8																																																																		
D	WLAN-Aux	to Bottom	9.71																																																																		
E	WLAN-Aux	Aux Antenna Length	5																																																																		
F	Main-Aux	Main to Aux	348																																																																		
G	WLAN-Main	to Top	247.65																																																																		
H	WLAN-Main	to Right	2.8																																																																		
I	WLAN-Main	to Left	354																																																																		
J	WLAN-Main	to Bottom	9.71																																																																		
K	WLAN-Main	Main Antenna Length	5																																																																		
L	NB	Bumper thickness	2.87																																																																		
X	WLAN-Aux	to User	163.5																																																																		
Y	WLAN-Main	to User	163.5																																																																		
Z	NB	Keyboard depth	243.5																																																																		

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch - 191014-02



End of the report

This page is intentionally left blank and marks the last page of the test report.