


# Annex G. Photographs

## G.1 Test Samples

Front Sample 01	Back Sample 01
	
Laptop Sample 01	
	

Front Sample 02

Back Sample 02



Laptop Sample 02



Front Sample 03





Back Sample 03




Laptop Sample 03



## G.2 SAR Test position




Laptop	Laptop – Side View
	

### G.3 PD Test position

Laptop @2.5mm	Laptop @2.5mm (close view)
	


#### G.4 Antenna host platform location and adjacent edge positions relative to the body

All information (diagrams, values and dimensions) in this section are provided by the manufacturer

Antenna Host Platform location	Antenna Host Platform location - 2																																																																				
																																																																					
Antenna Host Platform location - 3	Laptop Mode																																																																				
<table border="1"> <thead> <tr> <th colspan="4">Minimum Separation Distance</th> </tr> <tr> <th>Item</th><th>Antenna</th><th>Position</th><th>Distance (mm)</th></tr> </thead> <tbody> <tr> <td>A</td><td>WLAN-Aux</td><td>to Top</td><td>247.65</td></tr> <tr> <td>B</td><td>WLAN-Aux</td><td>to Right</td><td>354</td></tr> <tr> <td>C</td><td>WLAN-Aux</td><td>to Left</td><td>2.8</td></tr> <tr> <td>D</td><td>WLAN-Aux</td><td>to Bottom</td><td>9.71</td></tr> <tr> <td>E</td><td>WLAN-Aux</td><td>Aux Antenna Length</td><td>5</td></tr> <tr> <td>F</td><td>Main-Aux</td><td>Main to Aux</td><td>348</td></tr> <tr> <td>G</td><td>WLAN-Main</td><td>to Top</td><td>247.65</td></tr> <tr> <td>H</td><td>WLAN-Main</td><td>to Right</td><td>2.8</td></tr> <tr> <td>I</td><td>WLAN-Main</td><td>to Left</td><td>354</td></tr> <tr> <td>J</td><td>WLAN-Main</td><td>to Bottom</td><td>9.71</td></tr> <tr> <td>K</td><td>WLAN-Main</td><td>Main Antenna Length</td><td>5</td></tr> <tr> <td>L</td><td>NB</td><td>Bumper thickness</td><td>2.87</td></tr> <tr> <td>X</td><td>WLAN-Aux</td><td>to User</td><td>163.5</td></tr> <tr> <td>Y</td><td>WLAN-Main</td><td>to User</td><td>163.5</td></tr> <tr> <td>Z</td><td>NB</td><td>Keyboard depth</td><td>243.5</td></tr> </tbody> </table>	Minimum Separation Distance				Item	Antenna	Position	Distance (mm)	A	WLAN-Aux	to Top	247.65	B	WLAN-Aux	to Right	354	C	WLAN-Aux	to Left	2.8	D	WLAN-Aux	to Bottom	9.71	E	WLAN-Aux	Aux Antenna Length	5	F	Main-Aux	Main to Aux	348	G	WLAN-Main	to Top	247.65	H	WLAN-Main	to Right	2.8	I	WLAN-Main	to Left	354	J	WLAN-Main	to Bottom	9.71	K	WLAN-Main	Main Antenna Length	5	L	NB	Bumper thickness	2.87	X	WLAN-Aux	to User	163.5	Y	WLAN-Main	to User	163.5	Z	NB	Keyboard depth	243.5	
Minimum Separation Distance																																																																					
Item	Antenna	Position	Distance (mm)																																																																		
A	WLAN-Aux	to Top	247.65																																																																		
B	WLAN-Aux	to Right	354																																																																		
C	WLAN-Aux	to Left	2.8																																																																		
D	WLAN-Aux	to Bottom	9.71																																																																		
E	WLAN-Aux	Aux Antenna Length	5																																																																		
F	Main-Aux	Main to Aux	348																																																																		
G	WLAN-Main	to Top	247.65																																																																		
H	WLAN-Main	to Right	2.8																																																																		
I	WLAN-Main	to Left	354																																																																		
J	WLAN-Main	to Bottom	9.71																																																																		
K	WLAN-Main	Main Antenna Length	5																																																																		
L	NB	Bumper thickness	2.87																																																																		
X	WLAN-Aux	to User	163.5																																																																		
Y	WLAN-Main	to User	163.5																																																																		
Z	NB	Keyboard depth	243.5																																																																		

## G.5 Phantom liquid level during measurements

ELI phantom Head liquid SAR SPEAG HBBL600-10000V6 Batch - 191016-02



**End of the report**

**This page is intentionally left blank and marks the last page of the test report.**