


Annex F. Photographs




F.1 Test Sample

Sample Front 211014-04.S01 	Sample Back 211014-04.S01 
Sample Laptop Mode 211014-04.S01 	Sample Laptop Mode 211014-04.S03 
Sample Front 211014-04.S03 	Sample Back 211014-04.S03 

F.2 Test positions


Laptop	Laptop – Side view
	

F.3 Antenna host platform location and adjacent edge positions relative to the body

Information provided by the customer																																																																					
Antenna Host Platform location #1	Antenna Host Platform location #2																																																																				
																																																																					
Antenna dimensional information for SAR evaluation	Antenna dimensional information for SAR evaluation																																																																				
<table><tr><th colspan="4">Minimum Separation Distance</th></tr><tr><th>Item</th><th>Antenna</th><th>Position</th><th>Distance (mm)</th></tr><tr><td>A</td><td>WLAN-Main</td><td>to Top</td><td>262.64</td></tr><tr><td>B</td><td>WLAN-Main</td><td>to Right</td><td>388.33</td></tr><tr><td>C</td><td>WLAN-Main</td><td>to Left</td><td>3.4</td></tr><tr><td>D</td><td>WLAN-Main</td><td>to Bottom</td><td>9.36</td></tr><tr><td>E</td><td>WLAN-Main</td><td>Main Antenna Length</td><td>7.5x35</td></tr><tr><td>F</td><td>Main-Aux</td><td>Main to Aux</td><td>377.435</td></tr><tr><td>G</td><td>WLAN-Aux</td><td>to Top</td><td>262.64</td></tr><tr><td>H</td><td>WLAN-Aux</td><td>to Right</td><td>3.395</td></tr><tr><td>I</td><td>WLAN-Aux</td><td>to Left</td><td>388.335</td></tr><tr><td>J</td><td>WLAN-Aux</td><td>to Bottom</td><td>9.36</td></tr><tr><td>K</td><td>WLAN-Aux</td><td>Aux Antenna Length</td><td>7.5x35</td></tr><tr><td>L</td><td>NB</td><td>Bumper thickness</td><td>3.32</td></tr><tr><td>X</td><td>WLAN-Main</td><td>to User</td><td>62.7</td></tr><tr><td>Y</td><td>WLAN-Aux</td><td>to User</td><td>62.7</td></tr><tr><td>Z</td><td>NB</td><td>Keyboard depth</td><td>239.19</td></tr></table>	Minimum Separation Distance				Item	Antenna	Position	Distance (mm)	A	WLAN-Main	to Top	262.64	B	WLAN-Main	to Right	388.33	C	WLAN-Main	to Left	3.4	D	WLAN-Main	to Bottom	9.36	E	WLAN-Main	Main Antenna Length	7.5x35	F	Main-Aux	Main to Aux	377.435	G	WLAN-Aux	to Top	262.64	H	WLAN-Aux	to Right	3.395	I	WLAN-Aux	to Left	388.335	J	WLAN-Aux	to Bottom	9.36	K	WLAN-Aux	Aux Antenna Length	7.5x35	L	NB	Bumper thickness	3.32	X	WLAN-Main	to User	62.7	Y	WLAN-Aux	to User	62.7	Z	NB	Keyboard depth	239.19	
Minimum Separation Distance																																																																					
Item	Antenna	Position	Distance (mm)																																																																		
A	WLAN-Main	to Top	262.64																																																																		
B	WLAN-Main	to Right	388.33																																																																		
C	WLAN-Main	to Left	3.4																																																																		
D	WLAN-Main	to Bottom	9.36																																																																		
E	WLAN-Main	Main Antenna Length	7.5x35																																																																		
F	Main-Aux	Main to Aux	377.435																																																																		
G	WLAN-Aux	to Top	262.64																																																																		
H	WLAN-Aux	to Right	3.395																																																																		
I	WLAN-Aux	to Left	388.335																																																																		
J	WLAN-Aux	to Bottom	9.36																																																																		
K	WLAN-Aux	Aux Antenna Length	7.5x35																																																																		
L	NB	Bumper thickness	3.32																																																																		
X	WLAN-Main	to User	62.7																																																																		
Y	WLAN-Aux	to User	62.7																																																																		
Z	NB	Keyboard depth	239.19																																																																		

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -160630-01



End of the report

This page is intentionally left blank and marks the last page of the test report.