

Annex F. Photographs

F.1 Test Sample

Sample Front 211119-01.S02 	Sample Back 211119-01.S02 
Sample Laptop Mode 211119-01.S02 	Sample Laptop Mode 211119-01.S03 
Sample Front 211119-01.S03 	Sample Back 211119-01.S03 

F.2 SAR Test position


Laptop



Laptop – Side view






F.3 PD Test position

Back Face @2.5mm	Back Face @2.5mm (close view)
 A photograph showing the back face of a silver-colored electronic device, possibly a laptop or tablet, resting on a light-colored surface. The device has a large, rectangular, perforated metal grille in the center. Two small yellow labels are visible on the surface below the grille. The device is positioned at a distance of 2.5mm from the surface.	 A close-up photograph of the back face of the device, showing the edge of the silver-colored metal casing. A wooden ruler is placed vertically next to the device, with the 1, 2, and 3 cm markings visible. A white probe or needle is positioned against the device's surface, demonstrating the 2.5mm test distance.


F.4 Antenna host platform location and adjacent edge positions relative to the body

All information (diagrams, values and dimensions) in this section are provided by the manufacturer

Antenna Host Platform location #1	Antenna Host Platform location #2
	
Antenna dimensional information for SAR evaluation	
	

F.5 Phantom liquid level during measurements

ELI phantom Head liquid SAR SPEAG HBBL600-10000V6 Batch – 210331-01



End of the report

This page is intentionally left blank and marks the last page of the test report.