




Annex F. Photographs

F.1 Test Sample

Sample Front	Sample Back
	
Screen Side	Keyboard Side
	
Sample Laptop	
	



F.2 Test positions

Bottom Edge	Back Face
	
Laptop	
	

F.3 Antenna host platform location and adjacent edge positions relative to the body


All information (diagrams, values and dimensions) in this section is provided by the manufacturer

Laptop Mode	Laptop Mode																																																									
Laptop Mode	Laptop Mode																																																									
	<table><tr><th>Item</th><th>Location</th><th>distance</th></tr><tr><td>A</td><td>SYSTEM Y</td><td>211.76</td></tr><tr><td>B</td><td>SYSTEM X</td><td>300.99</td></tr><tr><td>C</td><td>WLAN-main to edge</td><td>12</td></tr><tr><td>D</td><td>WLAN-main to edge</td><td>192.61</td></tr><tr><td>E</td><td>WLAN-main to edge</td><td>23.5</td></tr><tr><td>F</td><td>WLAN-aux to edge</td><td>12</td></tr><tr><td>G</td><td>WLAN-aux to edge</td><td>192.61</td></tr><tr><td>H</td><td>WLAN-aux to edge</td><td>23.5</td></tr><tr><td>I</td><td>WLAN-aux to WLAN-main</td><td>186.6</td></tr><tr><td>J</td><td>WLAN to table</td><td>4.3</td></tr><tr><td>K</td><td>WLAN to C cover</td><td>2.5</td></tr><tr><td>L</td><td>WLAN to metal</td><td>2.3</td></tr><tr><td>M</td><td>WLAN to metal</td><td>2.3</td></tr><tr><td>N</td><td>WLAN to metal (eDP cable)</td><td>3.3</td></tr><tr><td>O</td><td>WLAN to metal (MB)</td><td>0.25</td></tr><tr><td>P</td><td>WLAN to metal (ANT cable)</td><td>3.34</td></tr><tr><td>Q</td><td>WLAN to metal (MB)</td><td>0.25</td></tr><tr><td>R</td><td>WLAN to metal (Hinge cap)</td><td>1.89</td></tr></table>	Item	Location	distance	A	SYSTEM Y	211.76	B	SYSTEM X	300.99	C	WLAN-main to edge	12	D	WLAN-main to edge	192.61	E	WLAN-main to edge	23.5	F	WLAN-aux to edge	12	G	WLAN-aux to edge	192.61	H	WLAN-aux to edge	23.5	I	WLAN-aux to WLAN-main	186.6	J	WLAN to table	4.3	K	WLAN to C cover	2.5	L	WLAN to metal	2.3	M	WLAN to metal	2.3	N	WLAN to metal (eDP cable)	3.3	O	WLAN to metal (MB)	0.25	P	WLAN to metal (ANT cable)	3.34	Q	WLAN to metal (MB)	0.25	R	WLAN to metal (Hinge cap)	1.89
Item	Location	distance																																																								
A	SYSTEM Y	211.76																																																								
B	SYSTEM X	300.99																																																								
C	WLAN-main to edge	12																																																								
D	WLAN-main to edge	192.61																																																								
E	WLAN-main to edge	23.5																																																								
F	WLAN-aux to edge	12																																																								
G	WLAN-aux to edge	192.61																																																								
H	WLAN-aux to edge	23.5																																																								
I	WLAN-aux to WLAN-main	186.6																																																								
J	WLAN to table	4.3																																																								
K	WLAN to C cover	2.5																																																								
L	WLAN to metal	2.3																																																								
M	WLAN to metal	2.3																																																								
N	WLAN to metal (eDP cable)	3.3																																																								
O	WLAN to metal (MB)	0.25																																																								
P	WLAN to metal (ANT cable)	3.34																																																								
Q	WLAN to metal (MB)	0.25																																																								
R	WLAN to metal (Hinge cap)	1.89																																																								



F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch – 160630-01



End of the report

This page is intentionally left blank and marks the last page of the test report.