

Annex G. Photographs


G.1 Test Sample

Front view

Back view

Laptop Mode


G.2 PD Test positions






G.3 SAR Test position

Laptop




G.4 Antenna host platform location and adjacent edge positions relative to the body

Antenna Host Platform location #1	Laptop Mode
 Diagram illustrating the Antenna Host Platform location #1. The diagram shows the internal layout of the platform, including the Bottom of laptop, WLAN (Main), WLAN (AUX), WWAN (MIMO), WWAN (Aux) 5G, and WWAN (Main) 5G components. Dimensions are provided for the WLAN and 5G components, both with and without a bumper. WLAN: 3.65 mm (w/o bumper: 2.15 mm) 5G: 4.81 mm (w/o bumper: 3.31)	 Diagram illustrating the Laptop Mode configuration. A person is shown sitting at a desk using a laptop. The distance from the person's body to the laptop is indicated as 227mm. The WLAN component is shown with dimensions: WLAN: 3.65 mm (w/o bumper: 2.15 mm).
Antenna Host Platform location #2	
 Diagram illustrating the Antenna Host Platform location #2. The diagram shows the internal layout of the platform, including the Bottom of laptop, WLAN (Main), WLAN (AUX), WWAN (MIMO), WWAN (Aux) 5G, and WWAN (Main) 5G components. Dimensions are provided for the WLAN and 5G components, both with and without a bumper. WLAN: 3.65 mm (w/o bumper: 2.15 mm) 5G: 4.81 mm (w/o bumper: 3.31)	

G.5 Phantom liquid level during measurements

ELI phantom Head liquid SAR SPEAG HBBL600-10000V6 Batch – 220721-02



End of the report

This page is intentionally left blank and marks the last page of the test report.