

Annex F. Photographs

F.1 Test Sample

Sample Front 211014-03.S01 	Sample Back 211014-03.S01 
Sample Laptop Mode 211014-03.S01 	Sample Laptop Mode 211014-03.S04 
Sample Front 211014-03.S04 	Sample Back 211014-03.S04 

F.2 SAR Test position

Laptop



Laptop – Side view






F.3 PD Test position

Back Face @2.5mm	Back Face @2.5mm (close view)
	


F.4 Antenna host platform location and adjacent edge positions relative to the body

All information (diagrams, values and dimensions) in this section are provided by the manufacturer

Antenna Host Platform location #1	Antenna Host Platform location #2																																																																				
																																																																					
Antenna dimensional information for SAR evaluation	Antenna dimensional information for SAR evaluation																																																																				
<table><tr><th colspan="4">Minimum Separation Distance</th></tr><tr><th>Item</th><th>Antenna</th><th>Position</th><th>Distance (mm)</th></tr><tr><td>A</td><td>WLAN-Main</td><td>to Top</td><td>241.8</td></tr><tr><td>B</td><td>WLAN-Main</td><td>to Right</td><td>348.8</td></tr><tr><td>C</td><td>WLAN-Main</td><td>to Left</td><td>3.4</td></tr><tr><td>D</td><td>WLAN-Main</td><td>to Bottom</td><td>6.5</td></tr><tr><td>E</td><td>WLAN-Main</td><td>Main Antenna Length</td><td>7.5</td></tr><tr><td>F</td><td>Main-Aux</td><td>Main to Aux</td><td>337.9</td></tr><tr><td>G</td><td>WLAN-Aux</td><td>to Top</td><td>241.8</td></tr><tr><td>H</td><td>WLAN-Aux</td><td>to Right</td><td>3.4</td></tr><tr><td>I</td><td>WLAN-Aux</td><td>to Left</td><td>348.8</td></tr><tr><td>J</td><td>WLAN-Aux</td><td>to Bottom</td><td>6.5</td></tr><tr><td>K</td><td>WLAN-Aux</td><td>Aux Antenna Length</td><td>7.5</td></tr><tr><td>L</td><td>NB</td><td>Bumper thickness</td><td>3</td></tr><tr><td>X</td><td>WLAN-Main</td><td>to User</td><td>20.65</td></tr><tr><td>Y</td><td>WLAN-Aux</td><td>to User</td><td>20.65</td></tr><tr><td>Z</td><td>NB</td><td>Keyboard depth</td><td>275.5</td></tr></table>	Minimum Separation Distance				Item	Antenna	Position	Distance (mm)	A	WLAN-Main	to Top	241.8	B	WLAN-Main	to Right	348.8	C	WLAN-Main	to Left	3.4	D	WLAN-Main	to Bottom	6.5	E	WLAN-Main	Main Antenna Length	7.5	F	Main-Aux	Main to Aux	337.9	G	WLAN-Aux	to Top	241.8	H	WLAN-Aux	to Right	3.4	I	WLAN-Aux	to Left	348.8	J	WLAN-Aux	to Bottom	6.5	K	WLAN-Aux	Aux Antenna Length	7.5	L	NB	Bumper thickness	3	X	WLAN-Main	to User	20.65	Y	WLAN-Aux	to User	20.65	Z	NB	Keyboard depth	275.5	
Minimum Separation Distance																																																																					
Item	Antenna	Position	Distance (mm)																																																																		
A	WLAN-Main	to Top	241.8																																																																		
B	WLAN-Main	to Right	348.8																																																																		
C	WLAN-Main	to Left	3.4																																																																		
D	WLAN-Main	to Bottom	6.5																																																																		
E	WLAN-Main	Main Antenna Length	7.5																																																																		
F	Main-Aux	Main to Aux	337.9																																																																		
G	WLAN-Aux	to Top	241.8																																																																		
H	WLAN-Aux	to Right	3.4																																																																		
I	WLAN-Aux	to Left	348.8																																																																		
J	WLAN-Aux	to Bottom	6.5																																																																		
K	WLAN-Aux	Aux Antenna Length	7.5																																																																		
L	NB	Bumper thickness	3																																																																		
X	WLAN-Main	to User	20.65																																																																		
Y	WLAN-Aux	to User	20.65																																																																		
Z	NB	Keyboard depth	275.5																																																																		

F.5 Phantom liquid level during measurements

ELI phantom Head liquid SAR SPEAG HBBL600-10000V6 Batch – 191016-02



End of the report

This page is intentionally left blank and marks the last page of the test report.